

Appendix A: 2009 Macon County YRBS Middle School Questionnaire

**2009
MACON COUNTY
YOUTH RISK BEHAVIOR SURVEY
MIDDLE SCHOOL QUESTIONNAIRE**

This survey is about health behavior. It has been developed so you can tell us what you do that may affect your health. The information you give will be used to develop better health education for young people like yourself.

DO NOT write your name on this survey. The answers you give will be kept private. No one will know what you write. Answer the questions based on what you really do.

Completing the survey is voluntary. Whether or not you answer the questions will not affect your grade in this class. If you are not comfortable answering a question, just leave it blank.

The questions that ask about your background will be used only to describe the types of students completing this survey. The information will not be used to find out your name. No names will ever be reported.

Make sure to read every question. Fill in the circles completely. When you are finished, follow the instructions of the person giving you the survey.

Thank you very much for your help.

Directions

- Use a #2 pencil only.
- Make dark marks.
- Fill in a response like this: A B ● D
- To change your answer, erase your old answer completely.

1. How old are you?
 - A. 10 years old or younger
 - B. 11 years old
 - C. 12 years old
 - D. 13 years old
 - E. 14 years old
 - F. 15 years old
 - G. 16 years old or older
2. What is your sex?
 - A. Female
 - B. Male
3. In what grade are you?
 - A. 6th grade
 - B. 7th grade
 - C. 8th grade
 - D. Ungraded or other grade
4. Are you Hispanic or Latino?
 - A. Yes
 - B. No
5. What is your race? (**Select one or more responses.**)
 - A. American Indian or Alaska Native
 - B. Asian
 - C. Black or African American
 - D. Native Hawaiian or Other Pacific Islander
 - E. White
6. During the past 12 months, how would you describe your grades in school?
 - A. Mostly A's
 - B. Mostly B's
 - C. Mostly C's
 - D. Mostly D's
 - E. Mostly F's
 - F. None of these grades
 - G. Not sure

The next 12 questions ask about personal safety and violence-related behaviors.

7. How often do you wear a seat belt when **riding** in a car?
 - A. Never
 - B. Rarely
 - C. Sometimes
 - D. Most of the time
 - E. Always
8. When you ride a **bicycle**, how often did you wear a helmet?
 - A. I do not ride a bicycle
 - B. Never wear a helmet
 - C. Rarely wear a helmet
 - D. Sometimes wear a helmet
 - E. Most of the time wear a helmet
 - F. Always wear a helmet
9. When you rode a **four-wheeler** during the past 12 months, how often did you wear a helmet?
 - A. I did not ride a four-wheeler during the past 12 months
 - B. Never wore a helmet
 - C. Rarely wore a helmet
 - D. Sometimes wore a helmet
 - E. Most of the time wore a helmet
 - F. Always wore a helmet
10. Have you ever ridden in a car driven by someone who had been drinking alcohol?
 - A. Yes
 - B. No
 - C. Not sure
11. Have you ever carried a **weapon** such as a gun, knife, or club?
 - A. Yes
 - B. No
12. During the past 12 months, did someone threaten or injure you with a weapon such as a gun, knife, or club **on school property**?
 - A. Yes
 - B. No
13. Have you ever been in a physical fight?
 - A. Yes
 - B. No

14. Have you ever been in a physical fight in which you were hurt and had to be treated by a doctor or nurse?

- A. Yes
- B. No

15. During the past 30 days, did you **not** go to school because you felt you would be unsafe at school or on your way to or from school?

- A. Yes
- B. No

16. During the past 12 months, has someone stolen or deliberately damaged your property, such as your clothing or books, **on school property**?

- A. Yes
- B. No

17. During the past 12 months, did your boyfriend or girlfriend ever hit, slap, or physically hurt you on purpose?

- A. Yes
- B. No

18. Have you ever been physically forced to have sexual intercourse when you did not want to?

- A. Yes
- B. No

The next 2 questions ask about bullying. Bullying is when 1 or more students tease, threaten, spread rumors about, hit, shove, or hurt another student over and over again. It is not bullying when 2 students of about the same strength or power argue or fight or tease each other in a friendly way.

19. During the past 12 months, have you been harassed or bullied **on school property**?

- A. Yes
- B. No

20. During the past 12 months, have you ever been **electronically bullied**, such as through e-mail, chat rooms, instant messaging, Web sites, or text messaging?

- A. Yes
- B. No

The next 4 questions ask about attempted suicide. Sometimes people feel so depressed about the future that they may consider attempting suicide or killing themselves.

21. During the past 12 months, did you ever feel so sad or hopeless almost every day for **two weeks or more** in a row that you stopped doing some usual activities?

- A. Yes
- B. No

22. Have you ever **seriously** thought about killing yourself?

- A. Yes
- B. No

23. Have you ever made a plan about how you would kill yourself?

- A. Yes
- B. No

24. When you feel sad, empty, hopeless, angry, or anxious, with whom do you **usually** talk?

- A. I do not feel sad, empty, hopeless, angry, or anxious
- B. Parent or other adult family member
- C. Teacher or other adult in this school
- D. Religious leader
- E. Doctor or nurse
- F. Other adult
- G. Friend or sibling
- H. Some other person

The next 5 questions ask about tobacco use.

25. How old were you when you smoked a whole cigarette for the first time?

- A. I have never smoked a whole cigarette
- B. 8 years old or younger
- C. 9 years old
- D. 10 years old
- E. 11 years old
- F. 12 years old
- G. 13 years old or older

26. During the past 30 days, on how many days did you smoke cigarettes?

- A. 0 days
- B. 1 or 2 days
- C. 3 to 5 days
- D. 6 to 9 days
- E. 10 to 19 days
- F. 20 to 29 days
- G. All 30 days

27. During the past 12 months, did you ever try **to quit** smoking cigarettes?

- A. I did not smoke cigarettes during the past 12 months
- B. Yes
- C. No

28. During the past 30 days, how did you **usually** get your own cigarettes? (Select only **one** response)

- A. I did not smoke cigarettes during the past 30 days.
- B. I bought them in a store such as a convenience store, supermarket, discount store, or gas station.
- C. I bought them from a vending machine.
- D. I gave someone else money to buy them for me.
- E. I borrowed (or bummed) them from someone else.
- F. A person 18 years or older gave them to me.
- G. I took them from a store or family member.
- H. I got them some other way.

29. During the past 30 days, on how many days did you use **chewing tobacco, snuff, or dip**, such as Redman, Levi Garrett, Beechnut, Skoal, Skoal Bandits, or Copenhagen?

- A. 0 days
- B. 1 or 2 days
- C. 3 to 5 days
- D. 6 to 9 days
- E. 10 to 19 days
- F. 20 to 29 days
- G. All 30 days

The next 3 questions ask about drinking alcohol. This includes drinking beer, wine, wine coolers, and liquor such as rum, gin, vodka, or whiskey. For these questions, drinking alcohol does not include drinking a few sips of wine for religious purposes.

30. Have you ever had a drink of alcohol, other than a few sips?

- A. Yes
- B. No

31. How old were you when you had your first drink of alcohol other than a few sips?

- A. I have never had a drink of alcohol other than a few sips
- B. 8 years old or younger
- C. 9 years old
- D. 10 years old
- E. 11 years old
- F. 12 years old
- G. 13 years old or older

32. If you drank alcohol during the past 30 days, how did you usually get your alcohol?

- A. I did not drink alcohol during the past 30 days
- B. I bought it at a store such as a liquor store, convenience store, gas station or supermarket
- C. I bought it at a restaurant, bar, or club
- D. I took it from home
- E. My parent(s)/guardian(s) gave it to me
- F. I gave someone else the money to buy it for me
- G. A person over 21 years old gave it to me
- H. I got it some other way

The next 4 questions ask about marijuana use. Marijuana also is called grass or pot.

33. Have you ever used marijuana?

- A. Yes
- B. No

34. How old were you when you tried marijuana for the first time?

- A. I have never tried marijuana
- B. 8 years old or younger
- C. 9 years old
- D. 10 years old
- E. 11 years old
- F. 12 years old
- G. 13 years old or older

35. During the past 30 days, did you use marijuana?

- A. Yes
- B. No

36. During the past 30 days, did you use marijuana **on school property**?

- A. Yes
- B. No

The next 9 questions ask about other drugs.

37. Have you ever used **any** form of cocaine, including powder, crack, or freebase?

- A. Yes
- B. No

38. Have you ever used LSD (acid), PCP (angel dust), mushrooms, ecstasy or other hallucinogens?

- A. Yes
- B. No

39. Have you ever sniffed glue, or breathed the contents of spray cans, or inhaled any paints or sprays to get high?

- A. Yes
- B. No

40. Have you ever used **steroid pills or shots** without a doctor's prescription?

- A. Yes
- B. No

41. Have you ever used a needle to inject any **illegal** drug into your body?

- A. Yes
- B. No

42. Have you ever taken a **prescription drug** such as OxyContin, Percocet, Vicodin, Adderall, Ritalin, or Xanax **without a doctor's prescription**?

- A. Yes
- B. No

43. If you took a **prescription drug without a doctor's prescription** during the past 12 months, how did you usually get it?

- A. I did not take a prescription drug without a doctor's prescription during the past 12 months
- B. I took it from home
- C. I took it from someone else's home
- D. I got it from someone
- E. I bought it from someone
- F. I got it some other way

44. Have you ever used **methamphetamines** (also called speed, crystal, crank, or ice)?

- A. Yes
- B. No

45. **During the past 12 months**, has anyone offered, sold, or given you an illegal drug **on school property**?

- A. Yes
- B. No

The next 4 questions ask about sexual behavior.

46. Have you ever had sexual intercourse?

- A. Yes
- B. No

47. How old were you when you had sexual intercourse for the first time?

- A. I have never had sexual intercourse
- B. 11 years old or younger
- C. 12 years old
- D. 13 years old or older

48. How many times have you been pregnant or gotten someone pregnant?

- A. 0 times
- B. 1 time
- C. 2 or more times
- D. Not sure

49. During your life, with how many people have you had sexual intercourse?

- A. I have never had sexual intercourse
- B. 1 person
- C. 2 people
- D. 3 people
- E. 4 people
- F. 5 people
- G. 6 or more people

The next 4 questions ask about abstinence, AIDS and STD education.

50. Have you ever been taught about abstaining from sexual activity?

- A. Yes
- B. No
- C. Not sure

51. Have you ever been taught about AIDS or HIV infection in school?

- A. Yes
- B. No
- C. Not sure

52. Have you ever been taught about chlamydia, gonorrhea, syphilis, or human papillomavirus, or genital warts?

- A. Yes
- B. No
- C. Not sure

53. When you have questions about sexually transmitted diseases (STD), HIV, AIDS, or pregnancy prevention, with whom do you **usually** talk?

- A. I do not have questions about sexually transmitted diseases (STD), HIV, AIDS or pregnancy prevention
- B. Parent or other adult family member
- C. Teacher or other adult in this school
- D. Religious leader
- E. Doctor or nurse
- F. Other adult
- G. Friend or sibling
- H. Some other person

The next 7 questions ask about body weight.

54. How do **you** describe your weight?

- A. Very underweight
- B. Slightly underweight
- C. About the right weight
- D. Slightly overweight
- E. Very overweight

55. Which of the following are you trying to do about your weight?

- A. **Lose** weight
- B. **Gain** weight
- C. **Stay** the same weight
- D. I am **not trying to do anything** about my weight

56. Have you ever **exercised** to lose weight or to keep from gaining weight?

- A. Yes
- B. No

57. Have you ever **eaten less food, fewer calories, or foods low in fat** to lose weight or to keep from gaining weight?

- A. Yes
- B. No

58. Have you ever **gone without eating for 24 hours or more** (also called fasting) to lose weight or keep from gaining weight?

- A. Yes
- B. No

59. Have you ever **taken any diet pills, powders, or liquids** without a doctor's advice to lose weight or to keep from gaining weight? (Do **not** include meal replacement products such as Slim Fast.)

- A. Yes
- B. No

60. Have you ever **vomited or taken laxatives** to lose weight or to keep from gaining weight?

- A. Yes
- B. No

The next 9 questions ask about food you ate or drank during the past 7 days. Think about all the meals and snacks you had from the time you got up until you went to bed. Be sure to include food you ate at home, at school, at restaurants, or anywhere else.

61. During the past 7 days, how many times do you eat **fruit**? (Include raw, cooked, frozen, canned or dried fruit and 100% fruit juice.)

- A. I do not eat fruit
- B. 1 time
- C. 2 times
- D. 3 times
- E. 4 times
- F. 5 or more times

62. During the past 7 days, how many times do you eat **vegetables**? (Include raw, cooked, frozen, canned vegetables, salad greens and 100% vegetable juice, BUT **do not count** french fries.)

- A. I do not eat vegetables
- B. 1 time
- C. 2 times
- D. 3 times
- E. 4 times
- F. 5 or more times

63. During the past 7 days, how many times did you eat junk food such as sweet or salty snack foods? (Include chips, crackers, cookies, candy, cakes, or donuts.)

- A. I did not eat junk food during the past 7 days.
- B. 1 to 3 times during the past 7 days
- C. 4 to 6 times during the past 7 days
- D. 1 time per day
- E. 2 times per day
- F. 3 times per day
- G. 4 or more times per day

64. During the past 7 days, how many times did you drink a **can, bottle, or glass of soda or pop**, such as Coke, Pepsi, or Sprite? (Do **not** include diet soda or diet pop.)

- A. I did not drink soda or pop during the past 7 days.
- B. 1 to 3 times during the past 7 days
- C. 4 to 6 times during the past 7 days
- D. 1 time per day
- E. 2 times per day
- F. 3 times per day
- G. 4 or more times per day

65. During the past 7 days, how many times do you drink a can, bottle, or glass of any other sweetened beverage? (Include sweet tea, punch, Kool-Aid, fruit-flavored drinks, energy drinks, and sports drinks. Do **not** include diet or sugar-free drinks.)

- A. I did not drink any other sweetened beverages during the past 7 days.
- B. 1 to 3 times during the past 7 days
- C. 4 to 6 times during the past 7 days
- D. 1 time per day
- E. 2 times per day
- F. 3 times per day
- G. 4 or more times per day

66. During the past 7 days, how many **glasses of milk** did you drink (include the milk you drank in a glass or cup, from a carton, or with cereal. Count the half pint milk served at school as equal to 1 glass.)

- A. I did not drink milk during the past 7 days
- B. 1 to 3 glasses during the past 7 days
- C. 4 to 6 glasses during the past 7 days
- D. 1 glass per day
- E. 2 glasses per day
- F. 3 glasses per day
- G. 4 or more glasses per day

67. During the past 7 days, how many times did you buy food and/or drinks from vending machines at school?

- A. 0 times
- B. 1 time
- C. 2 times
- D. 3 times
- E. 4 times
- F. 5 or more times

68. During the past 7 days, on how many days did you eat breakfast?

- A. 0 days
- B. 1 day
- C. 2 days
- D. 3 days
- E. 4 days
- F. 5 days
- G. 6 days
- H. 7 days

69. During the past 7 days, how many times did you eat dinner prepared at home with your family?

- A. 0 times
- B. 1 time
- C. 2 times
- D. 3 times
- E. 4 times
- F. 5 times
- G. 6 times
- H. 7 times

The next 7 questions ask about physical activity.

70. During the past 7 days on how many days were you physically active for a total of **at least 60 minutes per day**? (Add up all the time you spend in any kind of physical activity that increases your heart rate and makes you breathe hard some of the time.)

- A. 0 days
- B. 1 day
- C. 2 days
- D. 3 days
- E. 4 days
- F. 5 days
- G. 6 days
- H. 7 days

71. **In an average week** when you are in school, on how many days do you go to physical education (PE) classes?

- A. 0 days
- B. 1 day
- C. 2 days
- D. 3 days
- E. 4 days
- F. 5 days

72. On an average school day, how many hours do you watch TV?

- A. I do not watch TV on an average school day
- B. Less than 1 hour per day
- C. 1 hour per day
- D. 2 hours per day
- E. 3 hours per day
- F. 4 hours per day
- G. 5 or more hours per day

73. On an average school day, how many hours do you play video or computer games or use a computer for something that is not school work? (Include activities such as Nintendo, Game Boy, Play Station, Xbox, computer games, and the Internet)

- A. I do not play video or computer games or use a computer for non school work
- B. Less than 1 hour per day
- C. 1 hour per day
- D. 2 hours per day
- E. 3 hours per day
- F. 4 hours per day
- G. 5 or more hours per day

74. On an average Saturday or Sunday, how many hours do you watch TV, play video games, or use a computer for something that is not school work? (Include activities such as Nintendo, Game Boy, PlayStation, Xbox, computer games, and the Internet.)

- A. I do not watch TV, play video games, or use a computer on an average Saturday or Sunday
- B. Less than 1 hour per day
- C. 1 hour per day
- D. 2 hours per day
- E. 3 hours per day
- F. 4 hours per day
- G. 5 or more hours per day

75. During the past 12 months, on how many sports teams did you play? (Include any teams run by your school or community groups.)

- A. 0 teams
- B. 1 team
- C. 2 teams
- D. 3 or more teams

76. On an average school day, how many hours do you play video or computer games or use a computer for something that is not school work? (Include activities such as Nintendo, Game Boy, Play Station, Xbox, computer games, and the Internet)

- A. I do not play video or computer games or use a computer for something that is not school work
- B. Less than 1 hour per day
- C. 1 hour per day
- D. 2 hours per day
- E. 3 hours per day
- F. 4 hours per day
- G. 5 or more hours per day

The next question asks about sun safety.

77. When you are outside for more than one hour on a sunny day, how often do you wear sunscreen with an SPF of 15 or higher?

- A. Never
- B. Rarely
- C. Sometimes
- D. Most of the time
- E. Always

The next question asks about sleep.

78. On an average school night, approximately how many hours of sleep do you get?

- A. 4 or less hours
- B. 5 hours
- C. 6 hours
- D. 7 hours
- E. 8 hours
- F. 9 hours
- G. 10 or more hours

The next 12 questions are general items about you.

79. A disability can be physical, mental, emotional, or communication-related. Do you consider yourself to have a disability?

- A. Yes
- B. No
- C. Not sure

80. On an average school day, how long after school are you alone without a parent or trusted adult?

- A. I am not alone after school
- B. Less than 1 hour per day
- C. 2 hours per day
- D. 3 hours per day
- E. 4 hours per day
- F. 5 hours per day
- G. 6 or more hours per day

81. Do you participate in school activities other than sports, such as band, drama, clubs, or student government?

- A. Yes
- B. No

82. During the past 30 days, how many times did you perform any organized community service as a non-paid volunteer (for example, serving meals to elderly, picking up litter, helping out at a hospital, building homes for the poor, etc.)?

- A. 0 times
- B. 1 time
- C. 2 or 3 times
- D. 4 or 5 times
- E. 6 or more times

83. When was the last time you saw a doctor or nurse for a check-up or physical exam when you were not sick or injured?

- A. During the past 12 months
- B. Between 12 and 24 months ago
- C. More than 24 months ago
- D. Never
- E. Not sure

84. When was the last time you saw a dentist for a check-up, exam, teeth cleaning, or other dental work?

- A. During the past 12 months
- B. Between 12 and 24 months ago
- C. More than 24 months ago
- D. Never
- E. Not sure

85. Has a doctor or nurse ever told you that you have asthma?

- A. Yes
- B. No
- C. Not sure

86. During the past 12 months, have you had an episode of asthma or an asthma attack?

- A. I do not have asthma
- B. No, I have asthma, but I have not had an episode of asthma or an asthma attack during the past 12 months
- C. Yes, I have had an episode of asthma or an asthma attack during the past 12 months
- D. Not sure

87. How often do you feel stress in your life?

- A. Never
- B. Rarely
- C. Sometimes
- D. Most of the time
- E. All of the time

88. How would you rate your health in general?

- A. Excellent
- B. Very good
- C. Good
- D. Fair
- E. Poor

89. Based on your answers to this survey, which of the following **influences your decisions** about health the most? (**Choose One**)

- A. Parents/Family
- B. School
- C. Friends/Peers
- D. Church/Youth Groups
- E. Media:TV/Movies/Books/Magazines
- F. Computer/Internet
- G. Doctor
- H. Other

90. From which of the following would **you prefer** to get information about health? (**Choose One**)

- A. Parents/Family
- B. School
- C. Friends/Peers
- D. Church/Youth Groups
- E. Media:TV/Movies/Books/Magazines
- F. Computer/Internet
- G. Doctor
- H. Other

For the next 6 statements, indicate whether you agree or disagree with each statement.

91. Do you agree or disagree that you feel alone in your life?

- A. Strongly agree
- B. Agree
- C. Not sure
- D. Disagree
- E. Strongly disagree

92. Do you agree or disagree that you feel good about yourself?

- A. Strongly agree
- B. Agree
- C. Not sure
- D. Disagree
- E. Strongly disagree

93. Do you agree or disagree that your teachers really care about you and give you a lot of encouragement?

- A. Strongly agree
- B. Agree
- C. Not sure
- D. Disagree
- E. Strongly disagree

94. Do you agree or disagree that harassment and bullying by other students is a problem at your school?

- A. Strongly agree
- B. Agree
- C. Not sure
- D. Disagree
- E. Strongly disagree

95. Do you agree or disagree that gangs are a problem at your school?

- A. Strongly agree
- B. Agree
- C. Not sure
- D. Disagree
- E. Strongly disagree

96. Do you agree or disagree that drugs are a problem at your school?

- A. Strongly agree
- B. Agree
- C. Not sure
- D. Disagree
- E. Strongly disagree

This is the end of the survey
Thank you very much for your help

Appendix B: Macon County YRBS High School Questionnaire

**2009
MACON COUNTY
YOUTH RISK BEHAVIOR SURVEY
HIGH SCHOOL QUESTIONNAIRE**

This survey is about health behavior. It has been developed so you can tell us what you do that may affect your health. The information you give will be used to develop better health education for young people like yourself.

DO NOT write your name on this survey. The answers you give will be kept private. No one will know what you write. Answer the questions based on what you really do.

Completing the survey is voluntary. Whether or not you answer the questions will not affect your grade in this class. If you are not comfortable answering a question, just leave it blank.

The questions that ask about your background will be used only to describe the types of students completing this survey. The information will not be used to find out your name. No names will ever be reported.

Make sure to read every question. Fill in the circles completely. When you are finished, follow the instructions of the person giving you the survey.

Thank you very much for your help.

Directions:

- Use a #2 pencil only.
- Make dark marks.
- Fill in a response like this: A B ● D
- To change your answer, erase your old answer completely.

1. How old are you?
 - A. 12 years old or younger
 - B. 13 years old
 - C. 14 years old
 - D. 15 years old
 - E. 16 years old
 - F. 17 years old
 - G. 18 years old or older

2. What is your sex?
 - A. Female
 - B. Male

3. In what grade are you?
 - A. 9th grade
 - B. 10th grade
 - C. 11th grade
 - D. 12th grade
 - E. Ungraded or other grade

4. Are you Hispanic or Latino?
 - A. Yes
 - B. No

5. What is your race? (**Select one or more** responses.)
 - A. American Indian or Alaska Native
 - B. Asian
 - C. Black or African American
 - D. Native Hawaiian or Other Pacific Islander
 - E. White

6. How tall are you without your shoes on?

Directions: Write your height in the shaded blank boxes on your answer sheet. Fill in the matching circles below each number.

Example

Height	
Feet	Inches
5	11
③	⑩
④	①
●	②
⑥	③
⑦	④
	⑤
	⑥
	⑦
	⑧
	⑨
	⑩
	●

7. How much do you weigh without your shoes on?

Directions: Write your weight in the shaded blank boxes on your answer sheet. Fill in the matching circles below each number.

Example

Weight		
Pounds		
1	5	3
●	⑩	⑩
②	①	①
③	②	②
	③	●
	④	④
	●	⑤
	⑥	⑥
	⑦	⑦
	⑧	⑧
	⑨	⑨

8. During the past 12 months, how would you describe your grades in school?

- A. Mostly A's
- B. Mostly B's
- C. Mostly C's
- D. Mostly D's
- E. Mostly F's
- F. None of these grades
- G. Not sure

The next 4 questions ask about personal safety.

9. **When you rode a bicycle** during the past 12 months, how often did you wear a helmet?

- A. I did not ride a bicycle during the past 12 months
- B. Never wore a helmet
- C. Rarely wore a helmet
- D. Sometimes wore a helmet
- E. Most of the time wore a helmet
- F. Always wore a helmet

10. How often do you wear a seat belt when **riding in** a car driven by someone else?

- A. Never
- B. Rarely
- C. Sometimes
- D. Most of the time
- E. Always

11. During the past 30 days, how many times did you **ride** in a car or other vehicle **driven by someone who had been drinking alcohol**?

- A. 0 times
- B. 1 time
- C. 2 or 3 times
- D. 4 or 5 times
- E. 6 or more times

12. During the past 30 days, how many times did you **drive** a car or other vehicle **when you had been drinking alcohol**?

- A. 0 times
- B. 1 time
- C. 2 or 3 times
- D. 4 or 5 times
- E. 6 or more times

The next 2 questions ask about bullying. Bullying is when 1 or more students tease, threaten, spread rumors about, hit, shove, or hurt another student over and over again. It is not bullying when 2 students of about the same strength or power argue or fight or tease each other in a friendly way.

13. During the past 12 months, have you ever been bullied **on school property**?

- A. Yes
- B. No

14. During the past 12 months, have you ever been **electronically bullied**, such as through e-mail, chat rooms, instant messaging, Web sites, or text messaging?

- A. Yes
- B. No

The next 10 questions ask about violence-related behaviors.

15. During the past 30 days, on how many days did you carry a **weapon** such as a gun, knife, or club?

- A. 0 days
- B. 1 day
- C. 2 or 3 days
- D. 4 or 5 days
- E. 6 or more days

16. During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club **on school property**?

- A. 0 days
- B. 1 day
- C. 2 or 3 days
- D. 4 or 5 days
- E. 6 or more days

17. During the past 30 days, on how many days did you **not** go to school because you felt you would be unsafe at school or on your way to or from school?

- A. 0 days
- B. 1 day
- C. 2 or 3 days
- D. 4 or 5 days
- E. 6 or more days

18. During the past 12 months, how many times has someone threatened or injured you with a weapon such as a gun, knife, or club **on school property?**

- A. 0 times
- B. 1 time
- C. 2 or 3 times
- D. 4 or 5 times
- E. 6 or 7 times
- F. 8 or 9 times
- G. 10 or 11 times
- H. 12 or more times

19. During the past 12 months, how many times has someone stolen or deliberately damaged your property such as your car, clothing, or books **on school property?**

- A. 0 times
- B. 1 time
- C. 2 or 3 times
- D. 4 or 5 times
- E. 6 or 7 times
- F. 8 or 9 times
- G. 10 or 11 times
- H. 12 or more times

20. During the past 12 months, how many times were you in a physical fight?

- A. 0 times
- B. 1 time
- C. 2 or 3 times
- D. 4 or 5 times
- E. 6 or 7 times
- F. 8 or 9 times
- G. 10 or 11 times
- H. 12 or more times

21. During the past 12 months, how many times were you in a physical fight in which you were injured and had to be treated by a doctor or nurse?

- A. 0 times
- B. 1 time
- C. 2 or 3 times
- D. 4 or 5 times
- E. 6 or more times

22. During the past 12 months, how many times were you in a physical fight **on school property?**

- A. 0 times
- B. 1 time
- C. 2 or 3 times
- D. 4 or 5 times
- E. 6 or 7 times
- F. 8 or 9 times
- G. 10 or 11 times
- H. 12 or more times

23. During the past 12 months, did your boyfriend or girlfriend ever hit, slap, or physically hurt you on purpose?

- A. Yes
- B. No

24. Have you ever been physically forced to have sexual intercourse when you did not want to?

- A. Yes
- B. No

The next 5 questions ask about sad feelings and attempted suicide. Sometimes people feel so depressed about the future that they may consider attempting suicide, that is, taking some action to end their own life.

25. During the past 12 months, did you ever feel so sad or hopeless almost every day for **two weeks or more** in a row that you stopped doing some usual activities?

- A. Yes
- B. No

26. During the past 12 months, did you ever **seriously** consider attempting suicide?

- A. Yes
- B. No

27. During the past 12 months, did you make a plan about how you would attempt suicide?

- A. Yes
- B. No

28. During the past 12 months, how many times did you actually attempt suicide?

- A. 0 times
- B. 1 time
- C. 2 or 3 times
- D. 4 or 5 times
- E. 6 or more times

29. When you feel sad, empty, hopeless, angry, or anxious, with whom do you **usually** talk?

- A. I do not feel sad, empty, hopeless, angry, or anxious
- B. Parent or other adult family member
- C. Teacher or other adult in this school
- D. Religious leader
- E. Doctor or nurse
- F. Other adult
- G. Friend or sibling
- H. Some other person

The next 4 questions ask about tobacco use.

30. How old were you when you smoked a whole cigarette for the first time?

- A. I have never smoked a whole cigarette
- B. 8 years old or younger
- C. 9 or 10 years old
- D. 11 or 12 years old
- E. 13 or 14 years old
- F. 15 or 16 years old
- G. 17 years old or older

31. During the past 30 days, on how many days did you smoke cigarettes?

- A. 0 days
- B. 1 or 2 days
- C. 3 to 5 days
- D. 6 to 9 days
- E. 10 to 19 days
- F. 20 to 29 days
- G. All 30 days

32. During the past 12 months, did you ever try **to quit** smoking cigarettes?

- A. I did not smoke during the past 12 months
- B. Yes
- C. No

33. During the past 30 days, on how many days did you use **chewing tobacco, snuff, or dip**, such as Redman, Levi Garrett, Beechnut, Skoal, Skoal Bandits, or Copenhagen?

- A. 0 days
- B. 1 or 2 days
- C. 3 to 5 days
- D. 6 to 9 days
- E. 10 to 19 days
- F. 20 to 29 days
- G. All 30 days

The next 5 questions ask about drinking alcohol. This includes drinking beer, wine, wine coolers, and liquor such as rum, gin, vodka, or whiskey. For these questions, drinking alcohol does not include drinking a few sips of wine for religious purposes.

34. How old were you when you had your first drink of alcohol other than a few sips?

- A. I have never had a drink of alcohol other than a few sips
- B. 8 years old or younger
- C. 9 or 10 years old
- D. 11 or 12 years old
- E. 13 or 14 years old
- F. 15 or 16 years old
- G. 17 years old or older

35. During the past 30 days, on how many days did you have at least one drink of alcohol?

- A. 0 days
- B. 1 or 2 days
- C. 3 to 5 days
- D. 6 to 9 days
- E. 10 to 19 days
- F. 20 to 29 days
- G. All 30 days

36. During the past 30 days, on how many days did you have 5 or more drinks of alcohol in a row, that is, within a couple of hours?

- A. 0 days
- B. 1 day
- C. 2 days
- D. 3 to 5 days
- E. 6 to 9 days
- F. 10 to 19 days
- G. 20 or more days

37. During the past 30 days, on how many days did you have at least one drink of alcohol **on school property**?

- A. 0 days
- B. 1 or 2 days
- C. 3 to 5 days
- D. 6 to 9 days
- E. 10 to 19 days
- F. 20 to 29 days
- G. All 30 days

38. If you drank alcohol during the past 30 days, how did you usually get your alcohol?

- A. I did not drink alcohol during the past 30 days
- B. I bought it at a store such as a liquor store, convenience store, gas station or supermarket
- C. I bought it at a restaurant, bar, or club
- D. I took it from home
- E. My parent(s)/guardian(s) gave it to me
- F. I gave someone else the money to buy it for me
- G. A person over 21 years old gave it to me
- H. I got it some other way

The next 4 questions ask about marijuana use. Marijuana also is called grass or pot.

39. During your life, how many times have you used marijuana?

- A. 0 times
- B. 1 or 2 times
- C. 3 to 9 times
- D. 10 to 19 times
- E. 20 to 39 times
- F. 40 to 99 times
- G. 100 or more times

40. How old were you when you tried marijuana for the first time?

- A. I have never tried marijuana
- B. 8 years old or younger
- C. 9 or 10 years old
- D. 11 or 12 years old
- E. 13 or 14 years old
- F. 15 or 16 years old
- G. 17 years old or older

41. During the past 30 days, how many times did you use marijuana?

- A. 0 times
- B. 1 or 2 times
- C. 3 to 9 times
- D. 10 to 19 times
- E. 20 to 39 times
- F. 40 or more times

42. During the past 30 days, how many times did you use marijuana **on school property**?

- A. 0 times
- B. 1 or 2 times
- C. 3 to 9 times
- D. 10 to 19 times
- E. 20 to 39 times
- F. 40 or more times

The next 10 questions ask about other drugs.

43. During your life, how many times have you used **any** form of cocaine, including powder, crack, or freebase?

- A. 0 times
- B. 1 or 2 times
- C. 3 to 9 times
- D. 10 to 19 times
- E. 20 to 39 times
- F. 40 or more times

44. During your life, how many times have you sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high?

- A. 0 times
- B. 1 or 2 times
- C. 3 to 9 times
- D. 10 to 19 times
- E. 20 to 39 times
- F. 40 or more times

45. During your life, how many times have you used **heroin** (also called smack, junk, or China White)?

- A. 0 times
- B. 1 or 2 times
- C. 3 to 9 times
- D. 10 to 19 times
- E. 20 to 39 times
- F. 40 or more times

46. During your life, how many times have you used **methamphetamines** (also called speed, crystal, crank, or ice)?

- A. 0 times
- B. 1 or 2 times
- C. 3 to 9 times
- D. 10 to 19 times
- E. 20 to 39 times
- F. 40 or more times

47. During your life, how many times have you used **ecstasy** (also called MDMA)?

- A. 0 times
- B. 1 or 2 times
- C. 3 to 9 times
- D. 10 to 19 times
- E. 20 to 39 times
- F. 40 or more times

48. During your life, how many times have you taken **steroid pills or shots** without a doctor's prescription?

- A. 0 times
- B. 1 or 2 times
- C. 3 to 9 times
- D. 10 to 19 times
- E. 20 to 39 times
- F. 40 or more times

49. During your life, how many times have you used a needle to inject any **illegal** drug into your body?

- A. 0 times
- B. 1 time
- C. 2 or more times

50. During your life, how many times have you taken a **prescription drug** (such as OxyContin, Percocet, Vicodin, Adderall, Ritalin, or Xanax) **without a doctor's prescription**?

- A. 0 times
- B. 1 or 2 times
- C. 3 to 9 times
- D. 10 to 19 times
- E. 20 to 39 times
- F. 40 or more times

51. If you took a **prescription drug without a doctor's prescription** during the past 12 months, how did you usually get it?

- A. I did not take a prescription drug without a doctor's prescription during the past 12 months
- B. I took it from home
- C. I took it from someone else's home
- D. I got it from someone
- E. I bought it from someone
- F. I got it some other way

52. During the past 12 months, has anyone offered, sold, or given you an illegal drug **on school property**?

- A. Yes
- B. No

The next 10 questions ask about sexual behavior.

53. Have you ever had sexual intercourse?

- A. Yes
- B. No

54. How old were you when you had sexual intercourse for the first time?

- A. I have never had sexual intercourse
- B. 11 years old or younger
- C. 12 years old
- D. 13 years old
- E. 14 years old
- F. 15 years old
- G. 16 years old
- H. 17 years old or older

55. During your life, with how many people have you had sexual intercourse?

- A. I have never had sexual intercourse
- B. 1 person
- C. 2 people
- D. 3 people
- E. 4 people
- F. 5 people
- G. 6 or more people

56. During the past 3 months, with how many people did you have sexual intercourse?

- A. I have never had sexual intercourse
- B. I have had sexual intercourse, but not during the past 3 months
- C. 1 person
- D. 2 people
- E. 3 people
- F. 4 people
- G. 5 people
- H. 6 or more people

57. Did you drink alcohol or use drugs before you had sexual intercourse the **last time**?

- A. I have never had sexual intercourse
- B. Yes
- C. No

58. The **last time** you had sexual intercourse, did you or your partner use a condom?

- A. I have never had sexual intercourse
- B. Yes
- C. No

59. The **last time** you had sexual intercourse, what **one** method did you or your partner use to **prevent pregnancy**? (Select only **one** response.)

- A. I have never had sexual intercourse
- B. No method was used to prevent pregnancy
- C. Birth control pills
- D. Condoms
- E. Depo-Provera (injectable birth control)
- F. Withdrawal
- G. Some other method
- H. Not sure

60. How many times have you been pregnant or gotten someone pregnant?

- A. 0 times
- B. 1 time
- C. 2 or more times
- D. Not sure

61. Have your parents or other adults in your family ever talked with you about what they expect you to do or not to do when it comes to sex?

- A. Yes
- B. No
- C. Not sure

62. The last time you had sexual intercourse, how old was your partner?

- A. I have never had sexual intercourse.
- B. 5 or more years younger
- C. 3 to 4 years younger
- D. About the same age
- E. 3 to 4 years older
- F. 5 or more years older
- G. Not sure

The next 7 questions ask about body weight.

63. How do **you** describe your weight?

- A. Very underweight
- B. Slightly underweight
- C. About the right weight
- D. Slightly overweight
- E. Very overweight

64. Which of the following are you trying to do about your weight?

- A. Lose weight
- B. Gain weight
- C. Stay the same weight
- D. I am not trying to do anything about my weight

65. During the past 30 days, did you **exercise** to lose weight or to keep from gaining weight?

- A. Yes
- B. No

66. During the past 30 days, did you **eat less food, fewer calories, or foods low in fat** to lose weight or to keep from gaining weight?

- A. Yes
- B. No

67. During the past 30 days, did you **take any diet pills, powders, or liquids** without a doctor's advice to lose weight or to keep from gaining weight? (Do **not** include meal replacement products such as Slim Fast.)

- A. Yes
- B. No

68. During the past 30 days, did you **vomit or take laxatives** to lose weight or to keep from gaining weight?

- A. Yes
- B. No

69. During the past 30 days, did you skip meals to lose weight or keep from gaining weight?

- A. Yes
- B. No

The next 8 questions ask about food you ate or drank during the past 7 days. Think about all the meals and snacks you had from the time you got up until you went to bed. Be sure to include food you ate at home, at school, at restaurants, or anywhere else.

70. During the past 7 days, how many times do you eat **fruit**? (Do not count fruit juice.)

- A. I did not eat fruit during the past 7 days
- B. 1 to 3 times during the past 7 days
- C. 4 to 6 times during the past 7 days
- D. 1 time per day
- E. 2 times per day
- F. 3 times per day
- G. 4 or more times per day

71. During the past 7 days, how many times do you eat **vegetables**? (Include raw, cooked, frozen, canned vegetables, salad greens and 100% vegetable juice, BUT **do not count** french fries.)

- A. I did not eat vegetables during the past 7 days
- B. 1 to 3 times during the past 7 days
- C. 4 to 6 times during the past 7 days
- D. 1 time per day
- E. 2 times per day
- F. 3 times per day
- G. 4 or more times per day

72. During the past 7 days, how many times did you eat junk food such as sweet or salty snack foods? (Include chips, crackers, cookies, candy, cakes, or donuts.)

- A. I did not eat junk food during the past 7 days.
- B. 1 to 3 times during the past 7 days
- C. 4 to 6 times during the past 7 days
- D. 1 time per day
- E. 2 times per day
- F. 3 times per day
- G. 4 or more times per day

73. During the past 7 days, how many times did you drink a can, bottle, or glass of soda or pop, such as Coke, Pepsi, or Sprite? (Do **not** include diet soda or diet pop.)

- A. I did not drink soda or pop during the past 7 days.
- B. 1 to 3 times during the past 7 days
- C. 4 to 6 times during the past 7 days
- D. 1 time per day
- E. 2 times per day
- F. 3 times per day
- G. 4 or more times per day

74. During the past 7 days, how many times do you drink a can, bottle, or glass of any other sweetened beverage? (Include sweet tea, punch, Kool-Aid, fruit-flavored drinks, energy drinks, and sports drinks. Do **not** include diet or sugar-free drinks.)

- A. I did not drink any other sweetened beverage during the past 7 days.
- B. 1 to 3 times during the past 7 days
- C. 4 to 6 times during the past 7 days
- D. 1 time per day
- E. 2 times per day
- F. 3 times per day
- G. 4 or more times per day

75. During the past 7 days, how many times did you buy food and/or drinks from vending machines at school?

- A. 0 times
- B. 1 time
- C. 2 times
- D. 3 times
- E. 4 times
- F. 5 or more times

76. During the past 7 days, on how many days did you eat breakfast?

- A. 0 days
- B. 1 day
- C. 2 days
- D. 3 days
- E. 4 days
- F. 5 days
- G. 6 days
- H. 7 days

77. During the past 7 days, how many times did you eat dinner prepared at home with your family?

- A. 0 times
- B. 1 time
- C. 2 times
- D. 3 times
- E. 4 times
- F. 5 times
- G. 6 times
- H. 7 times

The next 7 questions ask about physical activity.

78. During the past 7 days, on how many days were you physically active for a total of **at least 60 minutes per day**? (Add up all the time you spend in any kind of physical activity that increases your heart rate and makes you breathe hard some of the time.)

- A. 0 days
- B. 1 day
- C. 2 days
- D. 3 days
- E. 4 days
- F. 5 days
- G. 6 days
- H. 7 days

79. On an average school day, how much total time do you spend being physically active? (Include all physical activity both in and out of school.)

- A. I am not physically active on a average school day
- B. Less than 30 minutes
- C. 30 minutes to 1 hour
- D. More than 1 hour and up to 2 hours
- E. More than 2 hours

80. On an average weekend day, how much total time do you spend being physically active?

- A. I am not physically active on an average weekend day
- B. Less than 30 minutes
- C. 30 minutes to 1 hour
- D. More than 1 hour and up to 2 Hours
- E. More than 2 hours

81. In an average week when you are in school, on how many days do you go to physical education (PE) classes?

- A. 0 days
- B. 1 day
- C. 2 days
- D. 3 days
- E. 4 days
- F. 5 days

82. On an average school day, how many hours do you watch TV?

- A. I do not watch TV on an average school day
- B. Less than 1 hour per day
- C. 1 hour per day
- D. 2 hours per day
- E. 3 hours per day
- F. 4 hours per day
- G. 5 or more hours per day

83. On an average school day, how many hours do you play video or computer games or use a computer for something that is not school work? (Include activities such as Nintendo, Game Boy, Play Station, Xbox, computer games, and the Internet)

- A. I do not play video or computer games or use a computer for non school work
- B. Less than 1 hour per day
- C. 1 hour per day
- D. 2 hours per day
- E. 3 hours per day
- F. 4 hours per day
- G. 5 or more hours per day

84. On an average Saturday or Sunday, how many hours do you watch TV, play video games, or use a computer for something that is not school work? (Include activities such as Nintendo, Game Boy, PlayStation, Xbox, computer games, and the Internet.)

- A. I do not watch TV, play video games, or use a computer on an average Saturday or Sunday
- B. Less than 1 hour per day
- C. 1 hour per day
- D. 2 hours per day
- E. 3 hours per day
- F. 4 hours per day
- G. 5 or more hours per day

The next question asks about sun safety.

85. When you are outside for more than one hour on a sunny day, how often do you wear sunscreen with an SPF of 15 or higher?

- A. Never
- B. Rarely
- C. Sometimes
- D. Most of the time
- E. Always

The next question asks about sleep.

86. On an average school night, how many hours of sleep do you get?

- A. 4 or less hours
- B. 5 hours
- C. 6 hours
- D. 7 hours
- E. 8 hours
- F. 9 hours
- G. 10 or more hours

The next 7 questions are general items about you.

87. A disability can be physical, mental, emotional, or communication-related. Do you consider yourself to have a disability?

- A. Yes
- B. No
- C. Not sure

88. On an average school day, how long after school are you alone without a parent or adult?

- A. I am not alone after school
- B. Less than 1 hour per day
- C. 1 to 2 hours per day
- D. 3 hours per day
- E. 4 hours per day
- F. 5 hours per day
- G. 6 or more hours per day

89. Do you participate in any extracurricular activities at school (such as sports, band, drama, clubs)?

- A. Yes
- B. No

90. When was the last time you saw a doctor or nurse for a check-up or physical exam when you were not sick or injured?

- A. During the past 12 months
- B. Between 12 and 24 months ago
- C. More than 24 months ago
- D. Never
- E. Not sure

91. When was the last time you saw a dentist for a check-up, exam, teeth cleaning, or other dental work?

- A. During the past 12 months
- B. Between 12 and 24 months ago
- C. More than 24 months ago
- D. Never
- E. Not sure

92. Has a doctor or nurse ever told you that you have asthma?

- A. Yes
- B. No
- C. Not sure

93. How do you rate your health in general?

- A. Excellent
- B. Very good
- C. Good
- D. Fair
- E. Poor

For the next 6 statements, indicate whether you agree or disagree.

94. Do you agree or disagree that you feel alone in your life?

- A. Strongly agree
- B. Agree
- C. Not sure
- D. Disagree
- E. Strongly disagree

95. Do you agree or disagree that you feel good about yourself?

- A. Strongly agree
- B. Agree
- C. Not sure
- D. Disagree
- E. Strongly disagree

96. Do you agree or disagree that your teachers really care about you and give you a lot of encouragement?

- A. Strongly agree
- B. Agree
- C. Not sure
- D. Disagree
- E. Strongly disagree

97. Do you agree or disagree that harassment and bullying by other students is a problem at your school?

- A. Strongly agree
- B. Agree
- C. Not sure
- D. Disagree
- E. Strongly disagree

98. Do you agree or disagree that gangs are a problem at your school?

- A. Strongly agree
- B. Agree
- C. Not sure
- D. Disagree
- E. Strongly disagree

99. Do you agree or disagree that drugs are a problem at your school?

- A. Strongly agree
- B. Agree
- C. Not sure
- D. Disagree
- E. Strongly disagree

**This is the end of the survey.
Thank you very much for your help.**

Appendix C: Technical Explanation of 2009 Analyses

Crosstabs

Note that the 5×2 crosstab for seat belt frequencies and gender gives row, column, and total percentages. In this case, 25 students reported that they never wear seat belts—of these, 44% were girls (11÷25 gives the row percentage); 2.8% of all girls reported that they never wear seat belts (11÷397 gives the column percentage); and of all middle school students reporting that they never wear seat belts, 1.4% were girls (11÷801 gives the percentage of TOTAL). Dividing row totals by the total number of people gives the percentage for each categorical response. For example, 3.1% (25÷801) reported that they never wear seat belts.


Table 3. Example of Crosstabs, X^2 , and Residual Analyses

7.) How often do you wear a seat belt when riding in a car?^{a,b}

		Gender		Total	
		Female	Male		
Seat Belt	Never	Count	11	14	25
		% within Seat Belt	44.0%	56.0%	100.0%
		% within Gender	2.8%	3.5%	3.1%
		% of Total	1.4%	1.7%	3.1%
		Std. Residual	-.4	.4	
Rarely	Rarely	Count	16	32	48
		% within Seat Belt	33.3%	66.7%	100.0%
		% within Gender	4.0%	7.9%	6.0%
		% of Total	2.0%	4.0%	6.0%
		Std. Residual	-1.6	1.6	
Sometimes	Sometimes	Count	40	59	99
		% within Seat Belt	40.4%	59.6%	100.0%
		% within Gender	10.1%	14.6%	12.4%
		% of Total	5.0%	7.4%	12.4%
		Std. Residual	-1.3	1.3	
Most of the time	Most of the time	Count	123	127	250
		% within Seat Belt	49.2%	50.8%	100.0%
		% within Gender	31.0%	31.4%	31.2%
		% of Total	15.4%	15.9%	31.2%
		Std. Residual	.0	.1	
Always	Always	Count	207	172	379
		% within Seat Belt	54.6%	45.4%	100.0%
		% within Gender	52.1%	42.6%	47.3%
		% of Total	25.8%	21.5%	47.3%
		Std. Residual	1.4	-1.4	
Total	Total	Count	397	404	801
		% within Seat Belt	49.6%	50.4%	100.0%
		% within Gender	100.0%	100.0%	100.0%
		% of Total	49.6%	50.4%	100.0%

a. Pearson chi-square = 12.576, 4df, $p < .014$

b. 0 cells have expected count less than 5



Chi-Square

In the seat belt \times gender question, the chi-square test for independence determines if seat belt frequencies are independent of gender. A statistically significant chi-square value provides evidence that seat belt frequencies are dependent on gender. In the footnote of Table 1, the chi-square statistic of 12.6_{df=4} is significant with a p-value less than 0.014. In all analyses, alpha = 0.05 was adopted to control for Type I error.

Standardized Residual Analyses

A statistically significant chi-square indicates that there is evidence for dependence *somewhere* in the table. Residual analysis indicates the nature of that evidence. Standardized residuals can be interpreted like a z-statistic that has a mean of zero and a standard deviation of 1. In this report, a standardized residual greater than 2.0 provides evidence that a particular cell significantly contributes to the dependence that was detected by the chi-square test. For example, the standardized residual of 1.6 indicates that males are more likely than females to rarely wear seatbelts, and it is this cell that would be most noteworthy when interpreting statistical significance of this particular chi-square test; however, because the standardized residual is less than 2.0, this finding will not be interpreted in the report.

Differences in Proportions/ Percentages

Example: the difference in proportions between 2009 and 2007 Macon County middle school respondents who never/rarely wore seat belts was -0.047 (0.091-0.138) or -4.7%. Thus, there was a decrease in the percentage of middle school students who never/rarely wear seatbelts.

Confidence Intervals for Differences in Proportions

Confidence intervals were used to infer the accuracy of the differences in proportions, confirming statistical significance, and estimating the range of possible differences that may exist. For Macon County YRBS, 95% confidence intervals for differences in proportions, comparing 2009 to 2007, were calculated using the following general formula:

$$(p_1 - p_2) \pm 2.6\sqrt{p_1(1-p_1)/n_1 + p_2(1-p_2)/n_2}$$

in which p_1 is the 2009 proportion of students; p_2 is the 2007 proportion of students; 2.6 is the critical value used to calculate the margin of error for 95% confidence (the Bonferroni correction is used in calculating multiple differences, $\alpha = 0.05 \div 8$ gives the probability for 2.6); n_1 is the total number of 2009 respondents and n_2 is the total number of 2007 respondents.

For example, the 95% confidence interval for middle school students who never/rarely wear seatbelts (comparing 2009 to 2007 YRBS data) is

$$-0.047 \pm 0.041054$$

$$2.6\sqrt{0.09114(1-0.09114)/801 + 0.13671(1-0.13671)/790}$$

$$2.6\sqrt{0.00010 + 0.00015}$$

$$2.6\sqrt{0.00025}$$

$$2.6 \times 0.01579$$

$$0.041054$$

In this case, the 95% confidence interval is conclusive (i.e., statistically significant) and may expressed:

$$-0.00595 < (p_1 - p_2) < -0.08805 \quad \text{or} \quad -0.6\% < (\%_1 - \%_2) < -8.8\%.$$

Confidence intervals can be interpreted much like score bands in testing. For example, a test score of 110 may have a score band that locates the student's performance somewhere between 104 and 116. Interpreting this statistically significant confidence interval for the 2009 and 2007 difference in proportion, we would say that we are 95% confident that the percentage of middle school respondents who never/rarely wear seatbelts is between -1.6% and -7.8%.

Cohen's h

The measure of effect size is a statistical computation that helps researchers evaluate the practical significance of their results: a result may be statistically significant but people generally want to know if an effect is large enough to matter. Cohen's h is a measure of effect size calculated from proportions that have undergone arcsine transformations, making the differences in proportions comparable with regard to small, moderate, and large effect sizes. The formula for Cohen's h that was used for these analyses is

$$h = \text{the absolute value of } 2 \arcsin \sqrt{p_1} - 2 \arcsin \sqrt{p_2}.$$

For example the effect size for the difference in proportions of 2009 and 2007 middle school students who never/rarely wear seat belts was 0.14411,

$$\text{find the absolute value of } 2 \arcsin \sqrt{0.09114} - 2 \arcsin \sqrt{0.13671}.$$

The following guidelines are used to interpret Cohen's h:

$$0.2 < h \leq 0.5 = \text{small effect}$$

$$0.5 < h \leq 0.8 = \text{medium effect}$$

$$h > 0.8 = \text{large effect}$$

In comparing 2009 and 2007 proportions of middle school students who never/ rarely wear seat belts, the effect size of 0.14 is small. Thus, the following interpretation might be made:

The difference between 2009 and 2007 middle school students who never/rarely wear seatbelts was -4.7%. The 95% confidence interval for the difference in percentages was conclusive and therefore statistically significant, -1.6% <(Δ)<-7.8%. Although statistically significant, the effect size was small.

IMPORTANT NOTE: Measures of effect size offer an important way to interpret statistical findings. However, the conventional guidelines for evaluating small, moderate, and large effects offer arbitrary indices for examining the practical significance of findings. Knowledgeable users will best understand context, history, and the practical significance of the findings in this report.

Compound Annual Growth Rate (CAGR)

Compound annual growth rate (CAGR) is the geometric average of annual growth rates over the course of several years. The formula for calculating CAGR is

$$[(\text{ending value} \div \text{starting value})^{1/n} - 1] \times 100 \text{ in which } n = \text{the number of years.}$$

For example, the CAGR for middle school students who never/rarely wear a seatbelt is -14.1%


ending value (2009)=	9.1
starting value (2002)=	16.7
n (2002, 2005, 2007, & 2009)=	4
1/n=	0.25
 [(9.1÷16.7) ^{0.25} -1]×100=	 -14.1

Appendix D: Significant Middle School Gender Cross Tabulations

At-Risk Behavior × Gender for Middle School

6.) During the past 12 months, how would you describe your grades in school?^{a,b}

			Gender		Total
			Female	Male	
Grades	Mostly A's	Count	160	95	255
		% within Grades	62.7%	37.3%	100.0%
		% within Gender	40.3%	23.8%	32.0%
		% of Total	20.1%	11.9%	32.0%
		Std. Residual	2.9	-2.9	
	Mostly B's	Count	137	155	292
		% within Grades	46.9%	53.1%	100.0%
		% within Gender	34.5%	38.8%	36.6%
		% of Total	17.2%	19.4%	36.6%
		Std. Residual	-.7	.7	
	Mostly C's	Count	47	74	121
		% within Grades	38.8%	61.2%	100.0%
		% within Gender	11.8%	18.5%	15.2%
		% of Total	5.9%	9.3%	15.2%
		Std. Residual	-1.7	1.7	
	Mostly D's	Count	15	22	37
		% within Grades	40.5%	59.5%	100.0%
		% within Gender	3.8%	5.5%	4.6%
		% of Total	1.9%	2.8%	4.6%
		Std. Residual	-.8	.8	
	Mostly F's	Count	3	12	15
		% within Grades	20.0%	80.0%	100.0%
		% within Gender	.8%	3.0%	1.9%
		% of Total	.4%	1.5%	1.9%
		Std. Residual	-1.6	1.6	
	None of these grades	Count	0	2	2
		% within Grades	.0%	100.0%	100.0%
		% within Gender	.0%	.5%	.3%
		% of Total	.0%	.3%	.3%
		Std. Residual	-1.0	1.0	
	Not sure	Count	35	40	75
		% within Grades	46.7%	53.3%	100.0%
		% within Gender	8.8%	10.0%	9.4%
		% of Total	4.4%	5.0%	9.4%
		Std. Residual	-.4	.4	
Total		Count	397	400	797
		% within Grades	49.8%	50.2%	100.0%
		% within Gender	100.0%	100.0%	100.0%
		% of Total	49.8%	50.2%	100.0%



a. Pearson chi-square = 32.750, 6df, p<.0001


b. 2 cells have expected count less than 5

8.) When you ride a bicycle, how often did you wear a helmet?^{a,b}

			Gender		Total
			Female	Male	
Helmet	I do not ride a bicycle	Count	99	61	160
		% within Helmet?	61.9%	38.1%	100.0%
		% within Gender	24.9%	15.1%	20.0%
		% of Total	12.4%	7.6%	20.0%
		Std. Residual	2.2	-2.2	
	Never wear a helmet	Count	148	206	354
		% within Helmet?	41.8%	58.2%	100.0%
		% within Gender	37.2%	51.1%	44.2%
		% of Total	18.5%	25.7%	44.2%
		Std. Residual	-2.1	2.1	
	Rarely wear a helmet	Count	51	63	114
		% within Helmet?	44.7%	55.3%	100.0%
		% within Gender	12.8%	15.6%	14.2%
		% of Total	6.4%	7.9%	14.2%
		Std. Residual	-.7	.7	
	Sometimes wear a helmet	Count	43	34	77
		% within Helmet?	55.8%	44.2%	100.0%
		% within Gender	10.8%	8.4%	9.6%
		% of Total	5.4%	4.2%	9.6%
		Std. Residual	.8	-.8	
Most of the time wear a helmet	Count	32	19	51	
	% within Helmet?	62.7%	37.3%	100.0%	
	% within Gender	8.0%	4.7%	6.4%	
	% of Total	4.0%	2.4%	6.4%	
	Std. Residual	1.3	-1.3		
Always wear a helmet	Count	25	20	45	
	% within Helmet?	55.6%	44.4%	100.0%	
	% within Gender	6.3%	5.0%	5.6%	
	% of Total	3.1%	2.5%	5.6%	
	Std. Residual	.6	-.6		
Total	Count	398	403	801	
	% within Helmet?	49.7%	50.3%	100.0%	
	% within Gender	100.0%	100.0%	100.0%	
	% of Total	49.7%	50.3%	100.0%	

a. Pearson chi-square = 24.682, 5df, p<.0001

b. 0 cells have expected count less than 5




11.) Have you ever carried a weapon such as a gun, knife, or club?^{a,b}

			Gender		Total
			Female	Male	
Weapon	Yes	Count	98	266	364
		% within Weapon	26.9%	73.1%	100.0%
		% within Gender	24.6%	66.2%	45.5%
		% of Total	12.3%	33.3%	45.5%
		Std. Residual	-6.2	6.1	
	No	Count	300	136	436
		% within Weapon	68.8%	31.2%	100.0%
		% within Gender	75.4%	33.8%	54.5%
		% of Total	37.5%	17.0%	54.5%
		Std. Residual	5.6	-5.6	
Total		Count	398	402	800
		% within Weapon	49.8%	50.3%	100.0%
		% within Gender	100.0%	100.0%	100.0%
		% of Total	49.8%	50.3%	100.0%

a. Pearson chi-square = 139.210, 1df, p<.0001

b. 0 cells have expected count less than 5




12.) During the past 12 months, did someone threaten or injure you with a weapon such as a gun, knife, or club on school property?^{a,b}

			Gender		Total
			Female	Male	
Threaten	Yes	Count	16	39	55
		% within Threaten	29.1%	70.9%	100.0%
		% within Gender	4.0%	9.8%	6.9%
		% of Total	2.0%	4.9%	6.9%
		Std. Residual	-2.2	2.2	
	No	Count	381	361	742
		% within Threaten	51.3%	48.7%	100.0%
		% within Gender	96.0%	90.3%	93.1%
		% of Total	47.8%	45.3%	93.1%
		Std. Residual	.6	-.6	
Total		Count	397	400	797
		% within Threaten	49.8%	50.2%	100.0%
		% within Gender	100.0%	100.0%	100.0%
		% of Total	49.8%	50.2%	100.0%


a. Pearson chi-square = 10.146, 1df, p<.001

b. 0 cells have expected count less than 5



13.) Have you ever been in a physical fight?^{a,b}


			Gender		Total
			Female	Male	
Fight	Yes	Count	145	286	431
		% within Fight	33.6%	66.4%	100.0%
		% within Gender	36.5%	71.1%	53.9%
		% of Total	18.1%	35.8%	53.9%
		Std. Residual	-4.7	4.7	
	No	Count	252	116	368
		% within Fight	68.5%	31.5%	100.0%
		% within Gender	63.5%	28.9%	46.1%
		% of Total	31.5%	14.5%	46.1%
		Std. Residual	5.1	-5.1	
Total		Count	397	402	799
		% within Fight	49.7%	50.3%	100.0%
		% within Gender	100.0%	100.0%	100.0%
		% of Total	49.7%	50.3%	100.0%



a. Pearson chi-square = 96.361, 1df, p<.0001
 b. 0 cells have expected count less than 5

16.) During the past 12 months, have someone stolen or deliberately damaged your property, such as your clothing or books, on school property?^{a,b}


			Gender		Total
			Female	Male	
PropertyDamage	Yes	Count	82	122	204
		% within Property Damage	40.2%	59.8%	100.0%
		% within Gender	20.6%	30.3%	25.5%
		% of Total	10.2%	15.2%	25.5%
		Std. Residual	-1.9	1.9	
	No	Count	316	281	597
		% within Property Damage	52.9%	47.1%	100.0%
		% within Gender	79.4%	69.7%	74.5%
		% of Total	39.5%	35.1%	74.5%
		Std. Residual	1.1	-1.1	
Total		Count	398	403	801
		% within Property Damage	49.7%	50.3%	100.0%
		% within Gender	100.0%	100.0%	100.0%
		% of Total	49.7%	50.3%	100.0%



a. Pearson chi-square = 9.864, 1df, p<.002
 b. 0 cells have expected count less than 5

18.) Have you ever been physically forced to have sexual intercourse when you did not want to?^{a,b}


			Gender		Total
			Female	Male	
Forced Sex	Yes	Count	29	12	41
		% within Forced Sex	70.7%	29.3%	100.0%
		% within Gender	7.3%	3.0%	5.1%
		% of Total	3.6%	1.5%	5.1%
		Std. Residual	1.9	-1.9	
	No	Count	368	390	758
		% within Forced Sex	48.5%	51.5%	100.0%
		% within Gender	92.7%	97.0%	94.9%
		% of Total	46.1%	48.8%	94.9%
		Std. Residual	-.4	.4	
Total	Count	397	402	799	
	% within Forced Sex	49.7%	50.3%	100.0%	
	% within Gender	100.0%	100.0%	100.0%	
	% of Total	49.7%	50.3%	100.0%	



a. Pearson chi-square = 7.656, 1df, p<.006
 b. 0 cells have expected count less than 5

20.) During the past 12 months, have you ever been electronically bullied, such as through email, chat rooms, instant messaging, Web sites, or text messaging?^{a,b}


			Gender		Total
			Female	Male	
Electronic Bully	Yes	Count	77	40	117
		% within Electronic Bully	65.8%	34.2%	100.0%
		% within Gender	19.4%	9.9%	14.6%
		% of Total	9.6%	5.0%	14.6%
		Std. Residual	2.5	-2.5	
	No	Count	320	364	684
		% within Electronic Bully	46.8%	53.2%	100.0%
		% within Gender	80.6%	90.1%	85.4%
		% of Total	40.0%	45.4%	85.4%
		Std. Residual	-1.0	1.0	
Total	Count	397	404	801	
	% within Electronic Bully	49.6%	50.4%	100.0%	
	% within Gender	100.0%	100.0%	100.0%	
	% of Total	49.6%	50.4%	100.0%	



a. Pearson chi-square = 14.471, 1df, p<.0001
 b. 0 cells have expected count less than 5

21.) During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities?^{a,b}

			Gender		Total
			Female	Male	
Depression	Yes	Count	112	78	190
		% within Depression	58.9%	41.1%	100.0%
		% within Gender	28.4%	19.6%	24.0%
		% of Total	14.1%	9.8%	24.0%
	Std. Residual	1.8	-1.8		
No	Count	283	319	602	
	% within Depression	47.0%	53.0%	100.0%	
	% within Gender	71.6%	80.4%	76.0%	
	% of Total	35.7%	40.3%	76.0%	
	Std. Residual	-1.0	1.0		
Total	Count	395	397	792	
	% within Depression	49.9%	50.1%	100.0%	
	% within Gender	100.0%	100.0%	100.0%	
	% of Total	49.9%	50.1%	100.0%	




a. Pearson chi-square = 8.232, 1df, p<.004

b. 0 cells have expected count less than 5

22.) Have you ever seriously thought about killing yourself?^{a,b}

			Gender		Total
			Female	Male	
Suicide Thought	Yes	Count	97	63	160
		% within Suicide Thought	60.6%	39.4%	100.0%
		% within Gender	24.4%	15.6%	20.0%
		% of Total	12.1%	7.9%	20.0%
	Std. Residual	2.0	-2.0		
No	Count	301	340	641	
	% within Suicide Thought	47.0%	53.0%	100.0%	
	% within Gender	75.6%	84.4%	80.0%	
	% of Total	37.6%	42.4%	80.0%	
	Std. Residual	-1.0	1.0		
Total	Count	398	403	801	
	% within Suicide Thought	49.7%	50.3%	100.0%	
	% within Gender	100.0%	100.0%	100.0%	
	% of Total	49.7%	50.3%	100.0%	



a. Pearson chi-square = 9.567, 1df, p<.002


b. 0 cells have expected count less than 5

23.) Have you ever made a plan about how you would kill yourself?^{a,b}

			Gender		Total
			Female	Male	
Suicide Plan	Yes	Count	63	44	107
		% within Suicide Plan	58.9%	41.1%	100.0%
		% within Gender	16.0%	11.1%	13.6%
		% of Total	8.0%	5.6%	13.6%
		Std. Residual	1.3	-1.3	
	No	Count	330	351	681
		% within Suicide Plan	48.5%	51.5%	100.0%
		% within Gender	84.0%	88.9%	86.4%
		% of Total	41.9%	44.5%	86.4%
		Std. Residual	-.5	.5	
Total	Count	393	395	788	
	% within Suicide Plan	49.9%	50.1%	100.0%	
	% within Gender	100.0%	100.0%	100.0%	
	% of Total	49.9%	50.1%	100.0%	

a. Pearson chi-square = 4.016, 1df, p<.045

b. 0 cells have expected count less than 5




24.) When you feel sad, empty, hopeless, angry, or anxious, which whom do you usually talk?^{a,b}

			Gender		Total
			Female	Male	
Depression Talk	I do not feel sad, empty, hopeless, angry, or anxious.	Count	69	128	197
		% within Depression Talk	35.0%	65.0%	100.0%
		% within Gender	17.6%	32.4%	25.0%
		% of Total	8.8%	16.2%	25.0%
		Std. Residual	-3.0	2.9	
	Parent of other adult family member	Count	86	102	188
		% within Depression Talk	45.7%	54.3%	100.0%
		% within Gender	21.9%	25.8%	23.9%
		% of Total	10.9%	12.9%	23.9%
		Std. Residual	-.8	.8	
	Teacher or other adult in this school	Count	7	10	17
		% within Depression Talk	41.2%	58.8%	100.0%
		% within Gender	1.8%	2.5%	2.2%
		% of Total	.9%	1.3%	2.2%
		Std. Residual	-.5	.5	
	Religious leader	Count	3	8	11
		% within Depression Talk	27.3%	72.7%	100.0%
		% within Gender	.8%	2.0%	1.4%
		% of Total	.4%	1.0%	1.4%
		Std. Residual	-1.1	1.1	
	Other adults	Count	2	4	6
		% within Depression Talk	33.3%	66.7%	100.0%
		% within Gender	.5%	1.0%	.8%
		% of Total	.3%	.5%	.8%
		Std. Residual	-.6	.6	
	Friend or sibling	Count	199	106	305
		% within Depression Talk	65.2%	34.8%	100.0%
		% within Gender	50.6%	26.8%	38.7%
		% of Total	25.3%	13.5%	38.7%
		Std. Residual	3.8	-3.8	
	Some other person.	Count	27	37	64
		% within Depression Talk	42.2%	57.8%	100.0%
		% within Gender	6.9%	9.4%	8.1%
		% of Total	3.4%	4.7%	8.1%
		Std. Residual	-.9	.9	
Total	Count	393	395	788	
	% within Depression Talk	49.9%	50.1%	100.0%	
	% within Gender	100.0%	100.0%	100.0%	
	% of Total	49.9%	50.1%	100.0%	

a. Pearson chi-square = 52.416, 6df, p<.0001

b. 2 cells have expected count less than 5




42.) Have you ever taken a prescription drug such as OxyContin, Percocet, Demerol, Adoral, Ritalin, or Zanax without a doctor's prescription?^{a,b}

			Gender		Total
			Female	Male	
Drug Use	Yes	Count	26	21	47
		% within Drug Use	55.3%	44.7%	100.0%
		% within Gender	6.5%	5.2%	5.9%
		% of Total	3.3%	2.6%	5.9%
		Std. Residual	.5	-.5	
No	No	Count	371	380	751
		% within Drug Use	49.4%	50.6%	100.0%
		% within Gender	93.5%	94.8%	94.1%
		% of Total	46.5%	47.6%	94.1%
		Std. Residual	-.1	.1	
Total	Total	Count	397	401	798
		% within Drug Use	49.7%	50.3%	100.0%
		% within Gender	100.0%	100.0%	100.0%
		% of Total	49.7%	50.3%	100.0%

a. Pearson chi-square = .620, 1df, p<.431


b. 0 cells have expected count less than 5



43.) If you took a prescription drug without a doctor's prescription during the past 12 months, how did you usually get it?^{a,b}


			Gender		Total
			Female	Male	
Getting Drug	I did not take a prescription drug without a doctor's prescription during the past 12 months	Count	363	371	734
		% within Getting Drug	49.5%	50.5%	100.0%
		% within Gender	91.4%	92.3%	91.9%
		% of Total	45.4%	46.4%	91.9%
		Std. Residual	.0	.1	
	I took it from home	Count	16	20	36
		% within Getting Drug	44.4%	55.6%	100.0%
		% within Gender	4.0%	5.0%	4.5%
		% of Total	2.0%	2.5%	4.5%
		Std. Residual	-.4	.4	
	I took it from someone else's home	Count	1	0	1
		% within Getting Drug	100.0%	.0%	100.0%
		% within Gender	.3%	.0%	.1%
		% of Total	.1%	.0%	.1%
		Std. Residual	.7	-.7	
	I got it from someone	Count	5	5	10
		% within Getting Drug	50.0%	50.0%	100.0%
		% within Gender	1.3%	1.2%	1.3%
		% of Total	.6%	.6%	1.3%
		Std. Residual	.0	.0	
I bought it from someone	Count	6	2	8	
	% within Getting Drug	75.0%	25.0%	100.0%	
	% within Gender	1.5%	.5%	1.0%	
	% of Total	.8%	.3%	1.0%	
	Std. Residual	1.0	-1.0		
I got it some other way	Count	6	4	10	
	% within Getting Drug	60.0%	40.0%	100.0%	
	% within Gender	1.5%	1.0%	1.3%	
	% of Total	.8%	.5%	1.3%	
	Std. Residual	.5	-.5		
Total	Count	397	402	799	
	% within Getting Drug	49.7%	50.3%	100.0%	
	% within Gender	100.0%	100.0%	100.0%	
	% of Total	49.7%	50.3%	100.0%	

a. Pearson chi-square = 3.901, 5df, p<.564
 b. 6 cells have expected count less than 5



46.) Have you ever had sexual intercourse?^{a,b}

			Gender		Total
			Female	Male	
Intercourse	Yes	Count	51	80	131
		% within Intercourse	38.9%	61.1%	100.0%
		% within Gender	12.8%	19.9%	16.4%
		% of Total	6.4%	10.0%	16.4%
		Std. Residual	-1.7	1.7	
	No	Count	347	323	670
		% within Intercourse	51.8%	48.2%	100.0%
		% within Gender	87.2%	80.1%	83.6%
		% of Total	43.3%	40.3%	83.6%
		Std. Residual	.8	-.8	
Total	Count	398	403	801	
	% within Intercourse	49.7%	50.3%	100.0%	
	% within Gender	100.0%	100.0%	100.0%	
	% of Total	49.7%	50.3%	100.0%	




a. Pearson chi-square = 7.249, 1df, p<.007

b. 0 cells have expected count less than 5

47.) How old were you when you sexual intercourse for the first time?^{a,b}

			Gender		Total
			Female	Male	
First Intercourse	I have never had sexual intercourse	Count	342	317	659
		% within First Intercourse	51.9%	48.1%	100.0%
		% within Gender	86.1%	78.9%	82.5%
		% of Total	42.8%	39.7%	82.5%
		Std. Residual	.8	-.8	
	11 years old or younger	Count	19	38	57
		% within First Intercourse	33.3%	66.7%	100.0%
		% within Gender	4.8%	9.5%	7.1%
		% of Total	2.4%	4.8%	7.1%
		Std. Residual	-1.8	1.7	
	12 years old	Count	13	19	32
		% within First Intercourse	40.6%	59.4%	100.0%
		% within Gender	3.3%	4.7%	4.0%
		% of Total	1.6%	2.4%	4.0%
		Std. Residual	-.7	.7	
	13 years old or older	Count	23	28	51
		% within First Intercourse	45.1%	54.9%	100.0%
		% within Gender	5.8%	7.0%	6.4%
		% of Total	2.9%	3.5%	6.4%
		Std. Residual	-.5	.5	
Total	Count	397	402	799	
	% within First Intercourse	49.7%	50.3%	100.0%	
	% within Gender	100.0%	100.0%	100.0%	
	% of Total	49.7%	50.3%	100.0%	




a. Pearson chi-square = 8.866, 3df, p<.031

b. 0 cells have expected count less than 5

48.) How many times have you been pregnant or gotten someone else pregnant?^{a,b}

			Gender		Total
			Female	Male	
Pregnancy	0 times	Count	380	379	759
		% within Pregnancy	50.1%	49.9%	100.0%
		% within Gender	96.0%	94.5%	95.2%
		% of Total	47.7%	47.6%	95.2%
		Std. Residual	.1	-.1	
	1 time	Count	9	5	14
		% within Pregnancy	64.3%	35.7%	100.0%
		% within Gender	2.3%	1.2%	1.8%
		% of Total	1.1%	.6%	1.8%
		Std. Residual	.8	-.8	
	2 or more times	Count	5	2	7
		% within Pregnancy	71.4%	28.6%	100.0%
		% within Gender	1.3%	.5%	.9%
		% of Total	.6%	.3%	.9%
		Std. Residual	.8	-.8	
	Not sure	Count	2	15	17
% within Pregnancy		11.8%	88.2%	100.0%	
% within Gender		.5%	3.7%	2.1%	
% of Total		.3%	1.9%	2.1%	
	Std. Residual	-2.2	2.2		
Total	Count	396	401	797	
	% within Pregnancy	49.7%	50.3%	100.0%	
	% within Gender	100.0%	100.0%	100.0%	
	% of Total	49.7%	50.3%	100.0%	

a. Pearson chi-square = 12.340, 3df, p<.006
 b. 2 cells have expected count less than 5




49.) During your life, with how many people have you had sexual intercourse?^{a,b}

			Gender		Total
			Female	Male	
Sex Partner	I have never had sexual intercourse	Count	348	323	671
		% within Sex Partner	51.9%	48.1%	100.0%
		% within Gender	87.4%	80.1%	83.8%
		% of Total	43.4%	40.3%	83.8%
		Std. Residual	.8	-.8	
1 person	1 person	Count	31	29	60
		% within Sex Partner	51.7%	48.3%	100.0%
		% within Gender	7.8%	7.2%	7.5%
		% of Total	3.9%	3.6%	7.5%
		Std. Residual	.2	-.2	
2 people	2 people	Count	10	20	30
		% within Sex Partner	33.3%	66.7%	100.0%
		% within Gender	2.5%	5.0%	3.7%
		% of Total	1.2%	2.5%	3.7%
		Std. Residual	-1.3	1.3	
3 people	3 people	Count	1	10	11
		% within Sex Partner	9.1%	90.9%	100.0%
		% within Gender	.3%	2.5%	1.4%
		% of Total	.1%	1.2%	1.4%
		Std. Residual	-1.9	1.9	
4 people	4 people	Count	1	9	10
		% within Sex Partner	10.0%	90.0%	100.0%
		% within Gender	.3%	2.2%	1.2%
		% of Total	.1%	1.1%	1.2%
		Std. Residual	-1.8	1.8	
5 people	5 people	Count	0	1	1
		% within Sex Partner	.0%	100.0%	100.0%
		% within Gender	.0%	.2%	.1%
		% of Total	.0%	.1%	.1%
		Std. Residual	-.7	.7	
6 or more people	6 or more people	Count	7	11	18
		% within Sex Partner	38.9%	61.1%	100.0%
		% within Gender	1.8%	2.7%	2.2%
		% of Total	.9%	1.4%	2.2%
		Std. Residual	-.6	.6	
Total	Total	Count	398	403	801
		% within Sex Partner	49.7%	50.3%	100.0%
		% within Gender	100.0%	100.0%	100.0%
		% of Total	49.7%	50.3%	100.0%

a. Pearson chi-square = 19.954, 6df, p<.003

b. 3 cells have expected count less than 5




50.) Have you ever been taught about abstaining from sexual activity?^{a,b}

			Gender		Total
			Female	Male	
Abstinence Talk	Yes	Count	209	167	376
		% within Abstinence Talk	55.6%	44.4%	100.0%
		% within Gender	52.6%	41.4%	47.0%
		% of Total	26.1%	20.9%	47.0%
		Std. Residual	1.6	-1.6	
	No	Count	99	133	232
		% within Abstinence Talk	42.7%	57.3%	100.0%
		% within Gender	24.9%	33.0%	29.0%
		% of Total	12.4%	16.6%	29.0%
		Std. Residual	-1.5	1.5	
	Not sure	Count	89	103	192
		% within Abstinence Talk	46.4%	53.6%	100.0%
% within Gender		22.4%	25.6%	24.0%	
% of Total		11.1%	12.9%	24.0%	
	Std. Residual	-.6	.6		
Total	Count	397	403	800	
	% within Abstinence Talk	49.6%	50.4%	100.0%	
	% within Gender	100.0%	100.0%	100.0%	
	% of Total	49.6%	50.4%	100.0%	

a. Pearson chi-square = 10.651, 2df, p<.005

b. 0 cells have expected count less than 5




53.) When you have questions about sexually transmitted diseases (STD), HIV, AIDS, or pregnancy prevention, with whom do you usually talk?^{a,b}

			Gender		Total
			Female	Male	
STD Talk	I do not have questions about sexually transmitted diseases (STD), HIV, AIDS or pregnancy prevention	Count	213	259	472
		% within STD Talk	45.1%	54.9%	100.0%
		% within Gender	53.5%	64.8%	59.1%
		% of Total	26.7%	32.5%	59.1%
		Std. Residual	-1.5	1.5	
Parent or other adult family member		Count	121	93	214
		% within STD Talk	56.5%	43.5%	100.0%
		% within Gender	30.4%	23.3%	26.8%
		% of Total	15.2%	11.7%	26.8%
		Std. Residual	1.4	-1.4	
Teacher of other adult in this school		Count	7	6	13
		% within STD Talk	53.8%	46.2%	100.0%
		% within Gender	1.8%	1.5%	1.6%
		% of Total	.9%	.8%	1.6%
		Std. Residual	.2	-.2	
Religious leader		Count	3	6	9
		% within STD Talk	33.3%	66.7%	100.0%
		% within Gender	.8%	1.5%	1.1%
		% of Total	.4%	.8%	1.1%
		Std. Residual	-.7	.7	
doctor or nurse		Count	5	6	11
		% within STD Talk	45.5%	54.5%	100.0%
		% within Gender	1.3%	1.5%	1.4%
		% of Total	.6%	.8%	1.4%
		Std. Residual	-.2	.2	
Other adult		Count	1	2	3
		% within STD Talk	33.3%	66.7%	100.0%
		% within Gender	.3%	.5%	.4%
		% of Total	.1%	.3%	.4%
		Std. Residual	-.4	.4	
Friend or sibling		Count	43	20	63
		% within STD Talk	68.3%	31.7%	100.0%
		% within Gender	10.8%	5.0%	7.9%
		% of Total	5.4%	2.5%	7.9%
		Std. Residual	2.1	-2.1	
Some other person		Count	5	8	13
		% within STD Talk	38.5%	61.5%	100.0%
		% within Gender	1.3%	2.0%	1.6%
		% of Total	.6%	1.0%	1.6%
		Std. Residual	-.6	.6	
Total		Count	398	400	798
		% within STD Talk	49.9%	50.1%	100.0%
		% within Gender	100.0%	100.0%	100.0%
		% of Total	49.9%	50.1%	100.0%

a. Pearson chi-square = 18.732, 7df, p<.009

b. 4 cells have expected count less than 5




55.) Which of the following are you trying to do about your weight?^{a,b}

			Gender		Total
			Female	Male	
Weight	Lose weight	Count	228	158	386
		% within Weight	59.1%	40.9%	100.0%
		% within Gender	57.3%	39.3%	48.3%
		% of Total	28.5%	19.8%	48.3%
		Std. Residual	2.6	-2.6	
	Gain weight	Count	23	52	75
		% within Weight	30.7%	69.3%	100.0%
		% within Gender	5.8%	12.9%	9.4%
		% of Total	2.9%	6.5%	9.4%
		Std. Residual	-2.3	2.3	
	Stay the same weight	Count	71	108	179
		% within Weight	39.7%	60.3%	100.0%
		% within Gender	17.8%	26.9%	22.4%
		% of Total	8.9%	13.5%	22.4%
		Std. Residual	-1.9	1.9	
	I am not trying to do anything about my weight	Count	76	84	160
% within Weight		47.5%	52.5%	100.0%	
% within Gender		19.1%	20.9%	20.0%	
% of Total		9.5%	10.5%	20.0%	
Std. Residual		-.4	.4		
Total	Count	398	402	800	
	% within Weight	49.8%	50.3%	100.0%	
	% within Gender	100.0%	100.0%	100.0%	
	% of Total	49.8%	50.3%	100.0%	


a. Pearson chi-square = 31.936, 3df, p<.0001

b. 0 cells have expected count less than 5



56.) Have you ever exercised to lose weight or to keep from gaining weight?^{a,b}

			Gender		Total
			Female	Male	
Exercise	Yes	Count	309	248	557
		% within Exercise	55.5%	44.5%	100.0%
		% within Gender	78.2%	62.8%	70.5%
		% of Total	39.1%	31.4%	70.5%
		Std. Residual	1.8	-1.8	
	No	Count	86	147	233
		% within Exercise	36.9%	63.1%	100.0%
		% within Gender	21.8%	37.2%	29.5%
% of Total		10.9%	18.6%	29.5%	
	Std. Residual	-2.8	2.8		
Total	Count	395	395	790	
	% within Exercise	50.0%	50.0%	100.0%	
	% within Gender	100.0%	100.0%	100.0%	
	% of Total	50.0%	50.0%	100.0%	




a. Pearson chi-square = 22.650, 1df, p<.0001

b. 0 cells have expected count less than 5

57.) Have you ever eaten less food, fewer calories, or foods low in fat to lose weight or to keep from gaining weight?^{a,b}

			Gender		Total
			Female	Male	
Diet	Yes	Count	228	141	369
		% within Diet	61.8%	38.2%	100.0%
		% within Gender	57.4%	35.4%	46.4%
		% of Total	28.7%	17.7%	46.4%
		Std. Residual	3.2	-3.2	
	No	Count	169	257	426
		% within Diet	39.7%	60.3%	100.0%
		% within Gender	42.6%	64.6%	53.6%
% of Total		21.3%	32.3%	53.6%	
	Std. Residual	-3.0	3.0		
Total	Count	397	398	795	
	% within Diet	49.9%	50.1%	100.0%	
	% within Gender	100.0%	100.0%	100.0%	
	% of Total	49.9%	50.1%	100.0%	



a. Pearson chi-square = 38.689, 1df, p<.0001


b. 0 cells have expected count less than 5

66.) During the past 7 days, how many glasses of milk did you drink? Include the milk you drank in a glass or cup, from a carton, or with cereal. Count the half pint milk served at school as equal to 1 glass.^{a,b}

			Gender		Total
			Female	Male	
Milk Drinking	I did not drink milk during the past 7 days	Count	59	42	101
		% within Milk	58.4%	41.6%	100.0%
		% within Gender	14.9%	10.6%	12.8%
		% of Total	7.5%	5.3%	12.8%
		Std. Residual	1.2	-1.2	
	1 to 3 glasses during the past 7 days	Count	87	72	159
		% within Milk	54.7%	45.3%	100.0%
		% within Gender	22.0%	18.2%	20.1%
		% of Total	11.0%	9.1%	20.1%
		Std. Residual	.8	-.8	
	4 to 6 glasses during the past 7 days	Count	63	59	122
		% within Milk	51.6%	48.4%	100.0%
		% within Gender	15.9%	14.9%	15.4%
		% of Total	8.0%	7.5%	15.4%
		Std. Residual	.3	-.3	
	1 glass per day	Count	74	53	127
		% within Milk	58.3%	41.7%	100.0%
		% within Gender	18.7%	13.4%	16.1%
		% of Total	9.4%	6.7%	16.1%
		Std. Residual	1.3	-1.3	
	2 glasses per day	Count	62	59	121
		% within Milk	51.2%	48.8%	100.0%
		% within Gender	15.7%	14.9%	15.3%
		% of Total	7.8%	7.5%	15.3%
		Std. Residual	.2	-.2	
	3 glasses per day	Count	25	53	78
		% within Milk	32.1%	67.9%	100.0%
		% within Gender	6.3%	13.4%	9.9%
		% of Total	3.2%	6.7%	9.9%
		Std. Residual	-2.2	2.2	
	4 or more glasses per day	Count	25	57	82
		% within Milk	30.5%	69.5%	100.0%
		% within Gender	6.3%	14.4%	10.4%
		% of Total	3.2%	7.2%	10.4%
		Std. Residual	-2.5	2.5	
Total		Count	395	395	790
		% within Milk	50.0%	50.0%	100.0%
		% within Gender	100.0%	100.0%	100.0%
		% of Total	50.0%	50.0%	100.0%

a. Pearson chi-square = 30.404, 6df, p<.0001

b. 0 cells have expected count less than 5




67.) During the past 7 days, how many times did you buy food and/or drinks from vending machines at school?^{a, b}

			Gender		Total
			Female	Male	
Buying Food	0 times	Count	317	294	611
		% within Buying Food	51.9%	48.1%	100.0%
		% within Gender	80.1%	73.7%	76.9%
		% of Total	39.9%	37.0%	76.9%
		Std. Residual	.7	-.7	
	1 time	Count	47	42	89
		% within Buying Food	52.8%	47.2%	100.0%
		% within Gender	11.9%	10.5%	11.2%
		% of Total	5.9%	5.3%	11.2%
		Std. Residual	.4	-.4	
	2 times	Count	20	27	47
		% within Buying Food	42.6%	57.4%	100.0%
		% within Gender	5.1%	6.8%	5.9%
		% of Total	2.5%	3.4%	5.9%
		Std. Residual	-.7	.7	
	3 times	Count	5	13	18
		% within Buying Food	27.8%	72.2%	100.0%
		% within Gender	1.3%	3.3%	2.3%
		% of Total	.6%	1.6%	2.3%
		Std. Residual	-1.3	1.3	
4 times	Count	2	6	8	
	% within Buying Food	25.0%	75.0%	100.0%	
	% within Gender	.5%	1.5%	1.0%	
	% of Total	.3%	.8%	1.0%	
	Std. Residual	-1.0	1.0		
5 or more times	Count	5	17	22	
	% within Buying Food	22.7%	77.3%	100.0%	
	% within Gender	1.3%	4.3%	2.8%	
	% of Total	.6%	2.1%	2.8%	
	Std. Residual	-1.8	1.8		
Total	Count	396	399	795	
	% within Buying Food	49.8%	50.2%	100.0%	
	% within Gender	100.0%	100.0%	100.0%	
	% of Total	49.8%	50.2%	100.0%	

a. Pearson chi-square = 14.279, 5df, p<.014

b. 2 cells have expected count less than 5




68.) During the past 7 days, on how many days did you east breakfast?^{a,b}

		Gender			
		Female	Male	Total	
Breakfast	0 days	Count	53	49	102
		% within Breakfast	52.0%	48.0%	100.0%
		% within Gender	13.5%	12.4%	12.9%
		% of Total	6.7%	6.2%	12.9%
		Std. Residual	.3	-.3	
	1 day	Count	39	16	55
		% within Breakfast	70.9%	29.1%	100.0%
		% within Gender	9.9%	4.1%	7.0%
		% of Total	4.9%	2.0%	7.0%
		Std. Residual	2.2	-2.2	
	2 days	Count	38	22	60
		% within Breakfast	63.3%	36.7%	100.0%
		% within Gender	9.6%	5.6%	7.6%
		% of Total	4.8%	2.8%	7.6%
		Std. Residual	1.5	-1.5	
	3 days	Count	24	28	52
% within Breakfast		46.2%	53.8%	100.0%	
% within Gender		6.1%	7.1%	6.6%	
% of Total		3.0%	3.5%	6.6%	
	Std. Residual	-.4	.4		
4 days	Count	18	17	35	
	% within Breakfast	51.4%	48.6%	100.0%	
	% within Gender	4.6%	4.3%	4.4%	
	% of Total	2.3%	2.2%	4.4%	
	Std. Residual	.1	-.1		
5 days	Count	32	30	62	
	% within Breakfast	51.6%	48.4%	100.0%	
	% within Gender	8.1%	7.6%	7.9%	
	% of Total	4.1%	3.8%	7.9%	
	Std. Residual	.2	-.2		
6 days	Count	28	16	44	
	% within Breakfast	63.6%	36.4%	100.0%	
	% within Gender	7.1%	4.1%	5.6%	
	% of Total	3.5%	2.0%	5.6%	
	Std. Residual	1.3	-1.3		
7 days	Count	162	217	379	
	% within Breakfast	42.7%	57.3%	100.0%	
	% within Gender	41.1%	54.9%	48.0%	
	% of Total	20.5%	27.5%	48.0%	
	Std. Residual	-2.0	2.0		
Total	Count	394	395	789	
	% within Breakfast	49.9%	50.1%	100.0%	
	% within Gender	100.0%	100.0%	100.0%	
	% of Total	49.9%	50.1%	100.0%	


a. Pearson chi-square = 25.696, 7df, p<.001

b. 0 cells have expected count less than 5



70.) During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? Add up all the time you spend in any kind of physical activity that increases your heart rate and makes you breathe hard some of the time^{a,b}

			Gender		Total
			Female	Male	
Physical Activity	0 days	Count	26	21	47
		% within Physical Activity	55.3%	44.7%	100.0%
		% within Gender	6.5%	5.3%	5.9%
		% of Total	3.3%	2.6%	5.9%
		Std. Residual	.5	-.5	
	1 day	Count	23	15	38
		% within Physical Activity	60.5%	39.5%	100.0%
		% within Gender	5.8%	3.8%	4.8%
		% of Total	2.9%	1.9%	4.8%
		Std. Residual	.9	-.9	
	2 days	Count	21	23	44
		% within Physical Activity	47.7%	52.3%	100.0%
		% within Gender	5.3%	5.8%	5.5%
		% of Total	2.6%	2.9%	5.5%
		Std. Residual	-.2	.2	
	3 days	Count	53	32	85
		% within Physical Activity	62.4%	37.6%	100.0%
		% within Gender	13.4%	8.1%	10.7%
		% of Total	6.7%	4.0%	10.7%
		Std. Residual	1.6	-1.6	
4 days	Count	58	46	104	
	% within Physical Activity	55.8%	44.2%	100.0%	
	% within Gender	14.6%	11.6%	13.1%	
	% of Total	7.3%	5.8%	13.1%	
	Std. Residual	.8	-.8		
5 days	Count	69	60	129	
	% within Physical Activity	53.5%	46.5%	100.0%	
	% within Gender	17.4%	15.1%	16.2%	
	% of Total	8.7%	7.6%	16.2%	
	Std. Residual	.6	-.6		
6 dys	Count	40	33	73	
	% within Physical Activity	54.8%	45.2%	100.0%	
	% within Gender	10.1%	8.3%	9.2%	
	% of Total	5.0%	4.2%	9.2%	
	Std. Residual	.6	-.6		
7 days	Count	107	167	274	
	% within Physical Activity	39.1%	60.9%	100.0%	
	% within Gender	27.0%	42.1%	34.5%	
	% of Total	13.5%	21.0%	34.5%	
	Std. Residual	-2.6	2.6		
Total	Count	397	397	794	
	% within Physical Activity	50.0%	50.0%	100.0%	
	% within Gender	100.0%	100.0%	100.0%	
	% of Total	50.0%	50.0%	100.0%	



a. Pearson chi-square = 23.318, 7df, p<.002


b. 0 cells have expected count less than 5

72.) On an average school day, how many hours do you watch TV?^{a,b}

			Gender		Total
			Female	Male	
Watching TV	I do not watch TV on an average school day	Count	38	42	80
		% within Watching TV	47.5%	52.5%	100.0%
		% within Gender	9.7%	10.7%	10.2%
		% of Total	4.9%	5.4%	10.2%
		Std. Residual	-.3	.3	
	Less than 1 hour per day	Count	68	68	136
		% within Watching TV	50.0%	50.0%	100.0%
		% within Gender	17.4%	17.3%	17.4%
		% of Total	8.7%	8.7%	17.4%
		Std. Residual	.0	.0	
	1 hour per day	Count	80	54	134
		% within Watching TV	59.7%	40.3%	100.0%
		% within Gender	20.5%	13.8%	17.1%
		% of Total	10.2%	6.9%	17.1%
		Std. Residual	1.6	-1.6	
	2 hours per dy	Count	87	104	191
		% within Watching TV	45.5%	54.5%	100.0%
		% within Gender	22.3%	26.5%	24.4%
		% of Total	11.1%	13.3%	24.4%
		Std. Residual	-.8	.8	
3 hours per day	Count	58	51	109	
	% within Watching TV	53.2%	46.8%	100.0%	
	% within Gender	14.9%	13.0%	13.9%	
	% of Total	7.4%	6.5%	13.9%	
	Std. Residual	.5	-.5		
4 hours per day	Count	28	15	43	
	% within Watching TV	65.1%	34.9%	100.0%	
	% within Gender	7.2%	3.8%	5.5%	
	% of Total	3.6%	1.9%	5.5%	
	Std. Residual	1.4	-1.4		
5 or more hours per day	Count	31	58	89	
	% within Watching TV	34.8%	65.2%	100.0%	
	% within Gender	7.9%	14.8%	11.4%	
	% of Total	4.0%	7.4%	11.4%	
	Std. Residual	-2.0	2.0		
Total	Count	390	392	782	
	% within Watching TV	49.9%	50.1%	100.0%	
	% within Gender	100.0%	100.0%	100.0%	
	% of Total	49.9%	50.1%	100.0%	

a. Pearson chi-square = 19.324, 6df, p<.004

b. 0 cells have expected count less than 5




73.) On an average school day, how many hours do you play video or computer games or use a computer for something that is not school work? Include activities such as Nintendo, Game Boy, Play Station, Xbox, computer games, and the Internet.^{a,b}

			Gender		Total
			Female	Male	
Video Games	I do not play video or computer games or use a computer for non school work	Count	93	48	141
		% within Video Games	66.0%	34.0%	100.0%
		% within Gender	23.5%	12.0%	17.7%
		% of Total	11.7%	6.0%	17.7%
		Std. Residual	2.7	-2.7	
	less than 1 hour per day	Count	121	89	210
		% within Video Games	57.6%	42.4%	100.0%
		% within Gender	30.6%	22.3%	26.4%
		% of Total	15.2%	11.2%	26.4%
		Std. Residual	1.6	-1.6	
	1 hour per day	Count	63	77	140
		% within Video Games	45.0%	55.0%	100.0%
		% within Gender	15.9%	19.3%	17.6%
		% of Total	7.9%	9.7%	17.6%
		Std. Residual	-8	8	
	2 hours per day	Count	50	70	120
		% within Video Games	41.7%	58.3%	100.0%
% within Gender		12.6%	17.5%	15.1%	
% of Total		6.3%	8.8%	15.1%	
Std. Residual		-1.3	1.3		
3 hours per day	Count	34	43	77	
	% within Video Games	44.2%	55.8%	100.0%	
	% within Gender	8.6%	10.8%	9.7%	
	% of Total	4.3%	5.4%	9.7%	
	Std. Residual	-.7	.7		
4 hours per day	Count	14	16	30	
	% within Video Games	46.7%	53.3%	100.0%	
	% within Gender	3.5%	4.0%	3.8%	
	% of Total	1.8%	2.0%	3.8%	
	Std. Residual	-.2	.2		
5 or more hours per day	Count	21	56	77	
	% within Video Games	27.3%	72.7%	100.0%	
	% within Gender	5.3%	14.0%	9.7%	
	% of Total	2.6%	7.0%	9.7%	
	Std. Residual	-2.8	2.8		
Total	Count	396	399	795	
	% within Video Games	49.8%	50.2%	100.0%	
	% within Gender	100.0%	100.0%	100.0%	
	% of Total	49.8%	50.2%	100.0%	

a. Pearson chi-square = 41.055, 6df, p<.0001

b. 0 cells have expected count less than 5




76.) On an average school day, how many hours do you play video or computer games or use a computer for something that is not school work? Include activities such as Nintendo, Game Boy, Play Station, Xbox, computer games, and the Internet.^{a,b}

			Gender		Total
			Female	Male	
Video Games	I do not play video or computer games or use a computer for non school work	Count	95	73	168
		% within Video Games	56.5%	43.5%	100.0%
		% within Gender	24.0%	18.3%	21.1%
		% of Total	11.9%	9.2%	21.1%
		Std. Residual	1.2	-1.2	
	less than 1 hour per day	Count	119	106	225
		% within Video Games	52.9%	47.1%	100.0%
		% within Gender	30.1%	26.6%	28.3%
		% of Total	15.0%	13.3%	28.3%
		Std. Residual	.7	-.7	
	1 hour per day	Count	64	77	141
		% within Video Games	45.4%	54.6%	100.0%
		% within Gender	16.2%	19.3%	17.7%
		% of Total	8.1%	9.7%	17.7%
		Std. Residual	-.7	.7	
	2 hours per day	Count	57	54	111
		% within Video Games	51.4%	48.6%	100.0%
% within Gender		14.4%	13.5%	14.0%	
% of Total		7.2%	6.8%	14.0%	
Std. Residual		.2	-.2		
3 hours per day	Count	36	31	67	
	% within Video Games	53.7%	46.3%	100.0%	
	% within Gender	9.1%	7.8%	8.4%	
	% of Total	4.5%	3.9%	8.4%	
	Std. Residual	.5	-.5		
4 hours per day	Count	8	15	23	
	% within Video Games	34.8%	65.2%	100.0%	
	% within Gender	2.0%	3.8%	2.9%	
	% of Total	1.0%	1.9%	2.9%	
	Std. Residual	-1.0	1.0		
5 or more hours per day	Count	17	43	60	
	% within Video Games	28.3%	71.7%	100.0%	
	% within Gender	4.3%	10.8%	7.5%	
	% of Total	2.1%	5.4%	7.5%	
	Std. Residual	-2.4	2.3		
Total	Count	396	399	795	
	% within Video Games	49.8%	50.2%	100.0%	
	% within Gender	100.0%	100.0%	100.0%	
	% of Total	49.8%	50.2%	100.0%	

a. Pearson chi-square = 18.671, 6df, p<.005

b. 0 cells have expected count less than 5




77.) When you are outside for more than one hour on a sunny day, how often do you wear sunscreen with an SPF of 15 or higher?^{a, b}

		Gender		Total	
		Female	Male		
Sunscreen	Never	Count	158	199	357
		% within Sunscreen	44.3%	55.7%	100.0%
		% within Gender	39.9%	49.9%	44.9%
		% of Total	19.9%	25.0%	44.9%
		Std. Residual	-1.5	1.5	
	Rarely	Count	108	97	205
		% within Sunscreen	52.7%	47.3%	100.0%
		% within Gender	27.3%	24.3%	25.8%
		% of Total	13.6%	12.2%	25.8%
		Std. Residual	.6	-.6	
	Sometimes	Count	72	71	143
		% within Sunscreen	50.3%	49.7%	100.0%
		% within Gender	18.2%	17.8%	18.0%
		% of Total	9.1%	8.9%	18.0%
		Std. Residual	.1	.0	
	Most of the time	Count	44	21	65
		% within Sunscreen	67.7%	32.3%	100.0%
		% within Gender	11.1%	5.3%	8.2%
		% of Total	5.5%	2.6%	8.2%
		Std. Residual	2.0	-2.0	
Always	Count	14	11	25	
	% within Sunscreen	56.0%	44.0%	100.0%	
	% within Gender	3.5%	2.8%	3.1%	
	% of Total	1.8%	1.4%	3.1%	
	Std. Residual	.4	-.4		
Total	Count	396	399	795	
	% within Sunscreen	49.8%	50.2%	100.0%	
	% within Gender	100.0%	100.0%	100.0%	
	% of Total	49.8%	50.2%	100.0%	

a. Pearson chi-square = 13.793, 4df, p<.008

b. 0 cells have expected count less than 5




87.) How often do you feel stress in your life?^{a, b}

			Gender		Total
			Female	Male	
Feel Stress	Never	Count	29	61	90
		% within Feel Stress	32.2%	67.8%	100.0%
		% within Gender	7.3%	15.6%	11.5%
		% of Total	3.7%	7.8%	11.5%
		Std. Residual	-2.4	2.4	
	Rarely	Count	101	117	218
		% within Feel Stress	46.3%	53.7%	100.0%
		% within Gender	25.5%	30.0%	27.7%
		% of Total	12.8%	14.9%	27.7%
		Std. Residual	-.8	.8	
	Somtimes	Count	143	151	294
		% within Feel Stress	48.6%	51.4%	100.0%
		% within Gender	36.1%	38.7%	37.4%
		% of Total	18.2%	19.2%	37.4%
		Std. Residual	-.4	.4	
	Most of the time	Count	77	42	119
		% within Feel Stress	64.7%	35.3%	100.0%
		% within Gender	19.4%	10.8%	15.1%
		% of Total	9.8%	5.3%	15.1%
		Std. Residual	2.2	-2.2	
All of the time	Count	46	19	65	
	% within Feel Stress	70.8%	29.2%	100.0%	
	% within Gender	11.6%	4.9%	8.3%	
	% of Total	5.9%	2.4%	8.3%	
	Std. Residual	2.3	-2.3		
Total	Count	396	390	786	
	% within Feel Stress	50.4%	49.6%	100.0%	
	% within Gender	100.0%	100.0%	100.0%	
	% of Total	50.4%	49.6%	100.0%	

a. Pearson chi-square = 34.235, 4df, p<.0001

b. 0 cells have expected count less than 5




88.) How would you rate your health in general?^{a,b}

			Gender		Total
			Female	Male	
Health Level	Excellent	Count	77	116	193
		% within Health Level	39.9%	60.1%	100.0%
		% within Gender	19.4%	29.4%	24.4%
		% of Total	9.7%	14.7%	24.4%
		Std. Residual	-2.0	2.0	
Very good	Very good	Count	162	136	298
		% within Health Level	54.4%	45.6%	100.0%
		% within Gender	40.9%	34.5%	37.7%
		% of Total	20.5%	17.2%	37.7%
		Std. Residual	1.0	-1.0	
Good	Good	Count	119	111	230
		% within Health Level	51.7%	48.3%	100.0%
		% within Gender	30.1%	28.2%	29.1%
		% of Total	15.1%	14.1%	29.1%
		Std. Residual	.3	-.3	
Fair	Fair	Count	30	26	56
		% within Health Level	53.6%	46.4%	100.0%
		% within Gender	7.6%	6.6%	7.1%
		% of Total	3.8%	3.3%	7.1%
		Std. Residual	.4	-.4	
Poor	Poor	Count	8	5	13
		% within Health Level	61.5%	38.5%	100.0%
		% within Gender	2.0%	1.3%	1.6%
		% of Total	1.0%	.6%	1.6%
		Std. Residual	.6	-.6	
Total	Total	Count	396	394	790
		% within Health Level	50.1%	49.9%	100.0%
		% within Gender	100.0%	100.0%	100.0%
		% of Total	50.1%	49.9%	100.0%

a. Pearson chi-square = 11.401, 4df, p<.022

b. 0 cells have expected count less than 5




89.) Based on your answers to this survey, which of the following influences your decisions about health the most?^a

			Gender		Total
			Female	Male	
Health Influence	Parents/Family	Count	239	212	451
		% within Health Influence	53.0%	47.0%	100.0%
		% within Gender	61.0%	53.7%	57.3%
		% of Total	30.4%	26.9%	57.3%
		Std. Residual	1.0	-1.0	
	School	Count	32	39	71
		% within Health Influence	45.1%	54.9%	100.0%
		% within Gender	8.2%	9.9%	9.0%
		% of Total	4.1%	5.0%	9.0%
		Std. Residual	-6	.6	
	Friends/Peers	Count	57	43	100
		% within Health Influence	57.0%	43.0%	100.0%
		% within Gender	14.5%	10.9%	12.7%
		% of Total	7.2%	5.5%	12.7%
		Std. Residual	1.0	-1.0	
	Church/ Youth Groups	Count	8	9	17
% within Health Influence		47.1%	52.9%	100.0%	
% within Gender		2.0%	2.3%	2.2%	
% of Total		1.0%	1.1%	2.2%	
Std. Residual		-.2	.2		
Media: TV/Movies/Books/Magazines	Count	8	10	18	
	% within Health Influence	44.4%	55.6%	100.0%	
	% within Gender	2.0%	2.5%	2.3%	
	% of Total	1.0%	1.3%	2.3%	
	Std. Residual	-.3	.3		
Computer/Internet	Count	6	8	14	
	% within Health Influence	42.9%	57.1%	100.0%	
	% within Gender	1.5%	2.0%	1.8%	
	% of Total	.8%	1.0%	1.8%	
	Std. Residual	-.4	.4		
Doctor	Count	20	18	38	
	% within Health Influence	52.6%	47.4%	100.0%	
	% within Gender	5.1%	4.6%	4.8%	
	% of Total	2.5%	2.3%	4.8%	
	Std. Residual	.2	-.2		
Other	Count	22	56	78	
	% within Health Influence	28.2%	71.8%	100.0%	
	% within Gender	5.6%	14.2%	9.9%	
	% of Total	2.8%	7.1%	9.9%	
	Std. Residual	-2.7	2.7		
Total	Count	392	395	787	
	% within Health Influence	49.8%	50.2%	100.0%	
	% within Gender	100.0%	100.0%	100.0%	
	% of Total	49.8%	50.2%	100.0%	

a. Pearson chi-square = 19.748, 7df, p<.006

b. 0 cells have expected count less than 5




92.) Do you agree or disagree that you feel good about yourself?^{a,b}

			Gender		Total
			Female	Male	
Feel Good	Strongly agree	Count	111	162	273
		% within Feel Good	40.7%	59.3%	100.0%
		% within Gender	28.1%	41.3%	34.7%
		% of Total	14.1%	20.6%	34.7%
		Std. Residual	-2.2	2.2	
	Agree	Count	158	158	316
		% within Feel Good	50.0%	50.0%	100.0%
		% within Gender	40.0%	40.3%	40.2%
		% of Total	20.1%	20.1%	40.2%
		Std. Residual	.0	.0	
	Not sure	Count	56	53	109
		% within Feel Good	51.4%	48.6%	100.0%
		% within Gender	14.2%	13.5%	13.9%
		% of Total	7.1%	6.7%	13.9%
		Std. Residual	.2	-.2	
	Disagree	Count	46	12	58
		% within Feel Good	79.3%	20.7%	100.0%
		% within Gender	11.6%	3.1%	7.4%
		% of Total	5.8%	1.5%	7.4%
		Std. Residual	3.1	-3.1	
Strongly disagree	Count	24	7	31	
	% within Feel Good	77.4%	22.6%	100.0%	
	% within Gender	6.1%	1.8%	3.9%	
	% of Total	3.0%	.9%	3.9%	
	Std. Residual	2.1	-2.1		
Total	Count	395	392	787	
	% within Feel Good	50.2%	49.8%	100.0%	
	% within Gender	100.0%	100.0%	100.0%	
	% of Total	50.2%	49.8%	100.0%	

a. Pearson chi-square = 38.853, 4df, p<.0001

b. 0 cells have expected count less than 5




57.) Did you drink alcohol or use drugs before you had sexual intercourse the last time?^{a,b}

			Gender		Total
			Female	Male	
Alcohol Influence	I have never had sexual intercourse	Count	247	207	454
		% within Alcohol Influence	54.4%	45.6%	100.0%
		% within Gender	53.2%	47.4%	50.4%
		% of Total	27.4%	23.0%	50.4%
		Std. Residual	.9	-.9	
	Yes	Count	49	73	122
		% within Alcohol Influence	40.2%	59.8%	100.0%
		% within Gender	10.6%	16.7%	13.5%
		% of Total	5.4%	8.1%	13.5%
		Std. Residual	-1.7	1.8	
	No	Count	168	157	325
		% within Alcohol Influence	51.7%	48.3%	100.0%
% within Gender		36.2%	35.9%	36.1%	
% of Total		18.6%	17.4%	36.1%	
	Std. Residual	.0	.0		
Total		Count	464	437	901
		% within Alcohol Influence	51.5%	48.5%	100.0%
		% within Gender	100.0%	100.0%	100.0%
		% of Total	51.5%	48.5%	100.0%

a. Pearson chi-square = 7.816, 2df, p<.020

b. 0 cells have expected count less than 5




59.) The last time you had sexual intercourse, what one method did you or your partner use to prevent pregnancy?^{a,b}

			Gender		Total
			Female	Male	
Pregnancy Prevention	I have never had sexual intercourse	Count	247	208	455
		% within Pregnancy Prevention	54.3%	45.7%	100.0%
		% within Gender	53.2%	47.5%	50.4%
		% of Total	27.4%	23.1%	50.4%
		Std. Residual	.8	-.9	
	No method was used to prevent pregnancy	Count	26	33	59
		% within Pregnancy Prevention	44.1%	55.9%	100.0%
		% within Gender	5.6%	7.5%	6.5%
		% of Total	2.9%	3.7%	6.5%
		Std. Residual	-.8	.8	
	Birth control pills	Count	61	27	88
		% within Pregnancy Prevention	69.3%	30.7%	100.0%
		% within Gender	13.1%	6.2%	9.8%
		% of Total	6.8%	3.0%	9.8%
		Std. Residual	2.3	-2.4	
	Condoms	Count	91	121	212
		% within Pregnancy Prevention	42.9%	57.1%	100.0%
		% within Gender	19.6%	27.6%	23.5%
		% of Total	10.1%	13.4%	23.5%
		Std. Residual	-1.7	1.8	
	Depo-Provera (injectable birth control)	Count	13	9	22
		% within Pregnancy Prevention	59.1%	40.9%	100.0%
		% within Gender	2.8%	2.1%	2.4%
		% of Total	1.4%	1.0%	2.4%
		Std. Residual	.5	-.5	
	Withdrawal	Count	19	18	37
		% within Pregnancy Prevention	51.4%	48.6%	100.0%
		% within Gender	4.1%	4.1%	4.1%
		% of Total	2.1%	2.0%	4.1%
		Std. Residual	.0	.0	
	Some other method	Count	4	9	13
		% within Pregnancy Prevention	30.8%	69.2%	100.0%
		% within Gender	.9%	2.1%	1.4%
		% of Total	.4%	1.0%	1.4%
		Std. Residual	-1.0	1.1	
	Not sure	Count	3	13	16
		% within Pregnancy Prevention	18.8%	81.3%	100.0%
		% within Gender	.6%	3.0%	1.8%
		% of Total	.3%	1.4%	1.8%
		Std. Residual	-1.8	1.9	
Total		Count	464	438	902
		% within Pregnancy Prevention	51.4%	48.6%	100.0%
		% within Gender	100.0%	100.0%	100.0%
		% of Total	51.4%	48.6%	100.0%

a. Pearson chi-square = 29.758, 7df, p<.0001

b. 0 cells have expected count less than 5




60.) How many times have you been pregnant or gotten someone pregnant?^{a,b}

			Gender		Total
			Female	Male	
Pregnancy	0 times	Count	440	396	836
		% within Pregnancy	52.6%	47.4%	100.0%
		% within Gender	94.4%	90.6%	92.6%
		% of Total	48.7%	43.9%	92.6%
		Std. Residual	.4	-.4	
	1 time	Count	22	18	40
		% within Pregnancy	55.0%	45.0%	100.0%
		% within Gender	4.7%	4.1%	4.4%
		% of Total	2.4%	2.0%	4.4%
		Std. Residual	.3	-.3	
	2 or more times	Count	2	5	7
		% within Pregnancy	28.6%	71.4%	100.0%
		% within Gender	.4%	1.1%	.8%
		% of Total	.2%	.6%	.8%
		Std. Residual	-.8	.9	
	Not sure	Count	2	18	20
		% within Pregnancy	10.0%	90.0%	100.0%
		% within Gender	.4%	4.1%	2.2%
		% of Total	.2%	2.0%	2.2%
		Std. Residual	-2.6	2.7	
Total		Count	466	437	903
		% within Pregnancy	51.6%	48.4%	100.0%
		% within Gender	100.0%	100.0%	100.0%
		% of Total	51.6%	48.4%	100.0%

a. Pearson chi-square = 15.887, 3df, p<.001

b. 2 cells have expected count less than 5




62.) The last time you had sexual intercourse, how old was your partner?^{a, b}

			Gender		Total
			Female	Male	
Sex Partner Age	I have never had sexual intercourse.	Count	249	208	457
		% within Sex Partner Age	54.5%	45.5%	100.0%
		% within Gender	53.3%	47.4%	50.4%
		% of Total	27.5%	23.0%	50.4%
		Std. Residual	.9	-.9	
	5 or more years younger	Count	0	8	8
		% within Sex Partner Age	.0%	100.0%	100.0%
		% within Gender	.0%	1.8%	.9%
		% of Total	.0%	.9%	.9%
		Std. Residual	-2.0	2.1	
	3-4 years younger	Count	7	9	16
		% within Sex Partner Age	43.8%	56.3%	100.0%
		% within Gender	1.5%	2.1%	1.8%
		% of Total	.8%	1.0%	1.8%
		Std. Residual	-.4	.4	
	About the same age	Count	140	171	311
		% within Sex Partner Age	45.0%	55.0%	100.0%
		% within Gender	30.0%	39.0%	34.3%
		% of Total	15.5%	18.9%	34.3%
Std. Residual		-1.6	1.7		
3-4 years older	Count	50	21	71	
	% within Sex Partner Age	70.4%	29.6%	100.0%	
	% within Gender	10.7%	4.8%	7.8%	
	% of Total	5.5%	2.3%	7.8%	
	Std. Residual	2.2	-2.3		
5 or more years older	Count	18	14	32	
	% within Sex Partner Age	56.3%	43.8%	100.0%	
	% within Gender	3.9%	3.2%	3.5%	
	% of Total	2.0%	1.5%	3.5%	
	Std. Residual	.4	-.4		
Not sure	Count	3	8	11	
	% within Sex Partner Age	27.3%	72.7%	100.0%	
	% within Gender	.6%	1.8%	1.2%	
	% of Total	.3%	.9%	1.2%	
	Std. Residual	-1.1	1.2		
Total	Count	467	439	906	
	% within Sex Partner Age	51.5%	48.5%	100.0%	
	% within Gender	100.0%	100.0%	100.0%	
	% of Total	51.5%	48.5%	100.0%	

a. Pearson chi-square = 28.798, 6df, p<.0001

b. 2 cells have expected count less than 5




63.) How do you describe your weight?^{a,b}

			Gender		Total
			Female	Male	
Weight	Very underweight	Count	6	19	25
		% within Weight	24.0%	76.0%	100.0%
		% within Gender	1.3%	4.3%	2.8%
		% of Total	.7%	2.1%	2.8%
		Std. Residual	-1.9	2.0	
Slightly underweight	Slightly underweight	Count	26	53	79
		% within Weight	32.9%	67.1%	100.0%
		% within Gender	5.6%	12.1%	8.7%
		% of Total	2.9%	5.9%	8.7%
		Std. Residual	-2.3	2.4	
About the right weight	About the right weight	Count	262	244	506
		% within Weight	51.8%	48.2%	100.0%
		% within Gender	56.2%	55.8%	56.0%
		% of Total	29.0%	27.0%	56.0%
		Std. Residual	.1	.0	
Slightly overweight	Slightly overweight	Count	147	107	254
		% within Weight	57.9%	42.1%	100.0%
		% within Gender	31.5%	24.5%	28.1%
		% of Total	16.3%	11.8%	28.1%
		Std. Residual	1.4	-1.4	
Very overweight	Very overweight	Count	25	14	39
		% within Weight	64.1%	35.9%	100.0%
		% within Gender	5.4%	3.2%	4.3%
		% of Total	2.8%	1.6%	4.3%
		Std. Residual	1.1	-1.1	
Total	Total	Count	466	437	903
		% within Weight	51.6%	48.4%	100.0%
		% within Gender	100.0%	100.0%	100.0%
		% of Total	51.6%	48.4%	100.0%

a. Pearson chi-square = 25.125, 4df, p<.0001

b. 0 cells have expected count less than 5




64.) Which of the following are you trying to do about your weight?^{a,b}

			Gender		Total
			Female	Male	
Weight	Lose weight	Count	291	143	434
		% within Weight	67.1%	32.9%	100.0%
		% within Gender	62.6%	33.0%	48.3%
		% of Total	32.4%	15.9%	48.3%
		Std. Residual	4.4	-4.6	
	Gain weight	Count	19	103	122
		% within Weight	15.6%	84.4%	100.0%
		% within Gender	4.1%	23.8%	13.6%
		% of Total	2.1%	11.5%	13.6%
		Std. Residual	-5.6	5.8	
	Stay the same weight	Count	81	81	162
		% within Weight	50.0%	50.0%	100.0%
		% within Gender	17.4%	18.7%	18.0%
		% of Total	9.0%	9.0%	18.0%
		Std. Residual	-.3	.3	
	I am not trying to do anything about my weight	Count	74	106	180
% within Weight		41.1%	58.9%	100.0%	
% within Gender		15.9%	24.5%	20.0%	
% of Total		8.2%	11.8%	20.0%	
Std. Residual		-2.0	2.1		
Total	Count	465	433	898	
	% within Weight	51.8%	48.2%	100.0%	
	% within Gender	100.0%	100.0%	100.0%	
	% of Total	51.8%	48.2%	100.0%	

a. Pearson chi-square = 112.990, 3df, p<.0001

b. 0 cells have expected count less than 5




65.) During the past 30 days, did you exercise to lose weight or to keep from gaining weight?^{a,b}

			Gender		Total
			Female	Male	
Exercise	Yes	Count	340	236	576
		% within Exercise	59.0%	41.0%	100.0%
		% within Gender	73.1%	54.3%	64.0%
		% of Total	37.8%	26.2%	64.0%
		Std. Residual	2.5	-2.5	
	No	Count	125	199	324
		% within Exercise	38.6%	61.4%	100.0%
		% within Gender	26.9%	45.7%	36.0%
		% of Total	13.9%	22.1%	36.0%
		Std. Residual	-3.3	3.4	
Total		Count	465	435	900
		% within Exercise	51.7%	48.3%	100.0%
		% within Gender	100.0%	100.0%	100.0%
		% of Total	51.7%	48.3%	100.0%

a. Pearson chi-square = 34.718, 1df, p<.0001

b. 0 cells have expected count less than 5




66.) During the past 30 days, did you eat less food, fewer calories, or foods low in fat to lose weight or to keep from gaining weight?^{a,b}

			Gender		Total
			Female	Male	
Diet	Yes	Count	252	113	365
		% within Diet	69.0%	31.0%	100.0%
		% within Gender	54.2%	26.1%	40.6%
		% of Total	28.1%	12.6%	40.6%
		Std. Residual	4.6	-4.7	
	No	Count	213	320	533
		% within Diet	40.0%	60.0%	100.0%
		% within Gender	45.8%	73.9%	59.4%
		% of Total	23.7%	35.6%	59.4%
		Std. Residual	-3.8	3.9	
Total		Count	465	433	898
		% within Diet	51.8%	48.2%	100.0%
		% within Gender	100.0%	100.0%	100.0%
		% of Total	51.8%	48.2%	100.0%

a. Pearson chi-square = 73.367, 1df, p<.0001

b. 0 cells have expected count less than 5




69.) During the past 30 days, did you skip meals to lose weight or to keep from gaining weight?^{a,b}

			Gender		Total
			Female	Male	
Skipping Meal	Yes	Count	141	66	207
		% within Skipping Meal	68.1%	31.9%	100.0%
		% within Gender	30.7%	15.4%	23.3%
		% of Total	15.9%	7.4%	23.3%
		Std. Residual	3.3	-3.4	
	No	Count	319	362	681
		% within Skipping Meal	46.8%	53.2%	100.0%
		% within Gender	69.3%	84.6%	76.7%
		% of Total	35.9%	40.8%	76.7%
			Std. Residual	-1.8	1.9
Total	Count	460	428	888	
	% within Skipping Meal	51.8%	48.2%	100.0%	
	% within Gender	100.0%	100.0%	100.0%	
	% of Total	51.8%	48.2%	100.0%	

a. Pearson chi-square = 28.773, 1df, p<.0001

b. 0 cells have expected count less than 5




70.) During the past 7 days, how many times did you eat fruit? Do not count fruit juice.^{a,b}

			Gender		Total
			Female	Male	
Fruits Eating	1 did not eat fruit during the past 7 days	Count	28	61	89
		% within Fruits Eating	31.5%	68.5%	100.0%
		% within Gender	6.1%	13.9%	9.9%
		% of Total	3.1%	6.8%	9.9%
		Std. Residual	-2.6	2.7	
	1 to 3 times during the past 7 days	Count	176	150	326
		% within Fruits Eating	54.0%	46.0%	100.0%
		% within Gender	38.1%	34.2%	36.2%
		% of Total	19.5%	16.6%	36.2%
		Std. Residual	.7	-.7	
	4 to 6 times during the past 7 days	Count	99	74	173
		% within Fruits Eating	57.2%	42.8%	100.0%
		% within Gender	21.4%	16.9%	19.2%
		% of Total	11.0%	8.2%	19.2%
		Std. Residual	1.1	-1.1	
	1 time per day	Count	61	49	110
% within Fruits Eating		55.5%	44.5%	100.0%	
% within Gender		13.2%	11.2%	12.2%	
% of Total		6.8%	5.4%	12.2%	
Std. Residual		.6	-.6		
2 times per day	Count	54	54	108	
	% within Fruits Eating	50.0%	50.0%	100.0%	
	% within Gender	11.7%	12.3%	12.0%	
	% of Total	6.0%	6.0%	12.0%	
	Std. Residual	-2	.2		
3 times per day	Count	19	22	41	
	% within Fruits Eating	46.3%	53.7%	100.0%	
	% within Gender	4.1%	5.0%	4.6%	
	% of Total	2.1%	2.4%	4.6%	
	Std. Residual	-.4	.5		
4 or more times per day	Count	25	29	54	
	% within Fruits Eating	46.3%	53.7%	100.0%	
	% within Gender	5.4%	6.6%	6.0%	
	% of Total	2.8%	3.2%	6.0%	
	Std. Residual	-.5	.5		
Total	Count	462	439	901	
	% within Fruits Eating	51.3%	48.7%	100.0%	
	% within Gender	100.0%	100.0%	100.0%	
	% of Total	51.3%	48.7%	100.0%	

a. Pearson chi-square = 19.173, 6df, p<.004

b. 0 cells have expected count less than 5




71.) During the past 7 days, how many times did you eat vegetables? Include raw, cooked, frozen, canned vegetables, salad greens, and 100% vegetable juice, but do not count french fries.^{a,b}

			Gender		Total
			Female	Male	
Vegetables Eating	I did not eat vegetables during the past 7 days	Count	18	58	76
		% within Vegetables	23.7%	76.3%	100.0%
		% within Gender	3.9%	13.2%	8.4%
		% of Total	2.0%	6.4%	8.4%
		Std. Residual	-3.4	3.5	
	1 to 3 times during the past 7 days	Count	127	103	230
		% within Vegetables	55.2%	44.8%	100.0%
		% within Gender	27.3%	23.4%	25.4%
		% of Total	14.0%	11.4%	25.4%
		Std. Residual	.8	-.8	
	4 to 6 times during the past 7 days	Count	117	93	210
		% within Vegetables	55.7%	44.3%	100.0%
		% within Gender	25.2%	21.1%	23.2%
		% of Total	12.9%	10.3%	23.2%
		Std. Residual	.9	-.9	
	1 time per day	Count	75	67	142
		% within Vegetables	52.8%	47.2%	100.0%
		% within Gender	16.1%	15.2%	15.7%
		% of Total	8.3%	7.4%	15.7%
		Std. Residual	.2	-.2	
2 times per day	Count	73	53	126	
	% within Vegetables	57.9%	42.1%	100.0%	
	% within Gender	15.7%	12.0%	13.9%	
	% of Total	8.1%	5.9%	13.9%	
	Std. Residual	1.0	-1.1		
3 times per day	Count	37	36	73	
	% within Vegetables	50.7%	49.3%	100.0%	
	% within Gender	8.0%	8.2%	8.1%	
	% of Total	4.1%	4.0%	8.1%	
	Std. Residual	.0	.1		
4 or more times per day	Count	18	30	48	
	% within Vegetables	37.5%	62.5%	100.0%	
	% within Gender	3.9%	6.8%	5.3%	
	% of Total	2.0%	3.3%	5.3%	
	Std. Residual	-1.3	1.4		
Total	Count	465	440	905	
	% within Vegetables	51.4%	48.6%	100.0%	
	% within Gender	100.0%	100.0%	100.0%	
	% of Total	51.4%	48.6%	100.0%	

a. Pearson chi-square = 32.273, 6df, p<.0001

b. 0 cells have expected count less than 5




72.) During the past 7 days, how many times did you eat junk food such as sweet or salty snack foods? Include chips, crackers, cookies, candy, cakes, or donuts.^{a,b}

			Gender		Total
			Female	Male	
Snacks Eating	I did not eat junk food during the past 7 days	Count	19	34	53
		% within Snacks Eating	35.8%	64.2%	100.0%
		% within Gender	4.1%	7.8%	5.9%
		% of Total	2.1%	3.8%	5.9%
		Std. Residual	-1.6	1.7	
	1 to 3 times during the past 7 days	Count	118	104	222
		% within Snacks Eating	53.2%	46.8%	100.0%
		% within Gender	25.4%	24.0%	24.7%
		% of Total	13.1%	11.6%	24.7%
		Std. Residual	.3	-.3	
	4 to 6 times during the past 7 days	Count	103	68	171
		% within Snacks Eating	60.2%	39.8%	100.0%
		% within Gender	22.2%	15.7%	19.0%
		% of Total	11.5%	7.6%	19.0%
		Std. Residual	1.6	-1.6	
	1 time per day	Count	89	74	163
% within Snacks Eating		54.6%	45.4%	100.0%	
% within Gender		19.2%	17.1%	18.2%	
% of Total		9.9%	8.2%	18.2%	
Std. Residual		.5	-.5		
2 times per day	Count	71	58	129	
	% within Snacks Eating	55.0%	45.0%	100.0%	
	% within Gender	15.3%	13.4%	14.4%	
	% of Total	7.9%	6.5%	14.4%	
	Std. Residual	.5	-.6		
3 times per day	Count	27	36	63	
	% within Snacks Eating	42.9%	57.1%	100.0%	
	% within Gender	5.8%	8.3%	7.0%	
	% of Total	3.0%	4.0%	7.0%	
	Std. Residual	-1.0	1.0		
4 or more times per day	Count	37	60	97	
	% within Snacks Eating	38.1%	61.9%	100.0%	
	% within Gender	8.0%	13.8%	10.8%	
	% of Total	4.1%	6.7%	10.8%	
	Std. Residual	-1.9	1.9		
Total	Count	464	434	898	
	% within Snacks Eating	51.7%	48.3%	100.0%	
	% within Gender	100.0%	100.0%	100.0%	
	% of Total	51.7%	48.3%	100.0%	

a. Pearson chi-square = 20.743, 6df, p<.002

b. 0 cells have expected count less than 5




73.) During the past 7 days, how many times did you drink a can, bottle, or glass of soda or pop such as Coke, Pepsi, or Sprite? Do not include diet soda or diet pop.^{a,b}

			Gender		Total
			Female	Male	
Soda Drinking	I did not drink soda or pop during the past 7 days	Count	98	61	159
		% within Soda Drinking	61.6%	38.4%	100.0%
		% within Gender	21.3%	14.1%	17.8%
		% of Total	10.9%	6.8%	17.8%
		Std. Residual	1.8	-1.8	
	1 to 3 times during the past 7 days	Count	171	107	278
		% within Soda Drinking	61.5%	38.5%	100.0%
		% within Gender	37.1%	24.7%	31.1%
		% of Total	19.1%	12.0%	31.1%
		Std. Residual	2.3	-2.4	
4 to 6 times during the past 7 days	Count	64	57	121	
	% within Soda Drinking	52.9%	47.1%	100.0%	
	% within Gender	13.9%	13.1%	13.5%	
	% of Total	7.2%	6.4%	13.5%	
	Std. Residual	.2	-.2		
1 time per day	Count	47	47	94	
	% within Soda Drinking	50.0%	50.0%	100.0%	
	% within Gender	10.2%	10.8%	10.5%	
	% of Total	5.3%	5.3%	10.5%	
	Std. Residual	-.2	.2		
2 times per day	Count	45	67	112	
	% within Soda Drinking	40.2%	59.8%	100.0%	
	% within Gender	9.8%	15.4%	12.5%	
	% of Total	5.0%	7.5%	12.5%	
	Std. Residual	-1.7	1.7		
3 times per day	Count	17	36	53	
	% within Soda Drinking	32.1%	67.9%	100.0%	
	% within Gender	3.7%	8.3%	5.9%	
	% of Total	1.9%	4.0%	5.9%	
	Std. Residual	-2.0	2.0		
4 or more times per day	Count	19	59	78	
	% within Soda Drinking	24.4%	75.6%	100.0%	
	% within Gender	4.1%	13.6%	8.7%	
	% of Total	2.1%	6.6%	8.7%	
	Std. Residual	-3.3	3.4		
Total	Count	461	434	895	
	% within Soda Drinking	51.5%	48.5%	100.0%	
	% within Gender	100.0%	100.0%	100.0%	
	% of Total	51.5%	48.5%	100.0%	

a. Pearson chi-square = 54.630, 6df, p<.0001

b. 0 cells have expected count less than 5




74.) During the past 7 days, how many times did you drink a can, bottle, or glass of any other sweetened beverage? Include sweet team punch, Kool-Aid, fruit flavored drinks, and sports drinks. Do not include diet soda or diet pop.^{a,b}

			Gender		Total
			Female	Male	
Beverage Drinking	I did not drink any other sweetened beverage during the past 7 days	Count	49	59	108
		% within Beverage Drinking	45.4%	54.6%	100.0%
		% within Gender	10.5%	13.4%	11.9%
		% of Total	5.4%	6.5%	11.9%
		Std. Residual	-.9	.9	
	1 to 3 times during the past 7 days	Count	169	111	280
		% within Beverage Drinking	60.4%	39.6%	100.0%
		% within Gender	36.3%	25.2%	30.9%
		% of Total	18.7%	12.3%	30.9%
		Std. Residual	2.1	-2.2	
	4 to 6 times during the past 7 days	Count	82	66	148
		% within Beverage Drinking	55.4%	44.6%	100.0%
		% within Gender	17.6%	15.0%	16.4%
		% of Total	9.1%	7.3%	16.4%
		Std. Residual	.7	-.7	
	1 time per day	Count	53	54	107
% within Beverage Drinking		49.5%	50.5%	100.0%	
% within Gender		11.4%	12.3%	11.8%	
% of Total		5.9%	6.0%	11.8%	
Std. Residual		-.3	.3		
2 times per day	Count	47	48	95	
	% within Beverage Drinking	49.5%	50.5%	100.0%	
	% within Gender	10.1%	10.9%	10.5%	
	% of Total	5.2%	5.3%	10.5%	
	Std. Residual	-.3	.3		
3 times per day	Count	29	35	64	
	% within Beverage Drinking	45.3%	54.7%	100.0%	
	% within Gender	6.2%	8.0%	7.1%	
	% of Total	3.2%	3.9%	7.1%	
	Std. Residual	-.7	.7		
4 or more times per day	Count	36	67	103	
	% within Beverage Drinking	35.0%	65.0%	100.0%	
	% within Gender	7.7%	15.2%	11.4%	
	% of Total	4.0%	7.4%	11.4%	
	Std. Residual	-2.3	2.4		
Total	Count	465	440	905	
	% within Beverage Drinking	51.4%	48.6%	100.0%	
	% within Gender	100.0%	100.0%	100.0%	
	% of Total	51.4%	48.6%	100.0%	

a. Pearson chi-square = 23.910, 6df, p<.001


b. 0 cells have expected count less than 5



75.) During the past 7 days, how many times did you buy food and/or drinks from vending machines at school?^{a,b}

			Gender		Total
			Female	Male	
Vending Machines	0 times	Count	264	224	488
		% within Vending Machines	54.1%	45.9%	100.0%
		% within Gender	57.1%	51.5%	54.4%
		% of Total	29.4%	25.0%	54.4%
		Std. Residual	.8	-.8	
	1 time	Count	89	66	155
		% within Vending Machines	57.4%	42.6%	100.0%
		% within Gender	19.3%	15.2%	17.3%
		% of Total	9.9%	7.4%	17.3%
		Std. Residual	1.0	-1.1	
	2 times	Count	53	60	113
		% within Vending Machines	46.9%	53.1%	100.0%
		% within Gender	11.5%	13.8%	12.6%
		% of Total	5.9%	6.7%	12.6%
		Std. Residual	-.7	.7	
	3 times	Count	28	33	61
		% within Vending Machines	45.9%	54.1%	100.0%
		% within Gender	6.1%	7.6%	6.8%
		% of Total	3.1%	3.7%	6.8%
		Std. Residual	-.6	.6	
4 times	Count	14	22	36	
	% within Vending Machines	38.9%	61.1%	100.0%	
	% within Gender	3.0%	5.1%	4.0%	
	% of Total	1.6%	2.5%	4.0%	
	Std. Residual	-1.1	1.1		
5 or more times	Count	14	30	44	
	% within Vending Machines	31.8%	68.2%	100.0%	
	% within Gender	3.0%	6.9%	4.9%	
	% of Total	1.6%	3.3%	4.9%	
	Std. Residual	-1.8	1.9		
Total	Count	462	435	897	
	% within Vending Machines	51.5%	48.5%	100.0%	
	% within Gender	100.0%	100.0%	100.0%	
	% of Total	51.5%	48.5%	100.0%	

a. Pearson chi-square = 14.331, 5df, p<.014
 b. 0 cells have expected count less than 5




79.) On an average school day, how much total time do you spend being physically active? Include all physical activity both in and out of school.^{a,b}

			Gender		Total
			Female	Male	
Physical Active	I am not physically active on an average school day	Count	74	60	134
		% within Physical Active	55.2%	44.8%	100.0%
		% within Gender	16.2%	13.9%	15.1%
		% of Total	8.3%	6.7%	15.1%
		Std. Residual	.6	-.6	
	Less that 30 minutes	Count	66	31	97
		% within Physical Active	68.0%	32.0%	100.0%
		% within Gender	14.4%	7.2%	10.9%
		% of Total	7.4%	3.5%	10.9%
	30 minutes to 1 hour	Count	121	83	204
		% within Physical Active	59.3%	40.7%	100.0%
		% within Gender	26.4%	19.3%	22.9%
		% of Total	13.6%	9.3%	22.9%
	More than 1 hour and up to 2 hours	Count	131	143	274
		% within Physical Active	47.8%	52.2%	100.0%
		% within Gender	28.6%	33.2%	30.8%
		% of Total	14.7%	16.1%	30.8%
	More than 2 hours	Count	66	114	180
		% within Physical Active	36.7%	63.3%	100.0%
		% within Gender	14.4%	26.5%	20.2%
% of Total		7.4%	12.8%	20.2%	
Total	Count	458	431	889	
	% within Physical Active	51.5%	48.5%	100.0%	
	% within Gender	100.0%	100.0%	100.0%	
	% of Total	51.5%	48.5%	100.0%	

a. Pearson chi-square = 33.707, 4df, p<.0001

b. 0 cells have expected count less than 5




80.) On an average weekend day, how much total time do you spend being physically active?^{a,b}

			Gender		Total
			Female	Male	
Physical Active	I am not physically active on an average weekend day	Count	54	49	103
		% within Physical Active	52.4%	47.6%	100.0%
		% within Gender	11.7%	11.3%	11.5%
		% of Total	6.0%	5.5%	11.5%
		Std. Residual	.1	-.1	
	Less than 30 minutes	Count	83	37	120
		% within Physical Active	69.2%	30.8%	100.0%
		% within Gender	18.0%	8.5%	13.4%
		% of Total	9.3%	4.1%	13.4%
		Std. Residual	2.7	-2.8	
	30 minutes to 1 hour	Count	155	89	244
		% within Physical Active	63.5%	36.5%	100.0%
		% within Gender	33.5%	20.5%	27.2%
		% of Total	17.3%	9.9%	27.2%
		Std. Residual	2.6	-2.7	
	More than 1 hour and up to 2 hours	Count	101	110	211
		% within Physical Active	47.9%	52.1%	100.0%
		% within Gender	21.9%	25.3%	23.5%
		% of Total	11.3%	12.3%	23.5%
		Std. Residual	-.7	.8	
More than 2 hours	Count	69	149	218	
	% within Physical Active	31.7%	68.3%	100.0%	
	% within Gender	14.9%	34.3%	24.3%	
	% of Total	7.7%	16.6%	24.3%	
	Std. Residual	-4.1	4.2		
Total	Count	462	434	896	
	% within Physical Active	51.6%	48.4%	100.0%	
	% within Gender	100.0%	100.0%	100.0%	
	% of Total	51.6%	48.4%	100.0%	


a. Pearson chi-square = 64.658, 4df, p<.0001

b. 0 cells have expected count less than 5



81.) In an average week when you are in school, on how many days do you go to physical education (PE) classes?^{a,b}

			Gender		Total
			Female	Male	
PE Class	0 days	Count	311	210	521
		% within PE class	59.7%	40.3%	100.0%
		% within Gender	67.3%	48.7%	58.3%
		% of Total	34.8%	23.5%	58.3%
		Std. Residual	2.5	-2.6	
	1 day	Count	4	21	25
		% within PE class	16.0%	84.0%	100.0%
		% within Gender	.9%	4.9%	2.8%
		% of Total	.4%	2.4%	2.8%
		Std. Residual	-2.5	2.6	
	2 days	Count	9	14	23
		% within PE class	39.1%	60.9%	100.0%
		% within Gender	1.9%	3.2%	2.6%
		% of Total	1.0%	1.6%	2.6%
		Std. Residual	-.8	.9	
	3 days	Count	49	32	81
		% within PE class	60.5%	39.5%	100.0%
		% within Gender	10.6%	7.4%	9.1%
		% of Total	5.5%	3.6%	9.1%
		Std. Residual	1.1	-1.1	
4 days	Count	5	3	8	
	% within PE class	62.5%	37.5%	100.0%	
	% within Gender	1.1%	.7%	.9%	
	% of Total	.6%	.3%	.9%	
	Std. Residual	.4	-.4		
5 days	Count	84	151	235	
	% within PE class	35.7%	64.3%	100.0%	
	% within Gender	18.2%	35.0%	26.3%	
	% of Total	9.4%	16.9%	26.3%	
	Std. Residual	-3.4	3.5		
Total	Count	462	431	893	
	% within PE class	51.7%	48.3%	100.0%	
	% within Gender	100.0%	100.0%	100.0%	
	% of Total	51.7%	48.3%	100.0%	




a. Pearson chi-square = 54.386, 5df, p<.0001

b. 2 cells have expected count less than 5

83.) On an average school day, how many hours do you play video games or computer games or use a computer for something that is not school work? Include activities such as Nintendo, GameBoy, Play Station, Xbox, computer games, and the Internet.^{a,b}

			Gender		Total
			Female	Male	
Video Games	I do not play video or computer games or use a computer for non school work	Count	133	99	232
		% within Video Games	57.3%	42.7%	100.0%
		% within Gender	28.7%	22.8%	25.8%
		% of Total	14.8%	11.0%	25.8%
		Std. Residual	1.2	-1.3	
	Less than 1 hour per day	Count	153	114	267
		% within Video Games	57.3%	42.7%	100.0%
		% within Gender	33.0%	26.2%	29.7%
		% of Total	17.0%	12.7%	29.7%
		Std. Residual	1.3	-1.3	
	1 hour per day	Count	62	68	130
		% within Video Games	47.7%	52.3%	100.0%
		% within Gender	13.4%	15.6%	14.5%
		% of Total	6.9%	7.6%	14.5%
		Std. Residual	-.6	.6	
	2 hours per day	Count	60	61	121
		% within Video Games	49.6%	50.4%	100.0%
		% within Gender	12.9%	14.0%	13.5%
		% of Total	6.7%	6.8%	13.5%
Std. Residual		-.3	.3		
3 hours per day	Count	31	40	71	
	% within Video Games	43.7%	56.3%	100.0%	
	% within Gender	6.7%	9.2%	7.9%	
	% of Total	3.4%	4.4%	7.9%	
	Std. Residual	-.9	1.0		
4 hours per day	Count	12	17	29	
	% within Video Games	41.4%	58.6%	100.0%	
	% within Gender	2.6%	3.9%	3.2%	
	% of Total	1.3%	1.9%	3.2%	
	Std. Residual	-.8	.8		
5 or more hours per day	Count	13	36	49	
	% within Video Games	26.5%	73.5%	100.0%	
	% within Gender	2.8%	8.3%	5.5%	
	% of Total	1.4%	4.0%	5.5%	
	Std. Residual	-2.4	2.5		
Total	Count	464	435	899	
	% within Video Games	51.6%	48.4%	100.0%	
	% within Gender	100.0%	100.0%	100.0%	
	% of Total	51.6%	48.4%	100.0%	


a. Pearson chi-square = 22.852, 6df, p<.001
 b. 0 cells have expected count less than 5



84.) On an average Saturday or Sunday, how many hours do you play video games or computer games or use a computer for something that is not school work? Include activities such as Nintendo, GameBoy, Play Station, XBox, computer games, and the Internet.^{a,b}

		Gender		Total	
		Female	Male		
Video Games	I do not watch TV, play video games, or use a computer on an average Saturday or Sunday	Count	49	59	108
		% within Video Games	45.4%	54.6%	100.0%
		% within Gender	10.6%	13.7%	12.1%
		% of Total	5.5%	6.6%	12.1%
		Std. Residual	-.9	.9	
Less than 1 hour per day		Count	86	61	147
		% within Video Games	58.5%	41.5%	100.0%
		% within Gender	18.7%	14.2%	16.5%
		% of Total	9.6%	6.8%	16.5%
		Std. Residual	1.2	-1.2	
1 hour per day		Count	58	61	119
		% within Video Games	48.7%	51.3%	100.0%
		% within Gender	12.6%	14.2%	13.3%
		% of Total	6.5%	6.8%	13.3%
		Std. Residual	-.4	.5	
2 hours per day		Count	98	61	159
		% within Video Games	61.6%	38.4%	100.0%
		% within Gender	21.3%	14.2%	17.8%
		% of Total	11.0%	6.8%	17.8%
		Std. Residual	1.7	-1.8	
3 hours per day		Count	82	61	143
		% within Video Games	57.3%	42.7%	100.0%
		% within Gender	17.8%	14.2%	16.0%
		% of Total	9.2%	6.8%	16.0%
		Std. Residual	.9	-1.0	
4 hours per day		Count	43	47	90
		% within Video Games	47.8%	52.2%	100.0%
		% within Gender	9.3%	10.9%	10.1%
		% of Total	4.8%	5.3%	10.1%
		Std. Residual	-.5	.5	
5 or more hours per day		Count	45	81	126
		% within Video Games	35.7%	64.3%	100.0%
		% within Gender	9.8%	18.8%	14.1%
		% of Total	5.0%	9.1%	14.1%
		Std. Residual	-2.5	2.6	
Total		Count	461	431	892
		% within Video Games	51.7%	48.3%	100.0%
		% within Gender	100.0%	100.0%	100.0%
		% of Total	51.7%	48.3%	100.0%

a. Pearson chi-square = 26.432, 6df, p<.0001
 b. 0 cells have expected count less than 5




85.) When you are outside for more than one hour on a sunny day, how often do you wear sunscreen with an SPF of 15 or higher?^{a,b}

			Gender		Total
			Female	Male	
Sunscreen	Never	Count	231	268	499
		% within Sunscreen	46.3%	53.7%	100.0%
		% within Gender	50.0%	62.0%	55.8%
		% of Total	25.8%	30.0%	55.8%
		Std. Residual	-1.7	1.7	
	Rarely	Count	129	95	224
		% within Sunscreen	57.6%	42.4%	100.0%
		% within Gender	27.9%	22.0%	25.1%
		% of Total	14.4%	10.6%	25.1%
		Std. Residual	1.2	-1.3	
	Sometimes	Count	58	44	102
		% within Sunscreen	56.9%	43.1%	100.0%
		% within Gender	12.6%	10.2%	11.4%
		% of Total	6.5%	4.9%	11.4%
		Std. Residual	.7	-.8	
	Most of the time	Count	33	14	47
		% within Sunscreen	70.2%	29.8%	100.0%
		% within Gender	7.1%	3.2%	5.3%
		% of Total	3.7%	1.6%	5.3%
		Std. Residual	1.8	-1.8	
Always	Count	11	11	22	
	% within Sunscreen	50.0%	50.0%	100.0%	
	% within Gender	2.4%	2.5%	2.5%	
	% of Total	1.2%	1.2%	2.5%	
	Std. Residual	-.1	.1		
Total	Count	462	432	894	
	% within Sunscreen	51.7%	48.3%	100.0%	
	% within Gender	100.0%	100.0%	100.0%	
	% of Total	51.7%	48.3%	100.0%	

a. Pearson chi-square = 16.519, 4df, p<.002

b. 0 cells have expected count less than 5




86.) On an average school night, how many hours of sleep do you get?^{a,b}

			Gender		Total
			Female	Male	
Sleep Time	4 hours or less	Count	23	56	79
		% within Sleep Time	29.1%	70.9%	100.0%
		% within Gender	5.0%	12.9%	8.8%
		% of Total	2.6%	6.2%	8.8%
		Std. Residual	-2.8	2.9	
5 hours	5 hours	Count	58	40	98
		% within Sleep Time	59.2%	40.8%	100.0%
		% within Gender	12.5%	9.2%	10.9%
		% of Total	6.5%	4.5%	10.9%
		Std. Residual	1.0	-1.1	
6 hours	6 hours	Count	114	80	194
		% within Sleep Time	58.8%	41.2%	100.0%
		% within Gender	24.6%	18.4%	21.6%
		% of Total	12.7%	8.9%	21.6%
		Std. Residual	1.4	-1.4	
7 hours	7 hours	Count	144	117	261
		% within Sleep Time	55.2%	44.8%	100.0%
		% within Gender	31.1%	27.0%	29.1%
		% of Total	16.1%	13.0%	29.1%
		Std. Residual	.8	-.8	
8 hours	8 hours	Count	97	100	197
		% within Sleep Time	49.2%	50.8%	100.0%
		% within Gender	21.0%	23.0%	22.0%
		% of Total	10.8%	11.1%	22.0%
		Std. Residual	-.5	.5	
9 hours	9 hours	Count	19	30	49
		% within Sleep Time	38.8%	61.2%	100.0%
		% within Gender	4.1%	6.9%	5.5%
		% of Total	2.1%	3.3%	5.5%
		Std. Residual	-1.3	1.3	
10 or more hours	10 or more hours	Count	8	11	19
		% within Sleep Time	42.1%	57.9%	100.0%
		% within Gender	1.7%	2.5%	2.1%
		% of Total	.9%	1.2%	2.1%
		Std. Residual	-.6	.6	
Total	Total	Count	463	434	897
		% within Sleep Time	51.6%	48.4%	100.0%
		% within Gender	100.0%	100.0%	100.0%
		% of Total	51.6%	48.4%	100.0%

a. Pearson chi-square = 27.923, 6df, p<.0001

b. 0 cells have expected count less than 5




93.) How do you rate your health in general?^{a,b}

			Gender		Total
			Female	Male	
Health Rate	Excellent	Count	68	112	180
		% within Health Rate	37.8%	62.2%	100.0%
		% within Gender	14.7%	26.0%	20.2%
		% of Total	7.6%	12.5%	20.2%
		Std. Residual	-2.6	2.7	
Very good	Very good	Count	152	155	307
		% within Health Rate	49.5%	50.5%	100.0%
		% within Gender	32.9%	36.0%	34.4%
		% of Total	17.0%	17.4%	34.4%
		Std. Residual	-.5	.6	
Good	Good	Count	177	124	301
		% within Health Rate	58.8%	41.2%	100.0%
		% within Gender	38.3%	28.8%	33.7%
		% of Total	19.8%	13.9%	33.7%
		Std. Residual	1.7	-1.8	
Fair	Fair	Count	51	33	84
		% within Health Rate	60.7%	39.3%	100.0%
		% within Gender	11.0%	7.7%	9.4%
		% of Total	5.7%	3.7%	9.4%
		Std. Residual	1.1	-1.2	
Poor	Poor	Count	14	7	21
		% within Health Rate	66.7%	33.3%	100.0%
		% within Gender	3.0%	1.6%	2.4%
		% of Total	1.6%	.8%	2.4%
		Std. Residual	1.0	-1.0	
Total	Total	Count	462	431	893
		% within Health Rate	51.7%	48.3%	100.0%
		% within Gender	100.0%	100.0%	100.0%
		% of Total	51.7%	48.3%	100.0%

a. Pearson chi-square = 25.262, 4df, p<.0001

b. 0 cells have expected count less than 5




94.) Do you agree or disagree that you feel alone in your life?^{a, b}

			Gender		Total
			Female	Male	
Feel Alone	Strongly agree	Count	23	45	68
		% within Feel Alone	33.8%	66.2%	100.0%
		% within Gender	5.0%	10.4%	7.6%
		% of Total	2.6%	5.0%	7.6%
		Std. Residual	-2.1	2.1	
	Agree	Count	54	52	106
		% within Feel Alone	50.9%	49.1%	100.0%
		% within Gender	11.7%	12.0%	11.8%
		% of Total	6.0%	5.8%	11.8%
		Std. Residual	-.1	.1	
	Not sure	Count	75	69	144
		% within Feel Alone	52.1%	47.9%	100.0%
		% within Gender	16.2%	16.0%	16.1%
		% of Total	8.4%	7.7%	16.1%
		Std. Residual	.1	.0	
	Disagree	Count	135	120	255
		% within Feel Alone	52.9%	47.1%	100.0%
		% within Gender	29.2%	27.8%	28.5%
		% of Total	15.1%	13.4%	28.5%
		Std. Residual	.3	-.3	
Strongly disagree	Count	176	146	322	
	% within Feel Alone	54.7%	45.3%	100.0%	
	% within Gender	38.0%	33.8%	36.0%	
	% of Total	19.7%	16.3%	36.0%	
	Std. Residual	.7	-.8		
Total	Count	463	432	895	
	% within Feel Alone	51.7%	48.3%	100.0%	
	% within Gender	100.0%	100.0%	100.0%	
	% of Total	51.7%	48.3%	100.0%	

a. Pearson chi-square = 10.021, 4df, p<.040

b. 0 cells have expected count less than 5




95.) Do you agree or disagree that you feel good about yourself?^{a,b}

			Gender		Total
			Female	Male	
Feel Good	Strongly agree	Count	101	160	261
		% within Feel Good	38.7%	61.3%	100.0%
		% within Gender	21.8%	37.0%	29.1%
		% of Total	11.3%	17.9%	29.1%
		Std. Residual	-2.9	3.0	
	Agree	Count	209	178	387
		% within Feel Good	54.0%	46.0%	100.0%
		% within Gender	45.0%	41.2%	43.2%
		% of Total	23.3%	19.9%	43.2%
		Std. Residual	.6	-.6	
	Not sure	Count	90	58	148
		% within Feel Good	60.8%	39.2%	100.0%
		% within Gender	19.4%	13.4%	16.5%
		% of Total	10.0%	6.5%	16.5%
		Std. Residual	1.5	-1.6	
	Disagree	Count	47	17	64
		% within Feel Good	73.4%	26.6%	100.0%
		% within Gender	10.1%	3.9%	7.1%
		% of Total	5.2%	1.9%	7.1%
		Std. Residual	2.4	-2.5	
Strongly disagree	Count	17	19	36	
	% within Feel Good	47.2%	52.8%	100.0%	
	% within Gender	3.7%	4.4%	4.0%	
	% of Total	1.9%	2.1%	4.0%	
	Std. Residual	-.4	.4		
Total	Count	464	432	896	
	% within Feel Good	51.8%	48.2%	100.0%	
	% within Gender	100.0%	100.0%	100.0%	
	% of Total	51.8%	48.2%	100.0%	

a. Pearson chi-square = 35.816, 4df, p<.0001

b. 0 cells have expected count less than 5




96) Do you agree or disagree that your teachers really care about you and give you a lot of encouragement?^{a,b}

			Gender		Total
			Female	Male	
Teacher Encouragement	Strongly agree	Count	69	98	167
		% within Teacher Encouragement	41.3%	58.7%	100.0%
		% within Gender	14.8%	22.5%	18.5%
		% of Total	7.7%	10.9%	18.5%
		Std. Residual	-1.9	1.9	
	Agree	Count	207	155	362
		% within Teacher Encouragement	57.2%	42.8%	100.0%
		% within Gender	44.5%	35.6%	40.2%
		% of Total	23.0%	17.2%	40.2%
		Std. Residual	1.5	-1.5	
	Not sure	Count	109	96	205
		% within Teacher Encouragement	53.2%	46.8%	100.0%
		% within Gender	23.4%	22.0%	22.8%
		% of Total	12.1%	10.7%	22.8%
		Std. Residual	.3	-.3	
	Disagree	Count	53	41	94
		% within Teacher Encouragement	56.4%	43.6%	100.0%
		% within Gender	11.4%	9.4%	10.4%
		% of Total	5.9%	4.6%	10.4%
		Std. Residual	.6	-.7	
Strongly disagree	Count	27	46	73	
	% within Teacher Encouragement	37.0%	63.0%	100.0%	
	% within Gender	5.8%	10.6%	8.1%	
	% of Total	3.0%	5.1%	8.1%	
	Std. Residual	-1.7	1.8		
Total	Count	465	436	901	
	% within Teacher Encouragement	51.6%	48.4%	100.0%	
	% within Gender	100.0%	100.0%	100.0%	
	% of Total	51.6%	48.4%	100.0%	

a. Pearson chi-square = 18.893, 4df, p<.001

b. 0 cells have expected count less than 5




98.) Do you agree or disagree that gangs are a problem at your school?^{a,b}

			Gender		Total
			Female	Male	
Gangs	Strongly agree	Count	26	53	79
		% within Gangs	32.9%	67.1%	100.0%
		% within Gender	5.6%	12.2%	8.8%
		% of Total	2.9%	5.9%	8.8%
		Std. Residual	-2.3	2.4	
	Agree	Count	28	33	61
		% within Gangs	45.9%	54.1%	100.0%
		% within Gender	6.0%	7.6%	6.8%
		% of Total	3.1%	3.7%	6.8%
		Std. Residual	-.6	.6	
	Not sure	Count	122	94	216
		% within Gangs	56.5%	43.5%	100.0%
		% within Gender	26.3%	21.6%	24.0%
		% of Total	13.6%	10.5%	24.0%
		Std. Residual	1.0	-1.0	
	Disagree	Count	154	121	275
		% within Gangs	56.0%	44.0%	100.0%
		% within Gender	33.2%	27.8%	30.6%
		% of Total	17.1%	13.5%	30.6%
		Std. Residual	1.0	-1.0	
Strongly disagree	Count	134	134	268	
	% within Gangs	50.0%	50.0%	100.0%	
	% within Gender	28.9%	30.8%	29.8%	
	% of Total	14.9%	14.9%	29.8%	
	Std. Residual	-.4	.4		
Total	Count	464	435	899	
	% within Gangs	51.6%	48.4%	100.0%	
	% within Gender	100.0%	100.0%	100.0%	
	% of Total	51.6%	48.4%	100.0%	

a. Pearson chi-square = 16.309, 4df, p<.003

b. 0 cells have expected count less than 5




99.) Do you agree or disagree that drugs are a problem at your school?^{a,b}

		Gender		Total	
		Female	Male		
Drugs	Strongly agree	Count	129	111	240
		% within Drugs	53.8%	46.3%	100.0%
		% within Gender	27.9%	25.6%	26.8%
		% of Total	14.4%	12.4%	26.8%
		Std. Residual	.5	-.5	
	Agree	Count	142	111	253
		% within Drugs	56.1%	43.9%	100.0%
		% within Gender	30.7%	25.6%	28.2%
		% of Total	15.8%	12.4%	28.2%
		Std. Residual	1.0	-1.0	
	Not sure	Count	114	92	206
		% within Drugs	55.3%	44.7%	100.0%
		% within Gender	24.6%	21.2%	23.0%
		% of Total	12.7%	10.3%	23.0%
		Std. Residual	.7	-.8	
	Disagree	Count	37	55	92
		% within Drugs	40.2%	59.8%	100.0%
		% within Gender	8.0%	12.7%	10.3%
		% of Total	4.1%	6.1%	10.3%
		Std. Residual	-1.5	1.6	
Strongly disagree	Count	41	65	106	
	% within Drugs	38.7%	61.3%	100.0%	
	% within Gender	8.9%	15.0%	11.8%	
	% of Total	4.6%	7.2%	11.8%	
	Std. Residual	-1.9	1.9		
Total	Count	463	434	897	
	% within Drugs	51.6%	48.4%	100.0%	
	% within Gender	100.0%	100.0%	100.0%	
	% of Total	51.6%	48.4%	100.0%	

a. Pearson chi-square = 15.532, 4df, p<.004

b. 0 cells have expected count less than 5



Appendix F: Frequencies and Percentages of 2009 Middle School YRBS

1.) How old are you?

		Frequency	Percent	Valid Percent	Percent
Valid	11 years old	111	13.8	13.8	13.8
	12 years old	247	30.6	30.8	44.6
	13 years old	254	31.5	31.6	76.2
	14 years old	165	20.5	20.5	96.8
	15 years old	20	2.5	2.5	99.3
	16 years old or	6	.7	.7	100.0
	Total	803	99.6	100.0	
Missing	System	3	.4		
Total		806	100.0		

2.) What is your sex?

		Frequency	Percent	Valid Percent	Percent
Valid	Female	398	49.4	49.6	49.6
	Male	404	50.1	50.4	100.0
	Total	802	99.5	100.0	
Missing	System	4	.5		
Total		806	100.0		

3.) In what grade are you?

		Frequency	Percent	Valid Percent	Percent
Valid	6th grade	279	34.6	34.7	34.7
	7th grade	273	33.9	34.0	68.7
	8th grade	246	30.5	30.6	99.4
	Other	5	.6	.6	100.0
	Total	803	99.6	100.0	
Missing	System	3	.4		
Total		806	100.0		

4.) Are you Hispanic or Latino?

		Frequency	Percent	Valid Percent	Percent
Valid	Yes	90	11.2	11.2	11.2
	No	712	88.3	88.8	100.0
	Total	802	99.5	100.0	
Missing	System	4	.5		
Total		806	100.0		

5.) What is your race? American Indian or Alaska Native

		Frequency	Percent	Valid Percent	Percent
Valid	Yes	56	6.9	100.0	100.0
Missing	System	750	93.1		
Total		806	100.0		

5.) What is your race? Asian

		Frequency	Percent	Valid Percent	Percent
Valid	Yes	13	1.6	100.0	100.0
Missing	System	793	98.4		
Total		806	100.0		

5.) What is your race? Black or African American

		Frequency	Percent	Valid Percent	Percent
Valid	Yes	43	5.3	100.0	100.0
Missing	System	763	94.7		
Total		806	100.0		

5.) What is your race? Native Hawaiian or Other Pacifica Islander

		Frequency	Percent	Valid Percent	Percent
Valid	Yes	17	2.1	100.0	100.0
Missing	System	789	97.9		
Total		806	100.0		

5.) What is your race? White

		Frequency	Percent	Valid Percent	Percent
Valid	Yes	695	86.2	100.0	100.0
Missing	System	111	13.8		
Total		806	100.0		

6.) During the past 12 months, how would you describe your grades in school?

		Frequency	Percent	Valid Percent	Percent
Valid	Mostly A's	255	31.6	32.0	32.0
	Mostly B's	293	36.4	36.7	68.7
	Mostly C's	121	15.0	15.2	83.8
	Mostly D's	37	4.6	4.6	88.5
	Mostly F's	15	1.9	1.9	90.4
	None of these	2	.2	.3	90.6
	Not sure	75	9.3	9.4	100.0
	Total	798	99.0	100.0	
Missing	System	8	1.0		
Total		806	100.0		

7.) How often do you wear a seat belt when riding in a car?

		Frequency	Percent	Valid Percent	Percent
Valid	Never	25	3.1	3.1	3.1
	Rarely	48	6.0	6.0	9.1
	Sometimes	99	12.3	12.3	21.4
	Most of the time	250	31.0	31.2	52.6
	Always	380	47.1	47.4	100.0
	Total	802	99.5	100.0	
Missing	System	4	.5		
Total		806	100.0		

8.) When you ride a bicycle, how often did you wear a helmet?

		Frequency	Percent	Valid Percent	Percent
Valid	I do not ride a	160	19.9	20.0	20.0
	Never wear a	355	44.0	44.3	64.2
	Rarely wear a	114	14.1	14.2	78.4
	Sometimes wear	77	9.6	9.6	88.0
	Most of the time	51	6.3	6.4	94.4
	Always wear a	45	5.6	5.6	100.0
	Total	802	99.5	100.0	
Missing	System	4	.5		
Total		806	100.0		

9.) When you rode a four-wheeler during the past 12 months, how often did you wear a helmet?

		Frequency	Percent	Valid Percent	Percent
Valid	I did not ride a	310	38.5	38.8	38.8
	Never wore a	241	29.9	30.2	69.0
	Rarely wore a	38	4.7	4.8	73.8
	Sometimes wore	49	6.1	6.1	79.9
	Most of the time	48	6.0	6.0	86.0
	Always wore a	112	13.9	14.0	100.0
	Total	798	99.0	100.0	
Missing	System	8	1.0		
Total		806	100.0		

10.) Have you ever ridden in a car driver by someone who had been drinking alcohol?

		Frequency	Percent	Valid Percent	Percent
Valid	Yes	212	26.3	26.4	26.4
	No	488	60.5	60.8	87.2
	Not sure	103	12.8	12.8	100.0
	Total	803	99.6	100.0	
Missing	System	3	.4		
Total		806	100.0		

11.) Have you ever carried a weapon such as a gun, knife, or club?

		Frequency	Percent	Valid Percent	Percent
Valid	Yes	364	45.2	45.4	45.4
	No	437	54.2	54.6	100.0
	Total	801	99.4	100.0	
Missing	System	5	.6		
Total		806	100.0		

12.) During the past 12 months, did someone threaten or injure you with a weapon such as a

		Frequency	Percent	Valid Percent	Percent
Valid	Yes	55	6.8	6.9	6.9
	No	743	92.2	93.1	100.0
	Total	798	99.0	100.0	
Missing	System	8	1.0		
Total		806	100.0		

13.) Have you ever been in a physical fight?

		Frequency	Percent	Valid Percent	Percent
Valid	Yes	432	53.6	54.0	54.0
	No	368	45.7	46.0	100.0
	Total	800	99.3	100.0	
Missing	System	6	.7		
Total		806	100.0		

14.) Have you ever been in a physical fight in which you were hurt and had to be treated by a

		Frequency	Percent	Valid Percent	Percent
Valid	Yes	52	6.5	6.5	6.5
	No	750	93.1	93.5	100.0
	Total	802	99.5	100.0	
Missing	System	4	.5		
Total		806	100.0		

15.) During the past 30 days, did you not go to school because you felt you would be unsafe at

		Frequency	Percent	Valid Percent	Percent
Valid	Yes	37	4.6	4.6	4.6
	No	762	94.5	95.4	100.0
	Total	799	99.1	100.0	
Missing	System	7	.9		
Total		806	100.0		

16.) During the past 12 months, have someone stolen or deliberately damaged your property,

		Frequency	Percent	Valid Percent	Percent
Valid	Yes	204	25.3	25.4	25.4
	No	598	74.2	74.6	100.0
	Total	802	99.5	100.0	
Missing	System	4	.5		
Total		806	100.0		

17.) During the past 12 months, did your boyfriend or girlfriend ever hit, slap, or physically hurt

		Frequency	Percent	Valid Percent	Percent
Valid	Yes	61	7.6	7.6	7.6
	No	740	91.8	92.4	100.0
	Total	801	99.4	100.0	
Missing	System	5	.6		
Total		806	100.0		

18.) Have you ever been physically forced to have sexual intercourse when you did not want to?

		Frequency	Percent	Valid Percent	Percent
Valid	Yes	41	5.1	5.1	5.1
	No	759	94.2	94.9	100.0
	Total	800	99.3	100.0	
Missing	System	6	.7		
Total		806	100.0		

19.) During the past 12 months, have you been harassed or bullied on school property?

		Frequency	Percent	Valid Percent	Percent
Valid	Yes	257	31.9	32.1	32.1
	No	544	67.5	67.9	100.0
	Total	801	99.4	100.0	
Missing	System	5	.6		
Total		806	100.0		

20.) During the past 12 months, have you ever been electronically bullied, such as through

		Frequency	Percent	Valid Percent	Percent
Valid	Yes	117	14.5	14.6	14.6
	No	685	85.0	85.4	100.0
	Total	802	99.5	100.0	
Missing	System	4	.5		
Total		806	100.0		

21.) During the past 12 months, did you ever feel so sad or hopeless almost every day for two

		Frequency	Percent	Valid Percent	Percent
Valid	Yes	190	23.6	24.0	24.0
	No	603	74.8	76.0	100.0
	Total	793	98.4	100.0	
Missing	System	13	1.6		
Total		806	100.0		

22.) Have you ever seriously thought about killing yourself?

		Frequency	Percent	Valid Percent	Percent
Valid	Yes	160	19.9	20.0	20.0
	No	642	79.7	80.0	100.0
	Total	802	99.5	100.0	
Missing	System	4	.5		
Total		806	100.0		

23.) Have you ever made a plan about how you would kill yourself?

		Frequency	Percent	Valid Percent	Percent
Valid	Yes	107	13.3	13.6	13.6
	No	682	84.6	86.4	100.0
	Total	789	97.9	100.0	
Missing	System	17	2.1		
Total		806	100.0		

24.) When you feel sad, empty, hopeless, angry, or anxious, which whom do you usually talk?

		Frequency	Percent	Valid Percent	Percent
Valid	I do not feel sad,	198	24.6	25.1	25.1
	Parent of other	188	23.3	23.8	48.9
	Teacher or other	17	2.1	2.2	51.1
	Religious leader	11	1.4	1.4	52.5
	Other adults	6	.7	.8	53.2
	Friend or sibling	305	37.8	38.7	91.9
	Some other	64	7.9	8.1	100.0
	Total	789	97.9	100.0	
Missing	System	17	2.1		
Total		806	100.0		

25.) How old were you when you smoked a whole cigarette for the first time?

		Frequency	Percent	Valid Percent	Percent
Valid	I have never	645	80.0	80.4	80.4
	8 years old or	41	5.1	5.1	85.5
	9 years old	11	1.4	1.4	86.9
	10 years old	25	3.1	3.1	90.0
	11 years old	24	3.0	3.0	93.0
	12 years old	27	3.3	3.4	96.4
	13 years old or	29	3.6	3.6	100.0
	Total	802	99.5	100.0	
Missing	System	4	.5		
Total		806	100.0		

26.) During the past 30 days, on how many days did you smoke cigarettes?

		Frequency	Percent	Valid Percent	Percent
Valid	0 days	727	90.2	90.6	90.6
	1 or 2 days	30	3.7	3.7	94.4
	3 to 5 days	7	.9	.9	95.3
	6 to 9 days	5	.6	.6	95.9
	10 to 19 days	7	.9	.9	96.8
	20 to 29 days	5	.6	.6	97.4
	All 30 days	21	2.6	2.6	100.0
	Total	802	99.5	100.0	
Missing	System	4	.5		
Total		806	100.0		

27.) During the past 12 months, did you ever try to quit smoking cigarettes?

		Frequency	Percent	Valid Percent	Percent
Valid	I did not smoke	703	87.2	87.9	87.9
	Yes	47	5.8	5.9	93.8
	No	50	6.2	6.3	100.0
	Total	800	99.3	100.0	
Missing	System	6	.7		
Total		806	100.0		

28.) During the past 30 days, how did you usually get your own cigarettes?

		Frequency	Percent	Valid Percent	Percent
Valid	I did not smoke	716	88.8	89.3	89.3
	I bought them in	4	.5	.5	89.8
	I bought them	2	.2	.2	90.0
	I gave someone	15	1.9	1.9	91.9
	I borrowed (or	21	2.6	2.6	94.5
	A person 18	13	1.6	1.6	96.1
	I took them from	11	1.4	1.4	97.5
	I got them some	20	2.5	2.5	100.0
	Total	802	99.5	100.0	
Missing	System	4	.5		
Total		806	100.0		

29.) During the past 30 days, on how many days did you use chewing tobacco, snuff, or dip,

		Frequency	Percent	Valid Percent	Percent
Valid	0 days	734	91.1	92.0	92.0
	1 or 2 days	27	3.3	3.4	95.4
	3 to 5 days	9	1.1	1.1	96.5
	6 to 9 days	7	.9	.9	97.4
	10 to 19 days	8	1.0	1.0	98.4
	20 to 29 days	4	.5	.5	98.9
	All 30 days	9	1.1	1.1	100.0
	Total	798	99.0	100.0	
Missing	System	8	1.0		
Total		806	100.0		

30.) Have you ever had a drink of alcohol, other than a few sips?

		Frequency	Percent	Valid Percent	Percent
Valid	Yes	243	30.1	30.7	30.7
	No	549	68.1	69.3	100.0
	Total	792	98.3	100.0	
Missing	System	14	1.7		
Total		806	100.0		

31.) How old were you when you had your first drink of alcohol other than a few sips?

		Frequency	Percent	Valid Percent	Percent
Valid	I have never had	563	69.9	70.7	70.7
	8 years old or	53	6.6	6.7	77.4
	9 years old	17	2.1	2.1	79.5
	10 years old	34	4.2	4.3	83.8
	11 years old	50	6.2	6.3	90.1
	12 years old	44	5.5	5.5	95.6
	13 years old or	35	4.3	4.4	100.0
	Total	796	98.8	100.0	
Missing	System	10	1.2		
Total		806	100.0		

32.) If you drank alcohol during the past 30 days, how did you usually get your alcohol?

		Frequency	Percent	Valid Percent	Percent
Valid	I did not drink	671	83.3	84.1	84.1
	I bought it at a	11	1.4	1.4	85.5
	I bought it at a	1	.1	.1	85.6
	I took it from	19	2.4	2.4	88.0
	My	31	3.8	3.9	91.9
	I gave someone	3	.4	.4	92.2
	A person over	14	1.7	1.8	94.0
	I got it some	48	6.0	6.0	100.0
	Total	798	99.0	100.0	
Missing	System	8	1.0		
Total		806	100.0		

33.) Have you ever used marijuana?

		Frequency	Percent	Valid Percent	Percent
Valid	Yes	81	10.0	10.2	10.2
	No	717	89.0	89.8	100.0
	Total	798	99.0	100.0	
Missing	System	8	1.0		
Total		806	100.0		

34.) How old were you when you tried marijuana for the first time?

		Frequency	Percent	Valid Percent	Percent
Valid	I have never	723	89.7	90.4	90.4
	8 years old or	24	3.0	3.0	93.4
	9 years old	6	.7	.8	94.1
	10 years old	6	.7	.8	94.9
	11 years old	8	1.0	1.0	95.9
	12 years old	15	1.9	1.9	97.8
	13 years old or	18	2.2	2.3	100.0
	Total	800	99.3	100.0	
Missing	System	6	.7		
Total		806	100.0		

35.) During the past 30 days, did you use marijuana?

		Frequency	Percent	Valid Percent	Percent
Valid	Yes	41	5.1	5.1	5.1
	No	759	94.2	94.9	100.0
	Total	800	99.3	100.0	
Missing	System	6	.7		
Total		806	100.0		

36.) during the past 30 days, did you use marijuana on school property?

		Frequency	Percent	Valid Percent	Percent
Valid	Yes	10	1.2	1.3	1.3
	No	789	97.9	98.7	100.0
	Total	799	99.1	100.0	
Missing	System	7	.9		
Total		806	100.0		

37.) Have you ever used any form of cocaine, including powder, crack, or freebase?

		Frequency	Percent	Valid Percent	Percent
Valid	Yes	18	2.2	2.2	2.2
	No	783	97.1	97.8	100.0
	Total	801	99.4	100.0	
Missing	System	5	.6		
Total		806	100.0		

38.) Have you ever used LSD (acid), PCP (angel dust), mushrooms, ecstasy, or other

		Frequency	Percent	Valid Percent	Percent
Valid	Yes	28	3.5	3.5	3.5
	No	774	96.0	96.5	100.0
	Total	802	99.5	100.0	
Missing	System	4	.5		
Total		806	100.0		

39.) Have you ever sniffed glue, or breathed the contents of spray cans, or inhaled any paints or

		Frequency	Percent	Valid Percent	Percent
Valid	Yes	78	9.7	9.8	9.8
	No	721	89.5	90.2	100.0
	Total	799	99.1	100.0	
Missing	System	7	.9		
Total		806	100.0		

40.) Have you ever used steroid pills or shots without a doctor's prescriptions?

		Frequency	Percent	Valid Percent	Percent
Valid	Yes	21	2.6	2.6	2.6
	No	779	96.7	97.4	100.0
	Total	800	99.3	100.0	
Missing	System	6	.7		
Total		806	100.0		

41.) Have you ever used a needle to inject any illegal drug into your body?

		Frequency	Percent	Valid Percent	Percent
Valid	Yes	11	1.4	1.4	1.4
	No	791	98.1	98.6	100.0
	Total	802	99.5	100.0	
Missing	System	4	.5		
Total		806	100.0		

42.) Have you ever taken a prescription drug such as OxyContin, Percocet, Demerol, Adoral,

		Frequency	Percent	Valid Percent	Percent
Valid	Yes	48	6.0	6.0	6.0
	No	751	93.2	94.0	100.0
	Total	799	99.1	100.0	
Missing	System	7	.9		
Total		806	100.0		

43.) If you took a prescription drug without a doctor's prescription during the past 12 months,

		Frequency	Percent	Valid Percent	Percent
Valid	I did not take a	734	91.1	91.8	91.8
	I took it from	37	4.6	4.6	96.4
	I took it from	1	.1	.1	96.5
	I got it from	10	1.2	1.3	97.8
	I bought it from	8	1.0	1.0	98.8
	I got it some	10	1.2	1.3	100.0
	Total	800	99.3	100.0	
Missing	System	6	.7		
Total		806	100.0		

44.) Have you ever used methamphetamines (also called speed, crystal, crank, or ice)?

		Frequency	Percent	Valid Percent	Percent
Valid	Yes	24	3.0	3.0	3.0
	No	777	96.4	97.0	100.0
	Total	801	99.4	100.0	
Missing	System	5	.6		
Total		806	100.0		

45.) During the past 12 months, has anyone offered, sold, or given you an illegal drug on school

		Frequency	Percent	Valid Percent	Percent
Valid	Yes	53	6.6	6.6	6.6
	No	746	92.6	93.4	100.0
	Total	799	99.1	100.0	
Missing	System	7	.9		
Total		806	100.0		

46.) Have you ever had sexual intercourse?

		Frequency	Percent	Valid Percent	Percent
Valid	Yes	132	16.4	16.5	16.5
	No	670	83.1	83.5	100.0
	Total	802	99.5	100.0	
Missing	System	4	.5		
Total		806	100.0		

47.) How old were you when you sexual intercourse for the first time?

		Frequency	Percent	Valid Percent	Percent
Valid	I have never had	659	81.8	82.4	82.4
	11 years old or	58	7.2	7.3	89.6
	12 years old	32	4.0	4.0	93.6
	13 years old or	51	6.3	6.4	100.0
	Total	800	99.3	100.0	
Missing	System	6	.7		
Total		806	100.0		

48.) How many times have you been pregnant or gotten someone else pregnant?

		Frequency	Percent	Valid Percent	Percent
Valid	0 times	759	94.2	95.1	95.1
	1 time	14	1.7	1.8	96.9
	2 or more times	7	.9	.9	97.7
	Not sure	18	2.2	2.3	100.0
	Total	798	99.0	100.0	
Missing	System	8	1.0		
Total		806	100.0		

49.) During your life, with how many people have you had sexual intercourse?

		Frequency	Percent	Valid Percent	Percent
Valid	I have never had	671	83.3	83.7	83.7
	1 person	60	7.4	7.5	91.1
	2 people	30	3.7	3.7	94.9
	3 people	11	1.4	1.4	96.3
	4 people	10	1.2	1.2	97.5
	5 people	1	.1	.1	97.6
	6 or more	19	2.4	2.4	100.0
	Total	802	99.5	100.0	
Missing	System	4	.5		
Total		806	100.0		

50.) Have you ever been taught about abstaining from sexual activity?

		Frequency	Percent	Valid Percent	Percent
Valid	Yes	377	46.8	47.1	47.1
	No	232	28.8	29.0	76.0
	Not sure	192	23.8	24.0	100.0
	Total	801	99.4	100.0	
Missing	System	5	.6		
Total		806	100.0		

51.) Have you ever been taught about AIDS or HIV infection in school?

		Frequency	Percent	Valid Percent	Percent
Valid	Yes	342	42.4	42.9	42.9
	No	327	40.6	41.0	83.8
	Not sure	129	16.0	16.2	100.0
	Total	798	99.0	100.0	
Missing	System	8	1.0		
Total		806	100.0		

52.) Have you ever been taught about chlamydia, gonorrhea, syphilis, or Human Papilloma

		Frequency	Percent	Valid Percent	Percent
Valid	Yes	207	25.7	25.9	25.9
	No	452	56.1	56.5	82.4
	Not sure	141	17.5	17.6	100.0
	Total	800	99.3	100.0	
Missing	System	6	.7		
Total		806	100.0		

53.) When you have questions about sexually transmitted diseases (STD), HIV, AIDS, or

		Frequency	Percent	Valid Percent	Percent
Valid	I do not have	473	58.7	59.2	59.2
	Parent or other	214	26.6	26.8	86.0
	Teacher of other	13	1.6	1.6	87.6
	Religious leader	9	1.1	1.1	88.7
	doctor or nurse	11	1.4	1.4	90.1
	Other adult	3	.4	.4	90.5
	Friend or sibling	63	7.8	7.9	98.4
	Some other	13	1.6	1.6	100.0
	Total	799	99.1	100.0	
	Missing	System	7	.9	
Total		806	100.0		

54.) How do you describe your weight?

		Frequency	Percent	Valid Percent	Percent
Valid	Very	29	3.6	3.7	3.7
	Slightly	98	12.2	12.4	16.1
	About the right	431	53.5	54.7	70.8
	Slightly	199	24.7	25.3	96.1
	Very overweight	31	3.8	3.9	100.0
	Total	788	97.8	100.0	
Missing	System	18	2.2		
Total		806	100.0		

55.) Which of the following are you trying to do about your weight?

		Frequency	Percent	Valid Percent	Percent
Valid	Lose weight	386	47.9	48.2	48.2
	Gain weight	76	9.4	9.5	57.7
	Stay the same	179	22.2	22.3	80.0
	I am not trying to	160	19.9	20.0	100.0
	Total	801	99.4	100.0	
Missing	System	5	.6		
Total		806	100.0		

56.) Have you ever exercised to lose weight or to keep from gaining weight?

		Frequency	Percent	Valid Percent	Percent
Valid	Yes	557	69.1	70.4	70.4
	No	234	29.0	29.6	100.0
	Total	791	98.1	100.0	
Missing	System	15	1.9		
Total		806	100.0		

57.) Have you ever eaten less food, fewer calories, or foods low in fat to lose weight or to keep

		Frequency	Percent	Valid Percent	Percent
Valid	Yes	369	45.8	46.4	46.4
	No	427	53.0	53.6	100.0
	Total	796	98.8	100.0	
Missing	System	10	1.2		
Total		806	100.0		

58.) Have you ever gone without eating for 24 hours or more (also called fasting) to lose weight

		Frequency	Percent	Valid Percent	Percent
Valid	Yes	122	15.1	15.3	15.3
	No	676	83.9	84.7	100.0
	Total	798	99.0	100.0	
Missing	System	8	1.0		
Total		806	100.0		

59.) Have you ever taken any diet pills, powders, or liquids without a doctor's advice to lose

		Frequency	Percent	Valid Percent	Percent
Valid	Yes	47	5.8	5.9	5.9
	No	746	92.6	94.1	100.0
	Total	793	98.4	100.0	
Missing	System	13	1.6		
Total		806	100.0		

60.) Have you ever vomited or taken laxatives to lose weight or to keep from gaining weight?

		Frequency	Percent	Valid Percent	Percent
Valid	Yes	32	4.0	4.1	4.1
	No	757	93.9	95.9	100.0
	Total	789	97.9	100.0	
Missing	System	17	2.1		
Total		806	100.0		

61.) During the past 7 days, how many times did you eat fruit? Include raw, cooked, frozen,

		Frequency	Percent	Valid Percent	Percent
Valid	I do not eat fruit	32	4.0	4.0	4.0
	1 time	56	6.9	7.0	11.1
	2 times	95	11.8	11.9	23.0
	3 times	128	15.9	16.1	39.1
	4 times	95	11.8	11.9	51.0
	5 or more times	390	48.4	49.0	100.0
	Total	796	98.8	100.0	
Missing	System	10	1.2		
Total		806	100.0		

62.) During the past 7 days, how many times did you eat vegetables? Include raw, cooked,

		Frequency	Percent	Valid Percent	Percent
Valid	I do not eat	51	6.3	6.4	6.4
	1 time	66	8.2	8.3	14.8
	2 times	100	12.4	12.6	27.4
	3 times	136	16.9	17.2	44.5
	4 times	104	12.9	13.1	57.6
	5 or more times	336	41.7	42.4	100.0
	Total	793	98.4	100.0	
Missing	System	13	1.6		
Total		806	100.0		

63.) During the past 7 days, how many times did you eat junk food, such as sweet or salty snack

		Frequency	Percent	Valid Percent	Percent
Valid	I did not eat junk	41	5.1	5.2	5.2
	1 to 3 times	235	29.2	29.8	35.0
	4 to 6 times	160	19.9	20.3	55.3
	1 time per day	92	11.4	11.7	67.0
	2 times per day	114	14.1	14.5	81.5
	3 times per day	66	8.2	8.4	89.8
	4 or more times	80	9.9	10.2	100.0
	Total	788	97.8	100.0	
Missing	System	18	2.2		
Total		806	100.0		

64.) During the past 7 days, how many times did you drink a can, bottle, or glass of soda or pop,

		Frequency	Percent	Valid Percent	Percent
Valid	I did not drink	115	14.3	14.4	14.4
	1 to 3 times	277	34.4	34.8	49.2
	4 to 6 times	127	15.8	16.0	65.2
	1 time per day	81	10.0	10.2	75.4
	2 times per day	70	8.7	8.8	84.2
	3 times per day	47	5.8	5.9	90.1
	4 or more times	79	9.8	9.9	100.0
	Total	796	98.8	100.0	
Missing	System	10	1.2		
Total		806	100.0		

65.) During the past 7 days, how many times did you drink a can, bottle, or glass of any other

		Frequency	Percent	Valid Percent	Percent
Valid	I did not drink	94	11.7	11.8	11.8
	1 to 3 times	265	32.9	33.3	45.2
	4 to 6 times	148	18.4	18.6	63.8
	1 time per day	69	8.6	8.7	72.5
	2 times per day	80	9.9	10.1	82.5
	3 times per day	45	5.6	5.7	88.2
	4 or more times	94	11.7	11.8	100.0
	Total	795	98.6	100.0	
Missing	System	11	1.4		
Total		806	100.0		

66.) During the past 7 days, how many glasses of milk did you drink? Include the milk you drank

		Frequency	Percent	Valid Percent	Percent
Valid	I did not drink	101	12.5	12.8	12.8
	1 to 3 glasses	159	19.7	20.1	32.9
	4 to 6 glasses	122	15.1	15.4	48.3
	1 glass per day	127	15.8	16.1	64.3
	2 glasses per	121	15.0	15.3	79.6
	3 glasses per	78	9.7	9.9	89.5
	4 or more	83	10.3	10.5	100.0
	Total	791	98.1	100.0	
Missing	System	15	1.9		
Total		806	100.0		

67.) During the past 7 days, how many times did you buy food and/or drinks from vending

		Frequency	Percent	Valid Percent	Percent
Valid	0 times	611	75.8	76.8	76.8
	1 time	89	11.0	11.2	87.9
	2 times	47	5.8	5.9	93.8
	3 times	18	2.2	2.3	96.1
	4 times	8	1.0	1.0	97.1
	5 or more times	23	2.9	2.9	100.0
	Total	796	98.8	100.0	
Missing	System	10	1.2		
Total		806	100.0		

68.) During the past 7 days, on how many days did you east breakfast?

		Frequency	Percent	Valid Percent	Percent
Valid	0 days	102	12.7	12.9	12.9
	1 day	55	6.8	7.0	19.9
	2 days	60	7.4	7.6	27.5
	3 days	52	6.5	6.6	34.1
	4 days	35	4.3	4.4	38.5
	5 days	62	7.7	7.8	46.3
	6 days	44	5.5	5.6	51.9
	7 days	380	47.1	48.1	100.0
	Total	790	98.0	100.0	
Missing	System	16	2.0		
Total		806	100.0		

69.) During the past 7 days, how many times did you eat dinner prepared at home with your

		Frequency	Percent	Valid Percent	Percent
Valid	0 days	32	4.0	4.1	4.1
	1 day	32	4.0	4.1	8.1
	2 days	22	2.7	2.8	10.9
	3 days	44	5.5	5.6	16.5
	4 days	63	7.8	8.0	24.5
	5 days	130	16.1	16.5	41.0
	6 days	124	15.4	15.7	56.7
	7 days	341	42.3	43.3	100.0
Total	788	97.8	100.0		
Missing	System	18	2.2		
Total		806	100.0		

70.) During the past 7 days, on how many days were you physically active for a total of at least

		Frequency	Percent	Valid Percent	Percent
Valid	0 days	47	5.8	5.9	5.9
	1 day	38	4.7	4.8	10.7
	2 days	44	5.5	5.5	16.2
	3 days	85	10.5	10.7	26.9
	4 days	104	12.9	13.1	40.0
	5 days	129	16.0	16.2	56.2
	6 dys	73	9.1	9.2	65.4
	7 days	275	34.1	34.6	100.0
	Total	795	98.6	100.0	
Missing	System	11	1.4		
Total		806	100.0		

71.) In an average week when you are in school, on how many days do you go to physical

		Frequency	Percent	Valid Percent	Percent
Valid	0 days	21	2.6	2.7	2.7
	1 day	17	2.1	2.2	4.9
	2 days	125	15.5	16.0	20.9
	3 days	476	59.1	60.9	81.8
	4 days	18	2.2	2.3	84.1
	5 days	124	15.4	15.9	100.0
	Total	781	96.9	100.0	
Missing	System	25	3.1		
Total		806	100.0		

72.) On an average school day, how many hours do you watch TV?

		Frequency	Percent	Valid Percent	Percent
Valid	I do not watch	80	9.9	10.2	10.2
	Less than 1 hour	137	17.0	17.5	27.7
	1 hour per day	134	16.6	17.1	44.8
	2 hours per dy	191	23.7	24.4	69.2
	3 hours per day	109	13.5	13.9	83.1
	4 hours per day	43	5.3	5.5	88.6
	5 or more hours	89	11.0	11.4	100.0
	Total	783	97.1	100.0	
Missing	System	23	2.9		
Total		806	100.0		

73.) On an average school day, how many hours do you play video or computer games or use a

		Frequency	Percent	Valid Percent	Percent
Valid	I do not play	141	17.5	17.7	17.7
	less than 1 hour	210	26.1	26.4	44.1
	1 hour per day	140	17.4	17.6	61.7
	2 hours per day	120	14.9	15.1	76.8
	3 hours per day	78	9.7	9.8	86.6
	4 hours per day	30	3.7	3.8	90.3
	5 or more hours	77	9.6	9.7	100.0
	Total	796	98.8	100.0	
Missing	System	10	1.2		
Total		806	100.0		

74.) On an average Saturday or Sunday, how many hours do you play video or computer games

		Frequency	Percent	Valid Percent	Percent
Valid	I do not watch	43	5.3	5.4	5.4
	Less than 1 hour	115	14.3	14.5	19.9
	1 hour per day	92	11.4	11.6	31.4
	2 hours per day	134	16.6	16.9	48.3
	3 hours per day	127	15.8	16.0	64.3
	4 hours per day	95	11.8	11.9	76.2
	5 or more hours	189	23.4	23.8	100.0
	Total	795	98.6	100.0	
Missing	System	11	1.4		
Total		806	100.0		

75.) During the past 12 months, on how many sports teams did you play? Include any teams run

		Frequency	Percent	Valid Percent	Percent
Valid	0 teams	299	37.1	37.9	37.9
	1 team	165	20.5	20.9	58.9
	2 teams	154	19.1	19.5	78.4
	3 or more teams	170	21.1	21.6	100.0
	Total	788	97.8	100.0	
Missing	System	18	2.2		
Total		806	100.0		

76.) On an average school day, how many hours do you play video or computer games or use a

		Frequency	Percent	Valid Percent	Percent
Valid	I do not play	168	20.8	21.1	21.1
	less than 1 hour	225	27.9	28.3	49.4
	1 hour per day	142	17.6	17.8	67.2
	2 hours per day	111	13.8	13.9	81.2
	3 hours per day	67	8.3	8.4	89.6
	4 hours per day	23	2.9	2.9	92.5
	5 or more hours	60	7.4	7.5	100.0
	Total	796	98.8	100.0	
Missing	System	10	1.2		
Total		806	100.0		

77.) When you are outside for more than one hour on a sunny day, how often do you wear

		Frequency	Percent	Valid Percent	Percent
Valid	Never	358	44.4	45.0	45.0
	Rarely	205	25.4	25.8	70.7
	Sometimes	143	17.7	18.0	88.7
	Most of the time	65	8.1	8.2	96.9
	Always	25	3.1	3.1	100.0
	Total	796	98.8	100.0	
Missing	System	10	1.2		
Total		806	100.0		

78.) On an average school night, approximately how many hours of sleep do you get?

		Frequency	Percent	Valid Percent	Percent
Valid	4 or less hours	45	5.6	5.7	5.7
	5 hours	43	5.3	5.5	11.2
	6 hours	70	8.7	8.9	20.1
	7 hours	168	20.8	21.3	41.4
	8 hours	242	30.0	30.7	72.2
	9 hours	167	20.7	21.2	93.4
	10 or more	52	6.5	6.6	100.0
	Total	787	97.6	100.0	
Missing	System	19	2.4		
Total		806	100.0		

79.) A disability can be physical, mental, emotional, or communication-related. Do you consider

		Frequency	Percent	Valid Percent	Percent
Valid	Yes	89	11.0	11.3	11.3
	No	595	73.8	75.4	86.7
	Not sure	105	13.0	13.3	100.0
	Total	789	97.9	100.0	
Missing	System	17	2.1		
Total		806	100.0		

80.) On an average school day, how long after school are you alone without a parent or trusted

		Frequency	Percent	Valid Percent	Percent
Valid	I am not alone	367	45.5	46.5	46.5
	Less than 1 hour	199	24.7	25.2	71.6
	2 hours per day	103	12.8	13.0	84.7
	3 hours per day	40	5.0	5.1	89.7
	4 hours per day	21	2.6	2.7	92.4
	5 hours per day	13	1.6	1.6	94.1
	6 or more hours	47	5.8	5.9	100.0
	Total	790	98.0	100.0	
Missing	System	16	2.0		
Total		806	100.0		

81.) Do you participate in any extracurricular activities (such as sports, band, drama, clubs)?

		Frequency	Percent	Valid Percent	Percent
Valid	Yes	326	40.4	41.6	41.6
	No	457	56.7	58.4	100.0
	Total	783	97.1	100.0	
Missing	System	23	2.9		
Total		806	100.0		

82.) During the past 30 days, how many times did you perform any organized community service

		Frequency	Percent	Valid Percent	Percent
Valid	0 times	505	62.7	63.5	63.5
	1 time	136	16.9	17.1	80.6
	2 or 3 times	105	13.0	13.2	93.8
	4 or 5 times	25	3.1	3.1	97.0
	6 or more times	24	3.0	3.0	100.0
	Total	795	98.6	100.0	
Missing	System	11	1.4		
Total		806	100.0		

83.) When was the last time you saw a doctor or nurse for a check-up or physical exam when

		Frequency	Percent	Valid Percent	Percent
Valid	During the past	436	54.1	55.1	55.1
	Between 12 and	94	11.7	11.9	66.9
	More than 24	43	5.3	5.4	72.3
	Never	34	4.2	4.3	76.6
	Not sure	185	23.0	23.4	100.0
	Total	792	98.3	100.0	
Missing	System	14	1.7		
Total		806	100.0		

84.) When was the last time you saw a dentist for a check-up, exam, teeth cleaning, or other

		Frequency	Percent	Valid Percent	Percent
Valid	During the past	503	62.4	63.6	63.6
	Between 12 and	77	9.6	9.7	73.3
	More than 24	49	6.1	6.2	79.5
	Never	35	4.3	4.4	83.9
	Not sure	127	15.8	16.1	100.0
	Total	791	98.1	100.0	
Missing	System	15	1.9		
Total		806	100.0		

85.) Has a doctor or nurse ever told you that you have asthma?

		Frequency	Percent	Valid Percent	Percent
Valid	Yes	171	21.2	21.6	21.6
	No	584	72.5	73.7	95.3
	Not sure	37	4.6	4.7	100.0
	Total	792	98.3	100.0	
Missing	System	14	1.7		
Total		806	100.0		

86.) During the past 12 months, have you had an episode of asthma or an asthma attack?

		Frequency	Percent	Valid Percent	Percent
Valid	I do not have	597	74.1	75.7	75.7
	No, I have	112	13.9	14.2	89.9
	Yes, I have had	50	6.2	6.3	96.2
	Not sure	30	3.7	3.8	100.0
	Total	789	97.9	100.0	
Missing	System	17	2.1		
Total		806	100.0		

87.) How often do you feel stress in your life?

		Frequency	Percent	Valid Percent	Percent
Valid	Never	91	11.3	11.6	11.6
	Rarely	218	27.0	27.7	39.3
	Sometimes	294	36.5	37.4	76.6
	Most of the time	119	14.8	15.1	91.7
	All of the time	65	8.1	8.3	100.0
	Total	787	97.6	100.0	
Missing	System	19	2.4		
Total		806	100.0		

88.) How would you rate your health in general?

		Frequency	Percent	Valid Percent	Percent
Valid	Excellent	194	24.1	24.5	24.5
	Very good	298	37.0	37.7	62.2
	Good	230	28.5	29.1	91.3
	Fair	56	6.9	7.1	98.4
	Poor	13	1.6	1.6	100.0
	Total	791	98.1	100.0	
Missing	System	15	1.9		
Total		806	100.0		

89.) Based on your answers to this survey, which of the following influences your decisions

		Frequency	Percent	Valid Percent	Percent
Valid	Parents/Family	452	56.1	57.4	57.4
	School	71	8.8	9.0	66.4
	Friends/Peers	100	12.4	12.7	79.1
	Church/ Youth	17	2.1	2.2	81.2
	Media:	18	2.2	2.3	83.5
	Computer/Intern	14	1.7	1.8	85.3
	Doctor	38	4.7	4.8	90.1
	Other	78	9.7	9.9	100.0
	Total	788	97.8	100.0	
Missing	System	18	2.2		
Total		806	100.0		

90.) From which of the following would you prefer to get information about health?

		Frequency	Percent	Valid Percent	Percent
Valid	Parents/Family	352	43.7	44.6	44.6
	School	68	8.4	8.6	53.2
	Friends/Peers	65	8.1	8.2	61.4
	Church/ Youth	11	1.4	1.4	62.8
	Media:	17	2.1	2.2	64.9
	Computer/Intern	31	3.8	3.9	68.9
	Doctor	205	25.4	25.9	94.8
	Other	41	5.1	5.2	100.0
	Total	790	98.0	100.0	
Missing	System	16	2.0		
Total		806	100.0		

91.) Do you agree or disagree that you feel alone in your life?

		Frequency	Percent	Valid Percent	Percent
Valid	Strongly agree	62	7.7	7.9	7.9
	Agree	74	9.2	9.4	17.3
	Not sure	105	13.0	13.3	30.6
	Disagree	197	24.4	25.0	55.6
	Strongly	350	43.4	44.4	100.0
	Total	788	97.8	100.0	
Missing	System	18	2.2		
Total		806	100.0		

92.) Do you agree or disagree that you feel good about yourself?

		Frequency	Percent	Valid Percent	Percent
Valid	Strongly agree	274	34.0	34.8	34.8
	Agree	316	39.2	40.1	74.9
	Not sure	109	13.5	13.8	88.7
	Disagree	58	7.2	7.4	96.1
	Strongly	31	3.8	3.9	100.0
	Total	788	97.8	100.0	
Missing	System	18	2.2		
Total		806	100.0		

93.) Do you agree or disagree that your teachers really care about you and give you a lot of

		Frequency	Percent	Valid Percent	Percent
Valid	Strongly agree	161	20.0	20.6	20.6
	Agree	286	35.5	36.6	57.2
	Not sure	168	20.8	21.5	78.6
	Disagree	105	13.0	13.4	92.1
	Strongly	62	7.7	7.9	100.0
	Total	782	97.0	100.0	
Missing	System	24	3.0		
Total		806	100.0		

94.) Do you agree or disagree that harassment and bullying by other students is a problem at

		Frequency	Percent	Valid Percent	Percent
Valid	Strongly agree	195	24.2	24.7	24.7
	Agree	207	25.7	26.2	51.0
	Not sure	200	24.8	25.3	76.3
	Disagree	132	16.4	16.7	93.0
	Strongly	55	6.8	7.0	100.0
	Total	789	97.9	100.0	
Missing	System	17	2.1		
Total		806	100.0		

95.) Do you agree or disagree that gangs are a problem at your school?

		Frequency	Percent	Valid Percent	Percent
Valid	Strongly agree	77	9.6	9.8	9.8
	Agree	100	12.4	12.7	22.5
	Not sure	216	26.8	27.5	50.0
	Disagree	201	24.9	25.6	75.6
	Strongly	192	23.8	24.4	100.0
	Total	786	97.5	100.0	
Missing	System	20	2.5		
Total		806	100.0		

96.) Do you agree or disagree that illegal drugs are a problem at your school?

		Frequency	Percent	Valid Percent	Percent
Valid	Strongly agree	101	12.5	13.1	13.1
	Agree	110	13.6	14.2	27.3
	Not sure	248	30.8	32.1	59.5
	Disagree	159	19.7	20.6	80.1
	Strongly	154	19.1	19.9	100.0
	Total	772	95.8	100.0	
Missing	System	34	4.2		
Total		806	100.0		

Survey Year

		Frequency	Percent	Valid Percent	Percent
Valid	2009	806	100.0	100.0	100.0

Appendix G: Frequencies and Percentages of 2009 High School YRBS

1.) How old are you?

		Frequency	Percent	Valid Percent	Percent
Valid	12 years old or younger	2	.2	.2	.2
	13 years old	1	.1	.1	.3
	14 years old	88	9.7	9.7	10.0
	15 years old	240	26.4	26.4	36.4
	16 years old	231	25.4	25.4	61.8
	17 years old	220	24.2	24.2	85.9
	18 years old or younger	128	14.1	14.1	100.0
	Total	910	100.0	100.0	

2.) What is your sex?

		Frequency	Percent	Valid Percent	Percent
Valid	Female	468	51.4	51.5	51.5
	Male	440	48.4	48.5	100.0
	Total	908	99.8	100.0	
Missing	System	2	.2		
Total		910	100.0		

3.) In what grade are you?

		Frequency	Percent	Valid Percent	Percent
Valid	9th grade	262	28.8	29.0	29.0
	10th grade	243	26.7	26.9	56.0
	11th grade	208	22.9	23.1	79.0
	12th grade	188	20.7	20.8	99.9
	Ungraded or other grade	1	.1	.1	100.0
	Total	902	99.1	100.0	
Missing	System	8	.9		
Total		910	100.0		

4.) Are you Hispanic or Latino?

		Frequency	Percent	Valid Percent	Percent
Valid	Yes	72	7.9	8.0	8.0
	No	832	91.4	92.0	100.0
	Total	904	99.3	100.0	
Missing	System	6	.7		
Total		910	100.0		

5A.) What is your race? American Indian or Alaska Native

		Frequency	Percent	Valid Percent	Percent
Valid	Yes	24	2.6	100.0	100.0
Missing	System	886	97.4		
Total		910	100.0		

5B.) What is your race? Asian

		Frequency	Percent	Valid Percent	Percent
Valid	Yes	15	1.6	100.0	100.0
Missing	System	895	98.4		
Total		910	100.0		

5C.) What is your race? Black or African American

		Frequency	Percent	Valid Percent	Percent
Valid	Yes	29	3.2	100.0	100.0
Missing	System	881	96.8		
Total		910	100.0		

5D.) What is your race? Native Hawaiian or other Pacific Islander

		Frequency	Percent	Valid Percent	Percent
Valid	Yes	20	2.2	100.0	100.0
Missing	System	890	97.8		
Total		910	100.0		

5E.) What is your race? White

		Frequency	Percent	Valid Percent	Percent
Valid	Yes	815	89.6	100.0	100.0
Missing	System	95	10.4		
Total		910	100.0		

6.) How tall are you without your shoes on in FEET?

		Frequency	Percent	Valid Percent	Percent
Valid	3	2	.2	.2	.2
	4	11	1.2	1.2	1.4
	5	721	79.2	79.4	80.8
	6	171	18.8	18.8	99.7
	7	3	.3	.3	100.0
	Total	908	99.8	100.0	
Missing	System	2	.2		
Total		910	100.0		

6.) How tall are you without your shoes on in INCHES?

		Frequency	Percent	Valid Percent	Percent
Valid	0	69	7.6	7.6	7.6
	1	81	8.9	8.9	16.5
	2	84	9.2	9.3	25.8
	3	97	10.7	10.7	36.5
	4	95	10.4	10.5	47.0
	5	84	9.2	9.3	56.2
	6	60	6.6	6.6	62.8
	7	72	7.9	7.9	70.8
	8	84	9.2	9.3	80.0
	9	63	6.9	6.9	87.0
	10	50	5.5	5.5	92.5
	11	68	7.5	7.5	100.0
	Total	907	99.7	100.0	
Missing	System	3	.3		
Total		910	100.0		

7.) How much do you weigh without your shoes on?

		Frequency	Percent	Valid Percent	Percent
--	--	-----------	---------	---------------	---------

Valid	0	1	.1	.1	.1
	8	1	.1	.1	.2
	48	1	.1	.1	.3
	65	1	.1	.1	.4
	87	1	.1	.1	.6
	91	1	.1	.1	.7
	93	1	.1	.1	.8
	95	1	.1	.1	.9
	97	4	.4	.4	1.3
	98	1	.1	.1	1.4
	99	1	.1	.1	1.6
	100	9	1.0	1.0	2.6
	101	4	.4	.4	3.0
	102	4	.4	.4	3.5
	103	2	.2	.2	3.7
	104	2	.2	.2	3.9
	105	8	.9	.9	4.8
	106	4	.4	.4	5.2
	107	5	.5	.6	5.8
	108	4	.4	.4	6.2
	109	4	.4	.4	6.7
	110	25	2.7	2.8	9.5
	111	5	.5	.6	10.0
	112	12	1.3	1.3	11.4
	113	4	.4	.4	11.8
	114	6	.7	.7	12.5
	115	24	2.6	2.7	15.1
	116	3	.3	.3	15.5
	117	3	.3	.3	15.8
	118	7	.8	.8	16.6
	119	5	.5	.6	17.1
	120	35	3.8	3.9	21.0
	121	3	.3	.3	21.4
	122	6	.7	.7	22.0
	123	7	.8	.8	22.8
	124	4	.4	.4	23.3
	125	22	2.4	2.4	25.7
	126	5	.5	.6	26.3
	127	7	.8	.8	27.1
	128	6	.7	.7	27.7
	129	4	.4	.4	28.2
	130	42	4.6	4.7	32.9
	131	7	.8	.8	33.6
	132	7	.8	.8	34.4
	133	2	.2	.2	34.6
	134	5	.5	.6	35.2
	135	37	4.1	4.1	39.3
	136	4	.4	.4	39.8
	137	8	.9	.9	40.6
	138	8	.9	.9	41.5

Table 7 Continued: How much do you weigh without your shoes on?

	Frequency	Percent	Valid Percent
139	3	.3	.3

140	33	3.6	3.7	45.5
141	4	.4	.4	46.0
142	8	.9	.9	46.9
143	5	.5	.6	47.4
144	4	.4	.4	47.9
145	29	3.2	3.2	51.1
146	5	.5	.6	51.7
147	9	1.0	1.0	52.7
148	6	.7	.7	53.3
149	4	.4	.4	53.8
150	42	4.6	4.7	58.5
151	3	.3	.3	58.8
152	3	.3	.3	59.1
153	7	.8	.8	59.9
154	1	.1	.1	60.0
155	15	1.6	1.7	61.7
156	6	.7	.7	62.4
157	5	.5	.6	62.9
158	3	.3	.3	63.3
160	37	4.1	4.1	67.4
161	1	.1	.1	67.5
162	2	.2	.2	67.7
163	7	.8	.8	68.5
164	4	.4	.4	68.9
165	13	1.4	1.4	70.4
166	2	.2	.2	70.6
167	5	.5	.6	71.2
168	2	.2	.2	71.4
169	3	.3	.3	71.7
170	20	2.2	2.2	73.9
171	1	.1	.1	74.1
172	7	.8	.8	74.8
173	5	.5	.6	75.4
174	1	.1	.1	75.5
175	13	1.4	1.4	76.9
176	2	.2	.2	77.2
177	4	.4	.4	77.6
178	2	.2	.2	77.8
180	24	2.6	2.7	80.5
181	4	.4	.4	81.0
183	3	.3	.3	81.3
184	1	.1	.1	81.4
185	12	1.3	1.3	82.7
186	3	.3	.3	83.1
187	5	.5	.6	83.6
189	1	.1	.1	83.7
190	15	1.6	1.7	85.4
191	1	.1	.1	85.5
192	1	.1	.1	85.6

Table 7 Continued: How much do you weigh without your shoes on?

	Frequency	Percent	Valid Percent
193	1	.1	85.7
194	2	.2	86.0

195		12	1.3	1.3	87.3
196		1	.1	.1	87.4
197		1	.1	.1	87.5
198		3	.3	.3	87.9
200		11	1.2	1.2	89.1
202		2	.2	.2	89.3
203		1	.1	.1	89.4
205		3	.3	.3	89.8
207		1	.1	.1	89.9
210		10	1.1	1.1	91.0
211		1	.1	.1	91.1
212		2	.2	.2	91.3
213		1	.1	.1	91.4
214		1	.1	.1	91.5
215		6	.7	.7	92.2
216		1	.1	.1	92.3
220		11	1.2	1.2	93.5
222		1	.1	.1	93.7
223		3	.3	.3	94.0
224		1	.1	.1	94.1
225		2	.2	.2	94.3
227		1	.1	.1	94.4
230		9	1.0	1.0	95.4
234		1	.1	.1	95.5
235		3	.3	.3	95.9
236		2	.2	.2	96.1
240		5	.5	.6	96.7
245		3	.3	.3	97.0
250		6	.7	.7	97.7
251		2	.2	.2	97.9
254		1	.1	.1	98.0
257		2	.2	.2	98.2
260		1	.1	.1	98.3
265		1	.1	.1	98.4
275		2	.2	.2	98.7
280		1	.1	.1	98.8
288		1	.1	.1	98.9
300		2	.2	.2	99.1
310		1	.1	.1	99.2
346		1	.1	.1	99.3
350		1	.1	.1	99.4
365		1	.1	.1	99.6
379		1	.1	.1	99.7
399		3	.3	.3	100.0
Total		898	98.7	100.0	
Missing	System	12	1.3		
Total		910	100.0		

8.) During the past 12 months, how would you describe your grades in school?

		Frequency	Percent	Valid Percent	Percent
Valid	Mostly A's	316	34.7	34.8	34.8
	Mostly B's	312	34.3	34.3	69.1
	Mostly C's	168	18.5	18.5	87.6

	Mostly D's	45	4.9	5.0	92.5
	Mostly F's	19	2.1	2.1	94.6
	None of these grades	1	.1	.1	94.7
	Not sure	48	5.3	5.3	100.0
	Total	909	99.9	100.0	
Missing	System	1	.1		
Total		910	100.0		

9.) When you rode a bicycle during the past 12 months, how often did you wear a helmet?

		Frequency	Percent	Valid Percent	Percent
Valid	I did not ride a bicycle during	425	46.7	46.8	46.8
	Never wore a helmet	393	43.2	43.2	90.0
	Rarely wore a helmet	42	4.6	4.6	94.6
	Sometimes wore a helmet	23	2.5	2.5	97.1
	Most of the time wore a	10	1.1	1.1	98.2
	Always wore a helmet	16	1.8	1.8	100.0
	Total	909	99.9	100.0	
Missing	System	1	.1		
Total		910	100.0		

10.) How often do you wear a seat belt when riding in a car driven by someone else?

		Frequency	Percent	Valid Percent	Percent
Valid	Never	38	4.2	4.2	4.2
	Rarely	79	8.7	8.7	12.9
	Sometimes	114	12.5	12.6	25.4
	Most of the time	284	31.2	31.3	56.7
	Always	393	43.2	43.3	100.0
	Total	908	99.8	100.0	
Missing	System	2	.2		
Total		910	100.0		

11.) During the past 30 days, how many times did you ride in a car or other vehicle driven by someone

		Frequency	Percent	Valid Percent	Percent
Valid	0 times	688	75.6	75.6	75.6
	1 time	89	9.8	9.8	85.4
	2 or 3 times	80	8.8	8.8	94.2
	4 or 5 times	14	1.5	1.5	95.7
	6 or more times	39	4.3	4.3	100.0
	Total	910	100.0	100.0	

12.) During the past 30 days, how many times did you drive a car or other vehicle when you had been

		Frequency	Percent	Valid Percent	Percent
Valid	0 times	822	90.3	90.3	90.3
	1 time	47	5.2	5.2	95.5
	2 or 3 times	21	2.3	2.3	97.8
	4 or 5 times	7	.8	.8	98.6

6 or more times	13	1.4	1.4	100.0
Total	910	100.0	100.0	

13.) During the past 12 months, how many times have you been bullied on school property?

		Frequency	Percent	Valid Percent	Percent
Valid	Yes	143	15.7	15.8	15.8
	No	761	83.6	84.2	100.0
	Total	904	99.3	100.0	
Missing	System	6	.7		
Total		910	100.0		

14.) During the past 12 months, have you ever been electronically bullied, such as through e-mail, chat

		Frequency	Percent	Valid Percent	Percent
Valid	Yes	139	15.3	15.3	15.3
	No	768	84.4	84.7	100.0
	Total	907	99.7	100.0	
Missing	System	3	.3		
Total		910	100.0		

15.) During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club?

		Frequency	Percent	Valid Percent	Percent
Valid	0 days	656	72.1	72.3	72.3
	1 day	29	3.2	3.2	75.5
	2 or 3 days	32	3.5	3.5	79.1
	4 or 5 days	18	2.0	2.0	81.0
	6 or more days	172	18.9	19.0	100.0
	Total	907	99.7	100.0	
Missing	System	3	.3		
Total		910	100.0		

16.) During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club

		Frequency	Percent	Valid Percent	Percent
Valid	0 days	738	81.1	81.7	81.7
	1 day	15	1.6	1.7	83.4
	2 or 3 days	21	2.3	2.3	85.7
	4 or 5 days	5	.5	.6	86.3
	6 or more days	124	13.6	13.7	100.0
	Total	903	99.2	100.0	
Missing	System	7	.8		
Total		910	100.0		

17.) During the past 30 days, on how many days did you not go to school because you felt you would

		Frequency	Percent	Valid Percent	Percent
Valid	0 days	865	95.1	95.2	95.2
	1 day	26	2.9	2.9	98.0
	2 or 3 days	8	.9	.9	98.9
	4 or 5 days	2	.2	.2	99.1
	6 or more days	8	.9	.9	100.0

Total		909	99.9	100.0
Missing	System	1	.1	
Total		910	100.0	

18.) During the past 12 months, how many times has someone threatened or injured you with a weapon

		Frequency	Percent	Valid Percent	Percent
Valid	0 times	862	94.7	94.8	94.8
	1 time	18	2.0	2.0	96.8
	2 or 3 times	19	2.1	2.1	98.9
	4 or 5 times	2	.2	.2	99.1
	8 or 9 times	1	.1	.1	99.2
	12 or more times	7	.8	.8	100.0
	Total	909	99.9	100.0	
Missing	System	1	.1		
Total		910	100.0		

19.) During the past 12 months, how many times has someone stolen or deliberately damaged your

		Frequency	Percent	Valid Percent	Percent
Valid	0 times	681	74.8	75.8	75.8
	1 time	126	13.8	14.0	89.8
	2 or 3 times	65	7.1	7.2	97.0
	4 or 5 times	13	1.4	1.4	98.4
	6 or 7 times	5	.5	.6	99.0
	8 or 9 times	3	.3	.3	99.3
	12 or more times	6	.7	.7	100.0
	Total	899	98.8	100.0	
Missing	System	11	1.2		
Total		910	100.0		

20.) During the past 12 months, how many times were you in a physical fight?

		Frequency	Percent	Valid Percent	Percent
Valid	0 times	676	74.3	74.3	74.3
	1 time	106	11.6	11.6	85.9
	2 or 3 times	78	8.6	8.6	94.5
	4 or 5 times	15	1.6	1.6	96.2
	6 or 7 times	12	1.3	1.3	97.5
	8 or 9 times	3	.3	.3	97.8
	10 or 11 times	3	.3	.3	98.1
	12 or more times	17	1.9	1.9	100.0
	Total	910	100.0	100.0	

21.) During the past 12 months, how many times were you in a physical fight in which you were injured

		Frequency	Percent	Valid Percent	Percent
Valid	0 times	875	96.2	96.2	96.2
	1 time	18	2.0	2.0	98.1
	2 or 3 times	13	1.4	1.4	99.6
	4 or 5 times	1	.1	.1	99.7
	6 or more times	3	.3	.3	100.0
	Total	910	100.0	100.0	

22.) During the past 12 months, how many times were you in a physical fight on school property?

		Frequency	Percent	Valid Percent	Percent
Valid	0 times	805	88.5	89.0	89.0
	1 time	62	6.8	6.9	95.9
	2 or 3 times	19	2.1	2.1	98.0
	4 or 5 times	7	.8	.8	98.8
	6 or 7 times	4	.4	.4	99.2
	10 or 11 times	1	.1	.1	99.3
	12 or more times	6	.7	.7	100.0
	Total	904	99.3	100.0	
Missing	System	6	.7		
Total		910	100.0		

23.) During the past 12 months, did your boyfriend or girlfriend ever hit, slap, or physically hurt you on

		Frequency	Percent	Valid Percent	Percent
Valid	Yes	133	14.6	14.7	14.7
	No	774	85.1	85.3	100.0
	Total	907	99.7	100.0	
Missing	System	3	.3		
Total		910	100.0		

24.) Have you ever been physically forced to have sexual intercourse when you did not want to?

		Frequency	Percent	Valid Percent	Percent
Valid	Yes	103	11.3	11.4	11.4
	No	804	88.4	88.6	100.0
	Total	907	99.7	100.0	
Missing	System	3	.3		
Total		910	100.0		

25.) During the past 12 months, did you ever feel so sad or hopeless almost everyday for two weeks or

		Frequency	Percent	Valid Percent	Percent
Valid	Yes	223	24.5	24.8	24.8
	No	678	74.5	75.2	100.0
	Total	901	99.0	100.0	
Missing	System	9	1.0		
Total		910	100.0		

26.) During the past 12 months, did you ever seriously consider attempting suicide?

		Frequency	Percent	Valid Percent	Percent
Valid	Yes	109	12.0	12.0	12.0
	No	798	87.7	88.0	100.0
	Total	907	99.7	100.0	
Missing	System	3	.3		
Total		910	100.0		

27.) During the past 12 months, did you make a plan about how you would attempt suicide?

		Frequency	Percent	Valid Percent	Percent
Valid	Yes	85	9.3	9.4	9.4
	No	822	90.3	90.6	100.0
	Total	907	99.7	100.0	
Missing	System	3	.3		
Total		910	100.0		

28.) During the past 12 months, how many times did you actually attempt suicide?

		Frequency	Percent	Valid Percent	Percent
Valid	0 times	808	88.8	90.0	90.0
	1 time	66	7.3	7.3	97.3
	2 or 3 times	12	1.3	1.3	98.7
	4 or 5 times	2	.2	.2	98.9
	6 or more times	10	1.1	1.1	100.0
	Total	898	98.7	100.0	
Missing	System	12	1.3		
Total		910	100.0		

29.) When you feel sad, empty, hopeless, angry, or anxious, with whom do you usually talk?

		Frequency	Percent	Valid Percent	Percent
Valid	I do not feel sad, empty,	261	28.7	29.1	29.1
	Parent or other adult family	138	15.2	15.4	44.4
	Teacher or other adult in this	7	.8	.8	45.2
	Religious Leader	18	2.0	2.0	47.2
	Doctor or nurse	3	.3	.3	47.6
	Other adult	10	1.1	1.1	48.7
	Friend or sibling	372	40.9	41.4	90.1
	Some other person	89	9.8	9.9	100.0
	Total	898	98.7	100.0	
Missing	System	12	1.3		
Total		910	100.0		

30.) How old were you when you smoked a whole cigarette for the first time?

		Frequency	Percent	Valid Percent	Percent
Valid	I have never smoked a whole	494	54.3	54.5	54.5
	8 years old or younger	50	5.5	5.5	60.0
	9 or 10 years old	39	4.3	4.3	64.3
	11 or 12 years old	73	8.0	8.0	72.3
	13 or 14 years old	134	14.7	14.8	87.1
	15 or 16 years old	93	10.2	10.3	97.4
	17 years old or older	24	2.6	2.6	100.0
	Total	907	99.7	100.0	

Missing	System	3	.3		
Total		910	100.0		

31.) During the past 30 days, on how many days did you smoke cigarettes?

		Frequency	Percent	Valid Percent	Percent
Valid	0 days	655	72.0	72.5	72.5
	1 or 2 days	56	6.2	6.2	78.7
	3 to 5 days	27	3.0	3.0	81.6
	6 to 9 days	21	2.3	2.3	84.0
	10 to 19 days	25	2.7	2.8	86.7
	20 to 29 days	27	3.0	3.0	89.7
	All 30 days	93	10.2	10.3	100.0
	Total	904	99.3	100.0	
Missing	System	6	.7		
Total		910	100.0		

32.) During the past 12 months, did you ever try to quit smoking cigarettes?

		Frequency	Percent	Valid Percent	Percent
Valid	I did not smoke during the	610	67.0	67.5	67.5
	Yes	152	16.7	16.8	84.3
	No	142	15.6	15.7	100.0
	Total	904	99.3	100.0	
Missing	System	6	.7		
Total		910	100.0		

33.) During the past 30 days, on how many days did you use chewing tobacco, snuff, or dip, such as

		Frequency	Percent	Valid Percent	Percent
Valid	0 days	750	82.4	82.4	82.4
	1 or 2 days	32	3.5	3.5	85.9
	3 to 5 days	30	3.3	3.3	89.2
	6 to 9 days	18	2.0	2.0	91.2
	10 to 19 days	20	2.2	2.2	93.4
	20 to 29 days	5	.5	.5	94.0
	All 30 days	55	6.0	6.0	100.0
	Total	910	100.0	100.0	

34.) How old were you when you had your first drink of alcohol other than a few sips?

		Frequency	Percent	Valid Percent	Percent
Valid	I have never had a drink of	305	33.5	34.0	34.0
	8 years old or younger	65	7.1	7.2	41.2
	9 or 10 years old	37	4.1	4.1	45.3
	11 or 12 years old	90	9.9	10.0	55.3
	13 or 14 years old	190	20.9	21.2	76.5
	15 or 16 years old	181	19.9	20.2	96.7
	17 years old or older	30	3.3	3.3	100.0
	Total	898	98.7	100.0	
Missing	System	12	1.3		

Total	910	100.0		
-------	-----	-------	--	--

35.) During the past 30 days, on how many days did you have at least 1 drink of alcohol?

	Frequency	Percent	Valid Percent	Percent
Valid 0 days	543	59.7	59.7	59.7
1 or 2 days	151	16.6	16.6	76.3
3 to 5 days	83	9.1	9.1	85.5
6 to 9 days	61	6.7	6.7	92.2
10 to 19 days	49	5.4	5.4	97.6
20 to 29 days	16	1.8	1.8	99.3
All 30 days	6	.7	.7	100.0
Total	909	99.9	100.0	
Missing System	1	.1		
Total	910	100.0		

36.) During the past 30 days, on how many days did you have 5 or more drinks of alcohol in a row, that

	Frequency	Percent	Valid Percent	Percent
Valid 0 days	655	72.0	72.2	72.2
1 day	80	8.8	8.8	81.0
2 days	56	6.2	6.2	87.2
3 to 5 days	50	5.5	5.5	92.7
6 to 9 days	41	4.5	4.5	97.2
10 to 19 days	17	1.9	1.9	99.1
20 days or more	8	.9	.9	100.0
Total	907	99.7	100.0	
Missing System	3	.3		
Total	910	100.0		

37.) During the past 30 days, on how many days did you have at least one drink of alcohol on school

	Frequency	Percent	Valid Percent	Percent
Valid 0 days	848	93.2	94.1	94.1
1 or 2 days	33	3.6	3.7	97.8
3 to 5 days	4	.4	.4	98.2
6 to 9 days	6	.7	.7	98.9
10 to 19 days	3	.3	.3	99.2
20 to 29 days	4	.4	.4	99.7
All 30 days	3	.3	.3	100.0
Total	901	99.0	100.0	
Missing System	9	1.0		
Total	910	100.0		

38.) If you drank alcohol during the past 30 days, how did you usually get your alcohol?

	Frequency	Percent	Valid Percent	Percent
Valid I did not drink alcohol during	559	61.4	61.7	61.7
I bought it at a store such as a	11	1.2	1.2	62.9
I bought it at a restaurant, bar	4	.4	.4	63.4
I took it from home	17	1.9	1.9	65.2
My parent(s)/guardian(s) gave	22	2.4	2.4	67.7
I gave someone else the	98	10.8	10.8	78.5
A person over 21 years old	67	7.4	7.4	85.9
I got it some other way	128	14.1	14.1	100.0
Total	906	99.6	100.0	
Missing System	4	.4		

Total	910	100.0		
-------	-----	-------	--	--

39.) During your life, how many times have you used marijuana?

		Frequency	Percent	Valid Percent	Percent
Valid	0 times	587	64.5	64.6	64.6
	1 or 2 times	74	8.1	8.1	72.8
	3 to 9 times	65	7.1	7.2	80.0
	10 to 19 times	28	3.1	3.1	83.0
	20 to 39 times	28	3.1	3.1	86.1
	40 to 99 times	32	3.5	3.5	89.6
	100 or more times	94	10.3	10.4	100.0
	Total	908	99.8	100.0	
Missing	System	2	.2		
Total		910	100.0		

40.) How old were you when you tried marijuana for the first time?

		Frequency	Percent	Valid Percent	Percent
Valid	I have never tried marijuana	583	64.1	64.4	64.4
	8 years old or younger	25	2.7	2.8	67.2
	9 or 10 years old	17	1.9	1.9	69.1
	11 or 12 years old	52	5.7	5.7	74.8
	13 or 14 years old	94	10.3	10.4	85.2
	15 or 16 years old	118	13.0	13.0	98.2
	17 years old or older	16	1.8	1.8	100.0
	Total	905	99.5	100.0	
Missing	System	5	.5		
Total		910	100.0		

41.) During the past 30 days, how many times did you use marijuana?

		Frequency	Percent	Valid Percent	Percent
Valid	0 times	733	80.5	80.5	80.5
	1 or 2 times	47	5.2	5.2	85.7
	3 to 9 times	38	4.2	4.2	89.9
	10 to 19 times	21	2.3	2.3	92.2
	20 to 39 times	19	2.1	2.1	94.3
	40 or more times	52	5.7	5.7	100.0
	Total	910	100.0	100.0	

42.) During the past 30 days, how many times did you use marijuana on school property?

		Frequency	Percent	Valid Percent	Percent
Valid	0 times	844	92.7	92.8	92.8
	1 or 2 times	23	2.5	2.5	95.4
	3 to 9 times	18	2.0	2.0	97.4
	10 to 19 times	11	1.2	1.2	98.6
	20 to 39 times	10	1.1	1.1	99.7
	40 or more times	3	.3	.3	100.0
	Total	909	99.9	100.0	
Missing	System	1	.1		
Total		910	100.0		

43.) During your life, how many times have you used any form of cocaine, including powder, crack, or

		Frequency	Percent	Valid Percent	Percent
Valid	0 times	820	90.1	90.4	90.4
	1 or 2 times	36	4.0	4.0	94.4
	3 to 9 times	22	2.4	2.4	96.8
	10 to 19 times	10	1.1	1.1	97.9
	20 to 39 times	6	.7	.7	98.6
	40 or more times	13	1.4	1.4	100.0
	Total	907	99.7	100.0	
Missing	System	3	.3		
Total		910	100.0		

44.) During your life, how many times have you sniffed glue, breathed the contents of aerosol spray

		Frequency	Percent	Valid Percent	Percent
Valid	0 times	769	84.5	84.7	84.7
	1 or 2 times	71	7.8	7.8	92.5
	3 to 9 times	36	4.0	4.0	96.5
	10 to 19 times	13	1.4	1.4	97.9
	20 to 39 times	6	.7	.7	98.6
	40 or more times	13	1.4	1.4	100.0
	Total	908	99.8	100.0	
Missing	System	2	.2		
Total		910	100.0		

45.) During your life, how many times have you used heroin (also called smack, junk, or China White)?

		Frequency	Percent	Valid Percent	Percent
Valid	0 times	873	95.9	96.1	96.1
	1 or 2 times	15	1.6	1.7	97.8
	3 to 9 times	9	1.0	1.0	98.8
	10 to 19 times	4	.4	.4	99.2
	20 to 39 times	2	.2	.2	99.4
	40 or more times	5	.5	.6	100.0
	Total	908	99.8	100.0	
Missing	System	2	.2		
Total		910	100.0		

46.) During your life, how many times have you used methamphetamines (also called speed, crystal,

		Frequency	Percent	Valid Percent	Percent
Valid	0 times	852	93.6	94.5	94.5
	1 or 2 times	29	3.2	3.2	97.7
	3 to 9 times	4	.4	.4	98.1
	10 to 19 times	3	.3	.3	98.4
	20 to 39 times	8	.9	.9	99.3
	40 or more times	6	.7	.7	100.0
	Total	902	99.1	100.0	
Missing	System	8	.9		
Total		910	100.0		

47.) During your life, how many times have you used ecstasy (also called MDMA)?

		Frequency	Percent	Valid Percent	Percent
--	--	-----------	---------	---------------	---------

Valid	0 times	844	92.7	92.8	92.8
	1 or 2 times	25	2.7	2.8	95.6
	3 to 9 times	16	1.8	1.8	97.4
	10 to 19 times	6	.7	.7	98.0
	20 to 39 times	9	1.0	1.0	99.0
	40 or more times	9	1.0	1.0	100.0
	Total	909	99.9	100.0	
Missing	System	1	.1		
Total		910	100.0		

48.) During your life, how many times have you taken steroid pills or shots without a doctor's

		Frequency	Percent	Valid Percent	Percent
Valid	0 times	866	95.2	95.4	95.4
	1 or 2 times	17	1.9	1.9	97.2
	3 to 9 times	12	1.3	1.3	98.6
	10 to 19 times	5	.5	.6	99.1
	20 to 39 times	3	.3	.3	99.4
	40 or more times	5	.5	.6	100.0
	Total	908	99.8	100.0	
Missing	System	2	.2		
Total		910	100.0		

49.) During your life, how many times have you used a needle to inject any illegal drug into your body?

		Frequency	Percent	Valid Percent	Percent
Valid	0 times	873	95.9	97.0	97.0
	1 time	11	1.2	1.2	98.2
	2 or more times	16	1.8	1.8	100.0
	Total	900	98.9	100.0	
Missing	System	10	1.1		
Total		910	100.0		

50.) During your life, how many times have you taken a prescription drug such as OxyContin, Percocet,

		Frequency	Percent	Valid Percent	Percent
Valid	0 times	710	78.0	78.1	78.1
	1 or 2 times	54	5.9	5.9	84.0
	3 to 9 times	52	5.7	5.7	89.8
	10 to 19 times	31	3.4	3.4	93.2
	20 to 39 times	17	1.9	1.9	95.0
	40 or more times	45	4.9	5.0	100.0
	Total	909	99.9	100.0	
Missing	System	1	.1		
Total		910	100.0		

51.) If you took a prescription drug without a doctor's prescription during the past 12 months, how did

		Frequency	Percent	Valid Percent	Percent
Valid	I did not take a prescription	710	78.0	78.4	78.4

	I took it from home	39	4.3	4.3	82.7
	I took it from someone else's	10	1.1	1.1	83.8
	I got it from someone	88	9.7	9.7	93.5
	I bought it from someone	34	3.7	3.8	97.2
	I got it some other way	25	2.7	2.8	100.0
	Total	906	99.6	100.0	
Missing	System	4	.4		
Total		910	100.0		

52.) During the past 12 months, has anyone offered, sold, or given you an illegal drug on school

		Frequency	Percent	Valid Percent	Percent
Valid	Yes	215	23.6	23.9	23.9
	No	684	75.2	76.1	100.0
	Total	899	98.8	100.0	
Missing	System	11	1.2		
Total		910	100.0		

53.) Have you ever had sexual intercourse?

		Frequency	Percent	Valid Percent	Percent
Valid	Yes	454	49.9	50.0	50.0
	No	454	49.9	50.0	100.0
	Total	908	99.8	100.0	
Missing	System	2	.2		
Total		910	100.0		

54.) How old were you when you had sexual intercourse for the first time?

		Frequency	Percent	Valid Percent	Percent
Valid	I have not had sexual	458	50.3	50.4	50.4
	11 years old or younger	35	3.8	3.9	54.3
	12 years old	23	2.5	2.5	56.8
	13 years old	49	5.4	5.4	62.2
	14 years old	114	12.5	12.6	74.8
	15 years old	117	12.9	12.9	87.7
	16 years old	87	9.6	9.6	97.2
	17 years old or older	25	2.7	2.8	100.0
	Total	908	99.8	100.0	
Missing	System	2	.2		
Total		910	100.0		

55.) During your life, how many people have you had sexual intercourse with?

		Frequency	Percent	Valid Percent	Percent
--	--	-----------	---------	---------------	---------

Valid	I have not had sexual	455	50.0	50.6	50.6
	1 person	151	16.6	16.8	67.4
	2 people	97	10.7	10.8	78.2
	3 people	55	6.0	6.1	84.3
	4 people	44	4.8	4.9	89.2
	5 people	19	2.1	2.1	91.3
	6 or more people	78	8.6	8.7	100.0
	Total	899	98.8	100.0	
Missing	System	11	1.2		
Total		910	100.0		

56.) During the past 3 months, with how many people did you have sexual intercourse?

		Frequency	Percent	Valid Percent	Percent
Valid	I have never had sexual	469	51.5	51.8	51.8
	I have had sexual intercourse,	120	13.2	13.3	65.1
	1 person	228	25.1	25.2	90.3
	2 people	40	4.4	4.4	94.7
	3 people	20	2.2	2.2	96.9
	4 people	9	1.0	1.0	97.9
	5 people	6	.7	.7	98.6
	6 or more people	13	1.4	1.4	100.0
	Total	905	99.5	100.0	
Missing	System	5	.5		
Total		910	100.0		

57.) Did you drink alcohol or use drugs before you had sexual intercourse the last time?

		Frequency	Percent	Valid Percent	Percent
Valid	I have never had sexual	456	50.1	50.5	50.5
	Yes	122	13.4	13.5	64.0
	No	325	35.7	36.0	100.0
	Total	903	99.2	100.0	
Missing	System	7	.8		
Total		910	100.0		

58.) The last time you had sexual intercourse, did you or your partner use a condom?

		Frequency	Percent	Valid Percent	Percent
Valid	I have never had sexual	460	50.5	51.2	51.2
	Yes	273	30.0	30.4	81.6
	No	165	18.1	18.4	100.0
	Total	898	98.7	100.0	
Missing	System	12	1.3		
Total		910	100.0		

59.) The last time you had sexual intercourse, what one method did you or your partner use to prevent

		Frequency	Percent	Valid Percent	Percent
Valid	I have never had sexual	456	50.1	50.4	50.4
	No method was used to	59	6.5	6.5	57.0
	Birth control pills	88	9.7	9.7	66.7
	Condoms	212	23.3	23.5	90.2
	Depo-Provera (injectable birth	22	2.4	2.4	92.6
	Withdrawal	37	4.1	4.1	96.7

	Some other method	13	1.4	1.4	98.1
	Not sure	17	1.9	1.9	100.0
	Total	904	99.3	100.0	
Missing	System	6	.7		
Total		910	100.0		

60.) How many times have you been pregnant or gotten someone pregnant?

		Frequency	Percent	Valid Percent	Percent
Valid	0 times	838	92.1	92.6	92.6
	1 time	40	4.4	4.4	97.0
	2 or more times	7	.8	.8	97.8
	Not sure	20	2.2	2.2	100.0
	Total	905	99.5	100.0	
Missing	System	5	.5		
Total		910	100.0		

61.) Have your parents or other adults in your family ever talked with you about what they expect you to

		Frequency	Percent	Valid Percent	Percent
Valid	Yes	703	77.3	77.9	77.9
	No	154	16.9	17.1	95.0
	Not sure	45	4.9	5.0	100.0
	Total	902	99.1	100.0	
Missing	System	8	.9		
Total		910	100.0		

62.) The last time you had sexual intercourse, how old was your partner?

		Frequency	Percent	Valid Percent	Percent
Valid	I have never had sexual	459	50.4	50.6	50.6
	5 or more years younger	8	.9	.9	51.4
	3-4 years younger	16	1.8	1.8	53.2
	About the same age	311	34.2	34.3	87.4
	3-4 years older	71	7.8	7.8	95.3
	5 or more years older	32	3.5	3.5	98.8
	Not sure	11	1.2	1.2	100.0
	Total	908	99.8	100.0	
Missing	System	2	.2		
Total		910	100.0		

63.) How do you describe your weight?

		Frequency	Percent	Valid Percent	Percent
Valid	Very underweight	25	2.7	2.8	2.8
	Slightly underweight	79	8.7	8.7	11.5

	About the right weight	507	55.7	56.0	67.5
	Slightly overweight	254	27.9	28.1	95.6
	Very overweight	40	4.4	4.4	100.0
	Total	905	99.5	100.0	
Missing	System	5	.5		
Total		910	100.0		

64.) Which of the following are you trying to do about your weight?

		Frequency	Percent	Valid Percent	Percent
Valid	Lose weight	435	47.8	48.3	48.3
	Gain weight	122	13.4	13.6	61.9
	Stay the same weight	162	17.8	18.0	79.9
	I am not trying to do anything	181	19.9	20.1	100.0
	Total	900	98.9	100.0	
Missing	System	10	1.1		
Total		910	100.0		

65.) During the past 30 days, did you exercise to lose weight or to keep from gaining weight?

		Frequency	Percent	Valid Percent	Percent
Valid	Yes	578	63.5	64.1	64.1
	No	324	35.6	35.9	100.0
	Total	902	99.1	100.0	
Missing	System	8	.9		
Total		910	100.0		

66.) During the past 30 days, did you eat less food, fewer calories, or foods low in fat to lose weight or

		Frequency	Percent	Valid Percent	Percent
Valid	Yes	366	40.2	40.7	40.7
	No	534	58.7	59.3	100.0
	Total	900	98.9	100.0	
Missing	System	10	1.1		
Total		910	100.0		

67.) During the past 30 days, did you take any diet pills, powders, or liquids without a doctor's advice to

		Frequency	Percent	Valid Percent	Percent
Valid	Yes	63	6.9	7.0	7.0
	No	833	91.5	93.0	100.0
	Total	896	98.5	100.0	
Missing	System	14	1.5		
Total		910	100.0		

68.) During the past 30 days, did you vomit or take laxatives to lose weight or to keep from gaining

		Frequency	Percent	Valid Percent	Percent
Valid	Yes	59	6.5	6.6	6.6
	No	841	92.4	93.4	100.0
	Total	900	98.9	100.0	
Missing	System	10	1.1		
Total		910	100.0		

69.) During the past 30 days, did you skip meals to lose weight or to keep from gaining weight?

		Frequency	Percent	Valid Percent	Percent
--	--	-----------	---------	---------------	---------

Valid	Yes	207	22.7	23.3	23.3
	No	683	75.1	76.7	100.0
	Total	890	97.8	100.0	
Missing	System	20	2.2		
Total		910	100.0		

70.) During the past 7 days, how many times did you eat fruit? Do not count fruit juice.

		Frequency	Percent	Valid Percent	Percent
Valid	I did not eat fruit during the	89	9.8	9.9	9.9
	1 to 3 times during the past 7	326	35.8	36.1	46.0
	4 to 6 times during the past 7	173	19.0	19.2	65.1
	1 time per day	110	12.1	12.2	77.3
	2 times per day	110	12.1	12.2	89.5
	3 times per day	41	4.5	4.5	94.0
	4 or more times per day	54	5.9	6.0	100.0
	Total	903	99.2	100.0	
Missing	System	7	.8		
Total		910	100.0		

71.) During the past 7 days, how many times did you eat vegetables? Include raw, cooked, frozen,

		Frequency	Percent	Valid Percent	Percent
Valid	I did not eat vegetables during	76	8.4	8.4	8.4
	1 to 3 times during the past 7	230	25.3	25.4	33.7
	4 to 6 times during the past 7	210	23.1	23.2	56.9
	1 time per day	142	15.6	15.7	72.5
	2 times per day	128	14.1	14.1	86.7
	3 times per day	73	8.0	8.0	94.7
	4 or more times per day	48	5.3	5.3	100.0
	Total	907	99.7	100.0	
Missing	System	3	.3		
Total		910	100.0		

72.) During the past 7 days, how many times did you eat junk food such as sweet or salty snack foods?

		Frequency	Percent	Valid Percent	Percent
Valid	I did not eat junk food during	53	5.8	5.9	5.9
	1 to 3 times during the past 7	222	24.4	24.7	30.6
	4 to 6 times during the past 7	171	18.8	19.0	49.6
	1 time per day	163	17.9	18.1	67.7
	2 times per day	130	14.3	14.4	82.1
	3 times per day	63	6.9	7.0	89.1
	4 or more times per day	98	10.8	10.9	100.0
	Total	900	98.9	100.0	
Missing	System	10	1.1		
Total		910	100.0		

73.) During the past 7 days, how many times did you drink a can, bottle, or glass of soda or pop such

		Frequency	Percent	Valid Percent	Percent
Valid	I did not drink soda or pop	159	17.5	17.7	17.7
	1 to 3 times during the past 7	279	30.7	31.1	48.8
	4 to 6 times during the past 7	121	13.3	13.5	62.3
	1 time per day	95	10.4	10.6	72.9

	2 times per day	112	12.3	12.5	85.4
	3 times per day	53	5.8	5.9	91.3
	4 or more times per day	78	8.6	8.7	100.0
	Total	897	98.6	100.0	
Missing	System	13	1.4		
Total		910	100.0		

74.) During the past 7 days, how many times did you drink a can, bottle, or glass of any other

		Frequency	Percent	Valid Percent	Percent
Valid	1 did not drink any other	108	11.9	11.9	11.9
	1 to 3 times during the past 7	281	30.9	31.0	42.9
	4 to 6 times during the past 7	148	16.3	16.3	59.2
	1 time per day	107	11.8	11.8	71.0
	2 times per day	95	10.4	10.5	81.5
	3 times per day	64	7.0	7.1	88.5
	4 or more times per day	104	11.4	11.5	100.0
	Total	907	99.7	100.0	
Missing	System	3	.3		
Total		910	100.0		

75.) During the past 7 days, how many times did you buy food and/or drinks from vending machines at

		Frequency	Percent	Valid Percent	Percent
Valid	0 times	488	53.6	54.3	54.3
	1 time	157	17.3	17.5	71.7
	2 times	113	12.4	12.6	84.3
	3 times	61	6.7	6.8	91.1
	4 times	36	4.0	4.0	95.1
	5 or more times	44	4.8	4.9	100.0
	Total	899	98.8	100.0	
Missing	System	11	1.2		
Total		910	100.0		

76.) During the past 7 days, on how many days did you eat breakfast?

		Frequency	Percent	Valid Percent	Percent
Valid	0 days	107	11.8	11.9	11.9
	1 day	69	7.6	7.7	19.6
	2 days	87	9.6	9.7	29.3
	3 days	77	8.5	8.6	37.8
	4 days	80	8.8	8.9	46.7
	5 days	80	8.8	8.9	55.6
	6 days	48	5.3	5.3	61.0
	7 days	351	38.6	39.0	100.0
	Total	899	98.8	100.0	
Missing	System	11	1.2		
Total		910	100.0		

77.) During the past 7 days, how many times did you eat dinner prepared at home with your family?

		Frequency	Percent	Valid Percent	Percent
Valid	0 times	94	10.3	10.4	10.4
	1 time	65	7.1	7.2	17.5
	2 times	50	5.5	5.5	23.1
	3 times	105	11.5	11.6	34.7

	4 times	119	13.1	13.1	47.8
	5 times	152	16.7	16.8	64.6
	6 times	94	10.3	10.4	74.9
	7 times	227	24.9	25.1	100.0
	Total	906	99.6	100.0	
Missing	System	4	.4		
Total		910	100.0		

78.) During the past 7 days, on how many days were you physically active for a total of at least 60

		Frequency	Percent	Valid Percent	Percent
Valid	0 days	109	12.0	12.1	12.1
	1 day	68	7.5	7.5	19.6
	2 days	69	7.6	7.6	27.3
	3 days	98	10.8	10.9	38.1
	4 days	85	9.3	9.4	47.6
	5 days	157	17.3	17.4	65.0
	6 days	59	6.5	6.5	71.5
	7 days	257	28.2	28.5	100.0
	Total	902	99.1	100.0	
Missing	System	8	.9		
Total		910	100.0		

79.) On an average school day, how much total time do you spend being physically active? Include all

		Frequency	Percent	Valid Percent	Percent
Valid	I am not physically active on	134	14.7	15.0	15.0
	Less that 30 minutes	97	10.7	10.9	25.9
	30 minutes to 1 hour	204	22.4	22.9	48.8
	More than 1 hour and up to 2	276	30.3	31.0	79.8
	More than 2 hours	180	19.8	20.2	100.0
	Total	891	97.9	100.0	
Missing	System	19	2.1		
Total		910	100.0		

80.) On an average weekend day, how much total time do you spend being physically active?

		Frequency	Percent	Valid Percent	Percent
Valid	I am not physically active on	103	11.3	11.5	11.5
	Less that 30 minutes	120	13.2	13.4	24.8
	30 minutes to 1 hour	245	26.9	27.3	52.1
	More than 1 hour and up to 2	212	23.3	23.6	75.7
	More than 2 hours	218	24.0	24.3	100.0
	Total	898	98.7	100.0	
Missing	System	12	1.3		
Total		910	100.0		

81.) In an average week when you are in school, on how many days do you go to physical education

		Frequency	Percent	Valid Percent	Percent
Valid	0 days	522	57.4	58.3	58.3
	1 day	25	2.7	2.8	61.1
	2 days	23	2.5	2.6	63.7
	3 days	81	8.9	9.1	72.7
	4 days	9	1.0	1.0	73.7
	5 days	235	25.8	26.3	100.0
	Total	895	98.4	100.0	
Missing	System	15	1.6		

Total	910	100.0		
-------	-----	-------	--	--

82.) On an average school day, how many hours do you watch TV?

		Frequency	Percent	Valid Percent	Percent
Valid	I do not watch TV on an	157	17.3	17.5	17.5
	Less than 1 hour per day	163	17.9	18.2	35.8
	1 hour per day	149	16.4	16.6	52.4
	2 hours per day	183	20.1	20.4	72.8
	3 hours per day	136	14.9	15.2	88.0
	4 hours per day	51	5.6	5.7	93.7
	5 or more hours per day	56	6.2	6.3	100.0
	Total	895	98.4	100.0	
Missing	System	15	1.6		
Total		910	100.0		

83.) On an average school day, how many hours do you play video games or computer games or use a

		Frequency	Percent	Valid Percent	Percent
Valid	I do not play video or	233	25.6	25.9	25.9
	Less than 1 hour per day	267	29.3	29.6	55.5
	1 hour per day	131	14.4	14.5	70.0
	2 hours per day	121	13.3	13.4	83.5
	3 hours per day	71	7.8	7.9	91.3
	4 hours per day	29	3.2	3.2	94.6
	5 or more hours per day	49	5.4	5.4	100.0
	Total	901	99.0	100.0	
Missing	System	9	1.0		
Total		910	100.0		

84.) On an average Saturday or Sunday, how many hours do you play video games or computer games

		Frequency	Percent	Valid Percent	Percent
Valid	I do not watch TV, play video	108	11.9	12.1	12.1
	Less than 1 hour per day	147	16.2	16.4	28.5
	1 hour per day	120	13.2	13.4	41.9
	2 hours per day	159	17.5	17.8	59.7
	3 hours per day	144	15.8	16.1	75.8
	4 hours per day	90	9.9	10.1	85.9
	5 or more hours per day	126	13.8	14.1	100.0
	Total	894	98.2	100.0	
Missing	System	16	1.8		
Total		910	100.0		

85.) When you are outside for more than one hour on a sunny day, how often do you wear sunscreen

		Frequency	Percent	Valid Percent	Percent
Valid	Never	501	55.1	55.9	55.9
	Rarely	224	24.6	25.0	80.9
	Sometimes	102	11.2	11.4	92.3
	Most of the time	47	5.2	5.2	97.5
	Always	22	2.4	2.5	100.0
	Total	896	98.5	100.0	
Missing	System	14	1.5		

Total	910	100.0		
-------	-----	-------	--	--

86.) On an average school night, how many hours of sleep do you get?

		Frequency	Percent	Valid Percent	Percent
Valid	4 hours or less	79	8.7	8.8	8.8
	5 hours	98	10.8	10.9	19.7
	6 hours	194	21.3	21.6	41.3
	7 hours	262	28.8	29.1	70.4
	8 hours	198	21.8	22.0	92.4
	9 hours	49	5.4	5.5	97.9
	10 or more hours	19	2.1	2.1	100.0
	Total	899	98.8	100.0	
Missing	System	11	1.2		
Total		910	100.0		

87.) A disability can be physical, mental, emotional, or communication-related. Do you consider

		Frequency	Percent	Valid Percent	Percent
Valid	Yes	117	12.9	13.3	13.3
	No	661	72.6	74.9	88.1
	Not sure	105	11.5	11.9	100.0
	Total	883	97.0	100.0	
Missing	System	27	3.0		
Total		910	100.0		

88.) On an average school day, how long after school are you alone without a parent or adult?

		Frequency	Percent	Valid Percent	Percent
Valid	I am not alone after school	247	27.1	27.9	27.9
	Less than 1 hour per day	173	19.0	19.5	47.4
	1-2 hours per day	214	23.5	24.2	71.6
	3 hours per day	97	10.7	10.9	82.5
	4 hours per day	52	5.7	5.9	88.4
	5 hours per day	36	4.0	4.1	92.4
	6 or more hours per day	67	7.4	7.6	100.0
	Total	886	97.4	100.0	
Missing	System	24	2.6		
Total		910	100.0		

89.) Do you participate in any extracurricular activities at school such as sports, band, drama, clubs?

		Frequency	Percent	Valid Percent	Percent
Valid	Yes	553	60.8	63.6	63.6
	No	317	34.8	36.4	100.0
	Total	870	95.6	100.0	
Missing	System	40	4.4		
Total		910	100.0		

90.) When was the last time you saw a doctor or nurse for a check-up or physical exam when you were

		Frequency	Percent	Valid Percent	Percent
--	--	-----------	---------	---------------	---------

Valid	During the past 12 months	565	62.1	63.0	63.0
	Between 12 and 24 months	138	15.2	15.4	78.4
	More than 24 months ago	59	6.5	6.6	84.9
	Never	35	3.8	3.9	88.9
	Not sure	100	11.0	11.1	100.0
	Total	897	98.6	100.0	
Missing	System	13	1.4		
Total		910	100.0		

91.) When was the last time you saw a dentist for a check-up, exam, teeth cleaning, or other dental

		Frequency	Percent	Valid Percent	Percent
Valid	During the past 12 months	599	65.8	67.0	67.0
	Between 12 and 24 months	120	13.2	13.4	80.4
	More than 24 months ago	60	6.6	6.7	87.1
	Never	33	3.6	3.7	90.8
	Not sure	82	9.0	9.2	100.0
	Total	894	98.2	100.0	
Missing	System	16	1.8		
Total		910	100.0		

92.) Has a doctor or nurse ever told you that you have asthma?

		Frequency	Percent	Valid Percent	Percent
Valid	Yes	209	23.0	23.4	23.4
	No	647	71.1	72.5	96.0
	Not sure	36	4.0	4.0	100.0
	Total	892	98.0	100.0	
Missing	System	18	2.0		
Total		910	100.0		

93.) How do you rate your health in general?

		Frequency	Percent	Valid Percent	Percent
Valid	Excellent	180	19.8	20.1	20.1
	Very good	308	33.8	34.4	54.5
	Good	302	33.2	33.7	88.3
	Fair	84	9.2	9.4	97.7
	Poor	21	2.3	2.3	100.0
	Total	895	98.4	100.0	
Missing	System	15	1.6		
Total		910	100.0		

94.) Do you agree or disagree that you feel alone in your life?

		Frequency	Percent	Valid Percent	Percent
Valid	Strongly agree	68	7.5	7.6	7.6
	Agree	108	11.9	12.0	19.6
	Not sure	144	15.8	16.1	35.7
	Disagree	255	28.0	28.4	64.1
	Strongly disagree	322	35.4	35.9	100.0
	Total	897	98.6	100.0	
Missing	System	13	1.4		
Total		910	100.0		

95.) Do you agree or disagree that you feel good about yourself?

		Frequency	Percent	Valid Percent	Percent
--	--	-----------	---------	---------------	---------

Valid	Strongly agree	262	28.8	29.2	29.2
	Agree	388	42.6	43.2	72.4
	Not sure	148	16.3	16.5	88.9
	Disagree	64	7.0	7.1	96.0
	Strongly disagree	36	4.0	4.0	100.0
	Total	898	98.7	100.0	
Missing	System	12	1.3		
Total		910	100.0		

96) Do you agree or disagree that your teachers really care about you and give you a lot of

		Frequency	Percent	Valid Percent	Percent
Valid	Strongly agree	167	18.4	18.5	18.5
	Agree	362	39.8	40.1	58.6
	Not sure	206	22.6	22.8	81.4
	Disagree	95	10.4	10.5	91.9
	Strongly disagree	73	8.0	8.1	100.0
	Total	903	99.2	100.0	
Missing	System	7	.8		
Total		910	100.0		

97.) Do you agree or disagree that harassment and bullying by other students is a problem at your

		Frequency	Percent	Valid Percent	Percent
Valid	Strongly agree	139	15.3	15.5	15.5
	Agree	206	22.6	23.0	38.5
	Not sure	255	28.0	28.5	67.0
	Disagree	202	22.2	22.5	89.5
	Strongly disagree	94	10.3	10.5	100.0
	Total	896	98.5	100.0	
Missing	System	14	1.5		
Total		910	100.0		

98.) Do you agree or disagree that gangs are a problem at your school?

		Frequency	Percent	Valid Percent	Percent
Valid	Strongly agree	79	8.7	8.8	8.8
	Agree	61	6.7	6.8	15.5
	Not sure	216	23.7	24.0	39.5
	Disagree	275	30.2	30.5	70.0
	Strongly disagree	270	29.7	30.0	100.0
	Total	901	99.0	100.0	
Missing	System	9	1.0		
Total		910	100.0		

99.) Do you agree or disagree that drugs are a problem at your school?

		Frequency	Percent	Valid Percent	Percent
Valid	Strongly agree	240	26.4	26.7	26.7

	Agree	254	27.9	28.3	54.9
	Not sure	206	22.6	22.9	77.9
	Disagree	92	10.1	10.2	88.1
	Strongly disagree	107	11.8	11.9	100.0
	Total	899	98.8	100.0	
Missing	System	11	1.2		
Total		910	100.0		